

Hospital In-Patient Enquiry Scheme (HIPE)

Data Dictionary 2011

Version 3.0

Hospital In-Patient Enquiry Scheme (HIPE) Data Dictionary 2011 Version 3.0	
roduction of material	

Re

HIPE system in Ireland subject to the inclusion of an acknowledgement of the source and no commercial usage or resale. Reproduction for other purposes than those stated above requires the written permission of the HIPE Unit, Health Research and Information Division, ESRI.

Table of Contents

Introduction	x
Variables	1
Additional consultant involvement - encounter consultant	2
Additional consultant involvement - encounter position	3
Additional consultant involvement - encounter type	4
Admission Date	5
Admission Weight	6
Admitting Consultant	7
Admitting Ward	8
Age	9
AgeWeeks	10
Area of Residence	11
Australian - Refined Diagnostic Related Group	12
Consultant Specialties	13
Date of Birth	14
Date of Discharge	15
Date of Principal Procedure	16
Date of procedure sequenced 2nd	17
Date of procedure sequenced 3rd	18
Date of procedure sequenced 4th	19
Date of procedure sequenced 5th	20
Date of procedure sequenced 6th	21
Date of procedure sequenced 7th	22
Date of procedure sequenced 8th	23
Date of procedure sequenced 9th	24
Date of procedure sequenced 10th	25
Date of procedure sequenced 11th	26
Date of procedure sequenced 12th	27
Date of procedure sequenced 13th	28
Date of procedure sequenced 14th	29
Date of procedure sequenced 15th	30
Date of procedure sequenced 16th	31
Date of procedure sequenced 17th	32

Date of procedure sequenced 18th	33
Date of procedure sequenced 19th	34
Date of procedure sequenced 20th	35
Date of Transfer to Pre-Discharge Unit/Rehab	36
Day Case indicator	37
Day Ward Identifier	38
Day Ward Indicator	39
Discharge Code	40
Discharge Consultant	41
Discharge Status	42
Discharge Ward	43
Episode Number	44
Health Insurer	45
Hospital Acquired Diagnosis 2	46
Hospital Acquired Diagnosis 3	47
Hospital Acquired Diagnosis 4	48
Hospital Acquired Diagnosis 5	49
Hospital Acquired Diagnosis 6	50
Hospital Acquired Diagnosis 7	51
Hospital Acquired Diagnosis 8	52
Hospital Acquired Diagnosis 9	53
Hospital Acquired Diagnosis 10	54
Hospital Acquired Diagnosis 11	55
Hospital Acquired Diagnosis 12	56
Hospital Acquired Diagnosis 13	57
Hospital Acquired Diagnosis 14	58
Hospital Acquired Diagnosis 15	59
Hospital Acquired Diagnosis 16	60
Hospital Acquired Diagnosis 17	61
Hospital Acquired Diagnosis 18	62
Hospital Acquired Diagnosis 19	63
Hospital Acquired Diagnosis 20	64
Hospital Acquired Diagnosis 21	65
Hospital Acquired Diagnosis 22	66
Hospital Acquired Diagnosis 23	67
Hospital Acquired Diagnosis 24	68

Hospital Acquired Diagnosis 25	69
Hospital Acquired Diagnosis 26	70
Hospital Acquired Diagnosis 27	71
Hospital Acquired Diagnosis 28	72
Hospital Acquired Diagnosis 29	73
Hospital Acquired Diagnosis 30	74
Hospital Number	75
Intensive Care Consultant	76
Major Diagnostic Category	77
Marital Status	78
Medical Card	79
Medical Card Number	80
Medical Record Number	81
Mode of Emergency Admission	82
NHO flag	83
Non Acute Length of Stay: Temporary Leave Days	84
Number of Days in Intensive Care Environment	85
Oncology Day Ward Flag	86
Parity: Live births	87
Parity: Still births	88
Patient's Name	89
Primary Consultant	90
Principal Diagnosis	91
Principal Procedure	92
Principal Procedure Anaesthetist	93
Principal Procedure Consultant	94
Private Bed	95
Public Bed	96
Semi Private Bed	97
Sex	98
Source of Admission	99
Transfer Hospital: From	
Transfer Hospital: To	101
Type of Admission	102
Waiting List Indicator	103
1st Additional Additional Diagnosis	104

1st Additional Diagnosis Consultant	
1st Additional Procedure	
1st Additional Procedure Anaesthetist	
1st Additional Procedure Consultant	108
2nd Additional Diagnosis	109
2nd Additional Diagnosis Consultant	110
2nd Additional Procedure	111
2nd Additional Procedure Anaesthetist	112
2nd Additional Procedure Consultant	113
3rd Additional Diagnosis	114
3rd Additional Diagnosis Consultant	115
3rd Additional Procedure	116
3rd Additional Procedure Anaesthetist	117
3rd Additional Procedure Consultant	118
4th Additional Diagnosis	119
4th Additional Diagnosis Consultant	120
4th Additional Procedure	121
4th Additional Procedure Anaesthetist	122
4th Additional Procedure Consultant	123
5th Additional Diagnosis	124
5th Additional Diagnosis Consultant	125
5th Additional Procedure	126
5th Additional Procedure Anaesthetist	127
5th Additional Procedure Consultant	128
6th Additional Diagnosis	129
6th Additional Diagnosis Consultant	130
6th Additional Procedure	131
6th Additional Procedure Anaesthetist	132
6th Additional Procedure Consultant	133
7th Additional Diagnosis	134
7th Additional Diagnosis Consultant	135
7th Additional Procedure	136
7th Additional Procedure Anaesthetist	137
7th Additional Procedure Consultant	138
8th Additional Diagnosis	139
8th Additional Diagnosis Consultant	

8th Additional Procedure	141
8th Additional Procedure Anaesthetist	142
8th Additional Procedure Consultant	143
9th Additional Diagnosis	144
9th Additional Diagnosis Consultant	145
9th Additional Procedure	146
9th Additional Procedure Anaesthetist	147
9th Additional Procedure Consultant	148
10th Additional Diagnosis	149
10th Additional Diagnosis Consultant	150
10th Additional Procedure	151
10th Additional Procedure Anaesthetist	152
10th Additional Procedure Consultant	153
11th Additional Diagnosis	154
11th Additional Diagnosis Consultant	155
11th Additional Procedure	156
11th Additional Procedure Anaesthetist	157
11th Additional Procedure Consultant	158
12th Additional Diagnosis	159
12th Additional Diagnosis Consultant	160
12th Additional Procedure	161
12th Additional Procedure Anaesthetist	162
12th Additional Procedure Consultant	163
13th Additional Diagnosis	164
13th Additional Diagnosis Consultant	165
13th Additional Procedure	166
13th Additional Procedure Anaesthetist	167
13th Additional Procedure Consultant	168
14th Additional Diagnosis	169
14th Additional Diagnosis Consultant	170
14th Additional Procedure	171
14th Additional Procedure Anaesthetist	
14th Additional Procedure Consultant	173
15th Additional Diagnosis	
15th Additional Diagnosis Consultant	175
15th Additional Procedure	176

15th Additional Procedure Anaesthetist	177
15th Additional Procedure Consultant	178
16th Additional Diagnosis	179
16th Additional Diagnosis Consultant	180
16th Additional Procedure	181
16th Additional Procedure Anaesthetist	182
16th Additional Procedure Consultant	183
17th Additional Diagnosis	184
17th Additional Diagnosis Consultant	185
17th Additional Procedure	186
17th Additional Procedure Anaesthetist	187
17th Additional Procedure Consultant	188
18th Additional Diagnosis	189
18th Additional Diagnosis Consultant	190
18th Additional Procedure	191
18th Additional Procedure Anaesthetist	192
18th Additional Procedure Consultant	193
19th Additional Diagnosis	194
19th Additional Diagnosis Consultant	
19th Additional Procedure	196
19th Additional Procedure Anaesthetist	197
19th Additional Procedure Consultant	198
20th Additional Diagnosis	199
20th Additional Diagnosis Consultant	200
21st Additional Diagnosis	
21st Additional Diagnosis Consultant	202
22nd Additional Diagnosis	203
22nd Additional Diagnosis Consultant	204
23rd Additional Diagnosis	205
23rd Additional Diagnosis Consultant	206
24th Additional Diagnosis	
24th Additional Diagnosis Consultant	
25th Additional Diagnosis	209
25th Additional Diagnosis Consultant	
26th Additional Diagnosis	211
26th Additional Diagnosis Consultant	212

27th Additional Diagnosis	213
27th Additional Diagnosis Consultant	214
28th Additional Diagnosis	215
28th Additional Diagnosis Consultant	216
29th Additional Diagnosis	217
29th Additional Diagnosis Consultant	218
Appendix I - CODE SETS	219
ADMSOURCE - Source of Admission	
ADMTYPE - Admission Type	219
DAYCASE	219
DISC_CODE – Discharge Code	220
DIS_STATUS – Discharge Status	220
EMADM – Mode of Emergency Admission	220
Enc_Type - Additional Encounter Type	220
Health Insurer	220
Hospital Codes	221
MARR – Marital Status	222
MCARD – Medical Card	222
RESID – Area of Residence (HSE Region only applies to Republic of Ireland)	223
RepeatStatus –Oncology Day Ward Flag	224
SEX	224
Specialties	225
WARDIND – Registered Day Ward Indicator	226
WLIST – Waiting List Indicator	
Appendix II - Classifications	227
Appendix III - Abbreviations	227
Appendix IV – HIPE Source Documents	228
Appendix V - Organisations	228

Introduction

The Hospital In-Patient Enquiry (HIPE) scheme, established in 1971, is a computer-based health information system designed to collect clinical and administrative data on discharges from, and deaths in, acute hospitals in Ireland. It is the principal source of national data on discharges from acute hospitals. The Economic and Social Research Institute (ESRI) oversee the administration and management of this scheme on behalf of the Health Service Executive (HSE) and the Department of Health and Children (DOHC). Within the ESRI, the Health Research and Information Division (HRID) is responsible for overseeing all functions associated with the operation of this database, including the development and support of the data collection and reporting software, training of coders and data quality audit, reporting, and responding to requests for data. The figure below summarises the HIPE data collection and reporting process. Further information on the development of the HIPE scheme can be found in our annual report series.




Figure: The HIPE Data Collection and Reporting Process

¹ The ESRI's HRID also oversees the administration and management of the National Perinatal Reporting System (NPRS) on behalf of the HSE.

 $^{^2 \ \ \}text{HIPE Annual Reports can be found on http://www.esri.ie/health_information/latest_hipe_nprs_reports/$

[©] Health Research and Information Division, Economic and Social Research Institute, 2011

Objectives of HIPE Data Dictionary Version 3.0

HIPE collects information on in-patient and day patient activity from participating hospitals. A HIPE discharge record is created when a patient is discharged from (or dies in) hospital. This record contains administrative, demographic and clinical information for a discrete episode of care. An episode of care begins at admission to hospital and ends at discharge from (or death in) that hospital.

This dictionary provides definitions and codes for data collected within HIPE as of 2011. It provides standard definitions for variables with the objective of ensuring that consistency and data quality are maintained. It is also hoped that the dictionary will be of use to researchers, clinicians and hospital management in understanding and analysing HIPE data.

Using the Data Dictionary

The HIPE Data Dictionary contains publicly available information. Internal variables relating to data quality and the HIPE database structure are not included. Other exclusions from the HIPE Data Dictionary Version 3.0 are data and non HIPE cases collected from 01/01/2011 through the HIPE system but not included in the national file.³

All variables are listed alphabetically and an alphabetic index is included in the table of contents. The code sets used for variables are listed in Appendix I and can be accessed via hyperlinks. . For information on the classifications for diagnoses and procedures and the casemix classification and grouping software see Appendix II.

A glossary of abbreviations is provided in Appendix III and hyperlinks to source documents and organisations are provided in Appendices IV and V respectively.

Updates

This document will be updated as variables are added or amended.

³ From the 01/01/2011 *all* cases categorised as Inpatients or Day cases are to be downloaded from the hospital PAS to HIPE, including those cases not normally coded on HIPE. It is expected that the additional cases in the download will be for non-acute (not normally coded) activity on the hospital campus such as rehabilitation or psychiatry. The National Casemix Programme will identify, for individual hospitals, a list of wards which should be downloaded as part of this change. These additional downloaded records are not included on the national file.

For patients discharged on or after 01/01/2011, the HIPE record will also collect information on internal ward transfers of the patient during the episode of stay. This information is typically stored in a "ward transfer file" or "ward transfer database" as part of the PAS/HIS system. This information will be downloaded to the HIPE portal and can be viewed by the coder but cannot be amended. The information will be exported by the hospital monthly to the ESRI as part of the normal export process.

[©] Health Research and Information Division, Economic and Social Research Institute, 2011

Summary of Changes between version 1.0 and 2.0 of Data Dictionary

Addition of variable: Oncology Day Ward Flag to store the value of oncology day ward repeat status.

Addition of code set: RepeatStatus; values for Oncology Day Ward Flag Addition of Blackrock Hospice to hospital codes code set

Summary of Changes between version 2.0 and 3.0 of Data Dictionary

The HIPE Portal is the next generation of HIPE data collection and reporting software designed by the HRID IT team at the ESRI. In 2011 it will replace the Windows HIPE software.

This migration from Windows HIPE (a windows based data entry and reporting system) to the HIPE Portal (a web based portal based on SQL server) has resulted in changes to variable names.

Changes to Variable Name

Diagnoses: Rename variables from diag-CxDIA → **DIAG1**-**DIAG30**

Diagnosis Consultants: Rename variables from DCON - CxCON \rightarrow DIAGCONS1 -

DIAGCONS30

Procedures: Rename procedure variables from PROC –PkPRO \rightarrow PROC1-PROC20 Procedure Consultants: Rename procedure consultant variables from PCON – PkCON \rightarrow

PROCON1-PROCON20

Procedure dates: Rename procedure date variables from P1Date or Theatre \rightarrow

PROCDATE1- PROCDATE20

Procedure Anaesthetist: Rename procedure date variables from P1ANA-PkANA \rightarrow

ANACONS1-ANACONS20
Additional Variables in 2011

Hospital Acquired Diagnosis

Health Insurer

Parity Live births

Parity Still births

Procedure dates

Days in Semiprivate Bed

Changes to Data Entry Guideline Number of Days in Intensive Care Environment

Additional Codes to Code sets

Additional **Specialty** Code 2605 Breast Surgery

Hospital code for removal of temporary transfer code for CUMH

Variable under review Marital status

Page Layout

While each page does not necessarily include all fields, each page in the data dictionary has a consistent format as follows:

Variable Name of variable

Definition Provides a description of the variable

Definition Source What is the source of the definition of this information - e.g.

ESRI HIPE Unit

Source Information may come from Chart, Hospital PAS, assigned by

HIPE Unit, ESRI or it may be derived from other variables

Collected since Month and year when collection of variable commenced, as

the ESRI took over the management of the HIPE Scheme in 1990, variables in operation prior to this data will be marked

as pre-1990

Collected/DerivedIs this variable collected from Chart or is it derived from the

HIPE Portal data entry software - C = Collected & D = Derived

Code Set Details the information options available for each variable

Data Entry Guideline Provides further guidance on how a variable is assigned to

case

Data Type Integer or Alphanumeric

Field Size Number of characters in the variable

Variable Name

Variable name in Portal/Access/SPSS or HIPE-PAS interchange

Populated in National File If no, this variable is only populated in the hospital version of

HIPE and is not available on the national file

Reported by Who reports this variable? This will generally be the Hospital

Reported for For what cases/discharges is this information reported?

Order in Instruction manual The HIPE Instruction Manual forms part of the training

material provided by the HIPE Unit, it provides details of administrative and demographic variables collected and is updated to reflect any changes or updates in data collection,

this order is numerically based.

Irish Coding Standard The Irish Coding Standards are used in conjunction with the

International Statistical Classification of Diseases and Related Health Problems, Tenth Revision, Australian Modification (ICD-10-AM), Australian Classification of Health Interventions (ACHI) and Australian Coding Standards (ACS) apply to all

activity coded in HIPE in Ireland.

PRODUCED BY AND CONTACT DETAILS

Health Research and Information Division

The Economic and Social Research Institute

Whitaker Square

Sir John Rogerson's Quay

Dublin 2

Ireland

Telephone + 353 1 8632000

Fax + 353 1 8632100

www.esri.ie

Email: hipe@esri.ie

Variables

Additional consultant involvement - encounter consultant

Variable Additional consultant involvement –

encounter consultant

Definition Additional consultant involvement - encounter

consultant

Definition source ESRI HIPE Unit

Source Chart

Collected since 2011 - migration to Portal

Collected/Derived Collected

Code Set

Data Entry GuidelineUse to capture up to 20 additional consultants

associated with each per discharge and a maximum of 10 repeats per diagnosis/procedure/anaesthetic.

Variable Name Portal CONS

Access CONS SPSS CONS

HIPE-PAS interchange

Data Type Char Field Size 4

Populated in National File

(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)

Reported by Hospital

Reported forWhere more than one consultant is involved in the

same diagnosis/procedure within a HIPE discharge.

Order in Instruction Manual (for use with HIPE Portal)
Irish Coding Standard

Additional consultant involvement - encounter position

Variable Additional consultant involvement –

encounter position

Definition Additional consultant involvement - encounter

position

Definition source ESRI HIPE Unit

Source Chart

Collected since 2011 - migration to Portal

Collected/Derived Collected

Code Set

Data Entry GuidelineUse to capture up to 20 additional consultants

associated with each per discharge and a maximum of 10 repeats per diagnosis/procedure/anaesthetic.

Variable Name Portal POS

Access POS SPSS POS

HIPE-PAS interchange

Data Type Integer

Field Size 2

Populated in National File Y

 $(If no, this \ variable \ is \ only \ populated \ in \ the \ hospital \ version \ of \ HIPE \ and \ is \ not \ available \ across \ hospitals)$

Reported by Hospital

Reported for Where more than one consultant is involved in

diagnosis/procedure within a HIPE discharge.

Order in Instruction Manual (for use with HIPE Portal)

Irish Coding Standard

Additional consultant involvement - encounter type

Variable Additional consultant involvement - encounter type

Definition Additional consultant involvement - encounter type

Definition source ESRI HIPE Unit

Source Chart

Collected since 2011 - migration to Portal

Collected/DerivedCollectedCode SetENC_TYPE

Data Entry GuidelineUse to capture up to 20 additional consultants

associated with each per discharge and a maximum of 10 repeats per diagnosis/procedure/anaesthetic.

Variable Name Portal ENC_TYPE
Access ENC_TYPE
SPSS ENC_TYPE

SPSS HIPE-PAS interchange

Data TypeCharField Size1

Populated in National File Y

 $(If no, this \ variable \ is \ only \ populated \ in \ the \ hospital \ version \ of \ HIPE \ and \ is \ not \ available \ across \ hospitals)$

Reported by Hospital

Reported for Where more than one consultant is involved in

diagnosis/procedure within a HIPE discharge.

Order in Instruction Manual (for use with HIPE Portal)
Irish Coding Standard

Admission Date

Variable Admission Date

Definition The date on which a patient was admitted as an in-

patient or daycase to the hospital for care.

Definition source

Source Hospital PAS

Collected since pre-1990

Collected/Derived Collected

Code Set

Data Entry Guideline DD/MM/YYYY must be less than or equal to

Discharge date.

Variable Name PortalADMISSIONAccessADMISSIONSPSSADMISSION

HIPE-PAS interchange SDADM

Data TypeDateField Size8

Populated in National File Y

(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)

3

Reported by Hospital

Reported for All cases reported to HIPE.

Order in Instruction Manual

Admission Weight

Variable Admission Weight

Definition Admission weight of patient in grams (Infant).

Definition sourceESRI HIPE UnitSourceHospital PAS

Collected since 2004

Collected/Derived Collected

Code Set

Data Entry Guideline Limits: 400 to 9999. Can enter less than 400 with an

explanation.

Variable Name PortalADMWEIGHTAccessADMWEIGHTSPSSADMWEIGHTHIPE-PAS interchangeADMWGT

Data Type Integer Field Size 4

Populated in National File

(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)

Reported by Hospital

Reported for All cases where age less than 28 days (0-27 days), or

age less than 1 year and weight less than 2,500

grams.

Order in Instruction Manual 9

(for use with HIPE Portal)

Irish Coding Standard HIPE Guideline VI

Admitting Consultant

Variable Admitting Consultant

Definition The consultant who admits the patient. If there is no

clear information on the chart on the identity of the admitting consultant, the code for the primary consultant is used. Each consultant has a unique number/code assigned by the ESRI, which may not be used for any other consultant. The unique number assigned by the ESRI is encrypted to a unique alphanumeric code when HIPE data are exported from the hospitals. The encrypted values are stored on the HIPE National File and it is not possible to ascertain the identity of individual consultants from any of the consultant fields in the

national file.

Definition source ESRI HIPE Unit Source Hospital PAS

Collected since 1994

Collected/Derived Collected

Code Set

Data Entry Guideline Where the entire case is handled by one consultant

his/her code number need be entered only opposite the principal diagnosis. If more than one consultant is involved in a case the relevant consultant number

will be placed opposite the relevant

diagnosis/procedures.

Variable Name Portal ADMCON

Access ADMCON
SPSS ADMCON
HIPE-PAS interchange CONSULT

Data Type Integer Field Size 4

Populated in National File Y - encrypted

 $(If no, this \ variable \ is \ only \ populated \ in \ the \ hospital \ version \ of \ HIPE \ and \ is \ not \ available \ across \ hospitals)$

Reported by Hospital

Reported for All cases reported to HIPE.

Order in Instruction Manual 22b

Admitting Ward

Variable **Admitting Ward**

Definition The ward to which the patient is formally admitted,

based on the midnight census on the day of

admission.

Definition source Hospital Source **Hospital PAS**

Collected since 1996-2006 optional; 2007 mandatory

Collected/Derived

Code Set

Data Entry Guideline

Collected

Variable Name Portal A_WARD A_WARD Access **SPSS** A_WARD HIPE-PAS interchange A_WARD

Data Type Alphanumeric

Field Size

Populated in National File

(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)

24

Reported by Hospital

Reported for All cases reported to HIPE.

Order in Instruction Manual

(for use with HIPE Portal)

Irish Coding Standard

HIPE Guideline II

Age

Variable Age

Definition The patient's age in years at admission. Calculated

at hospital level rather than from the national file.

Definition source

Source ADMISSION - DOB

Collected since pre-1990

Collected/Derived Derived

Code Set

Data Entry Guideline

Variable Name Portal AGE

Access AGE
SPSS AGE
HIPE-PAS interchange AGE

Data Type Integer Field Size 3

Populated in National File Y

(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)

8

Reported by n/a

Reported for All cases reported to HIPE.

Order in Instruction Manual

AgeWeeks

Variable **AgeWeeks**

Definition Age in Weeks where patient's age is less than 1

year. Calculated at hospital level rather than from

the national file.

Definition source ESRI HIPE Unit

Source ADMISSION - DOB where AGE < 1

Collected since 2010

Collected/Derived Derived

Code Set

Data Entry Guideline

Variable Name Portal AgeWeeks AgeWeeks Access **SPSS** AgeWeeks HIPE-PAS interchange Age In Weeks

Data Type Integer **Field Size**

Populated in National File

(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)

2

Reported by n/a

Reported for All cases where age is less than 1 year.

Order in Instruction Manual (for use with HIPE Portal) **Irish Coding Standard**

Area of Residence

Variable Area of Residence

Definition The place the patient would normally reside.

Foreign nationals resident in Ireland should have a code assigned for their Irish place of residence. Foreign visitors on short stay should be coded to

their country of residence.

Definition source ESRI HIPE Unit

Source chart

Collected since pre-1990

Collected/Derived Collected
Code Set RESID

Data Entry Guideline

Variable Name PortalRESIDAccessRESIDSPSSRESIDHIPE-PAS interchangeRESID

Data Type Integer Field Size 4

Populated in National File Y

 $(If no, this \ variable \ is \ only \ populated \ in \ the \ hospital \ version \ of \ HIPE \ and \ is \ not \ available \ across \ hospitals)$

Reported by Hospital

Reported for All cases reported to HIPE.

Order in Instruction Manual 14

Australian - Refined Diagnostic Related Group

Variable Australian - Refined Diagnostic Related Group

Definition The DRG scheme enables the disaggregation of

patients into homogeneous groups, which are expected to undergo similar treatment processes and incur similar levels of resource use. The data required for DRG assignment include principal and additional diagnoses, procedures performed, age,

sex, and discharge status.

Definition source Grouper Version 6.0

Source Grouping Programme

Collected since 2005 using Grouper Version 5.1, 2011 Version 6.0

Collected/Derived

Code Set

Data Entry Guideline

Derived

Variable Name Portal ARDRG
Access ARDRG
SPSS ARDRG

HIPE-PAS interchange

Data Type Alphanumeric

Field Size 5

Populated in National File

(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)

Reported by

Reported for All cases reported to HIPE

Order in Instruction Manual (for use with HIPE Portal)
Irish Coding Standard

Consultant Specialties

Variable Consultant Specialties

Definition A specialty code is assigned to the record on the

basis of the specialty assignment of the consultant associated with the principal diagnosis. The specialty of the consultant is the specialty in which s/he is formally recognised and contracted to work. A consultant may be formally recognised and contracted to work in more than one specialty; in these cases one specialty is recognised as the main

one.

Definition source DOHC

Source Hospital PAS

Collected since 1994

Collected/DerivedCollectedCode SetSpecialty

Data Entry Guideline Specialty is assigned locally at the hospital from the

DOHC list. A consultant may be assigned to more

than one specialty.

Variable Name Portal SPECIAL

Access SPECIAL
SPSS SPECIAL
HIPE-PAS interchange SPECIAL

Data Type Integer Field Size 4

Populated in National File Y

(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)

Reported by Hospital

Reported for All cases reported to HIPE.

Order in Instruction Manual 22

Date of Birth

Variable Date of Birth

Definition Patient's date of birth. At national level only month

and year of birth is available with day of birth set to

15.

Definition sourceESRI HIPE UnitSourceHospital PAS

Collected since pre-1990

Collected/Derived Collected

Code Set

Data Entry Guideline At least year of birth is required. If Day/Month are

unknown, enter as 00/00/YY. 00 for day, month will be derived to 01, and the variable UNSURE is completed. On compilation to the national file the day part is set to 15, full date of birth is not available

at the national level.

Variable Name Portal DOB

Access DOB SPSS DOB HIPE-PAS interchange SDOB

Data TypeDateField Size8

Populated in National File Y-to month and year only.

(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)

8

Reported by Hospital

Reported for All cases reported to HIPE.

Order in Instruction Manual

Date of Discharge

Variable Date of Discharge

Definition The date on which the patient is discharged from

hospital following an episode of care. If the patient dies during the episode of care the date of death is

the date of discharge

Definition sourceESRI HIPE UnitSourceHospital PAS

Collected since pre-1990

Collected/Derived Collected

Code Set

Data Entry Guideline DD/MM/YYYY must be greater than or equal to

ADMISSION date

Variable Name Portal DISCHARGE Access DISCHARGE

SPSS DISCHARGE HIPE-PAS interchange SDDIS

Data Type Date

Field Size 8

Populated in National File

 $(If no, this \ variable \ is \ only \ populated \ in \ the \ hospital \ version \ of \ HIPE \ and \ is \ not \ available \ across \ hospitals)$

Reported by Hospital

Reported for All cases reported to HIPE.

Order in Instruction Manual 6

Date of Principal Procedure

Variable Date of Principal Procedure

Definition Date the Principal Procedure was performed

Definition source ESRI HIPE Unit

Source Chart

Collected since Name change 2011 - migration to Portal. Previously

called THEATRE

Collected/Derived Collected

Code Set

Data Entry Guideline Greater than or equal to ADMISSION date and less

than or equal to DISCHARGE date. Mandatory where

PROC1 is completed.

Variable Name Portal PROCDATE1
Access THEATRE

SPSS PROCDATE1

HIPE-PAS interchange

Data TypeDateField Size8

Populated in National File y

(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)

Reported by Hospital

Reported for All cases where a procedure was performed.

Order in Instruction Manual 23

(for use with HIPE Portal)

Date of procedure sequenced 2nd

Variable Date of procedure sequenced 2nd

Definition Date of procedure sequenced 2nd.

Definition source ESRI HIPE Unit

Source Chart

Collected since 2011 - migration to Portal

Collected/Derived Collected

Code Set

Data Entry Guideline Greater than or equal to ADMISSION date and less

than or equal to DISCHARGE date.

Variable Name Portal PROCDATE2
Access PROCDATE2
SPSS PROCDATE2

HIPE-PAS interchange

Data TypeDateField Size8

Populated in National File Y

(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)

Reported by Hospital

Reported for All cases where an additional procedure was

performed.

Order in Instruction Manual 23

(for use with HIPE Portal)

Date of procedure sequenced 3rd

Variable Date of procedure sequenced 3rd

Definition Date of procedure sequenced 3rd.

Definition source ESRI HIPE Unit

Source Chart

Collected since 2011 - migration to Portal

Collected/Derived Collected

Code Set

Data Entry Guideline Greater than or equal to ADMISSION date and less

than or equal to DISCHARGE date.

Variable Name Portal PROCDATE3
Access PROCDATE3
SPSS PROCDATE3

HIPE-PAS interchange

Data TypeDateField Size8

Populated in National File

(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)

Reported by Hospital

Reported for All cases where a 2nd additional procedure was

performed.

Order in Instruction Manual 23

(for use with HIPE Portal)

Date of procedure sequenced 4th

Variable Date of procedure sequenced 4th

Definition Date of procedure sequenced 4th.

Definition source ESRI HIPE Unit

Source Chart

Collected since 2011 - migration to Portal

Collected/Derived Collected

Code Set

Data Entry Guideline Greater than or equal to ADMISSION date and less

than or equal to DISCHARGE date.

Variable Name Portal PROCDATE4
Access PROCDATE4
SPSS PROCDATE4

HIPE-PAS interchange

Data TypeDateField Size8

Populated in National File Y

(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)

Reported by Hospital

Reported for All cases where a 3rd additional procedure was

performed.

Order in Instruction Manual 23

(for use with HIPE Portal)

Date of procedure sequenced 5th

Variable Date of procedure sequenced 5th

Definition Date of procedure sequenced 5th.

Definition source ESRI HIPE Unit

Source Chart

Collected since 2011 - migration to Portal

Collected/Derived Collected

Code Set

Data Entry Guideline Greater than or equal to ADMISSION date and less

than or equal to DISCHARGE date.

Variable Name Portal PROCDATE5
Access PROCDATE5
SPSS PROCDATE5

HIPE-PAS interchange

Data TypeDateField Size8

Populated in National File Y

(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)

Reported by Hospital

Reported for All cases where a 4th additional procedure was

performed.

Order in Instruction Manual 23

(for use with HIPE Portal)

Date of procedure sequenced 6th

Variable Date of procedure sequenced 6th

Definition Date of procedure sequenced 6th.

Definition source ESRI HIPE Unit

Source Chart

Collected since 2011 - migration to Portal

Collected/Derived Collected

Code Set

Data Entry Guideline Greater than or equal to ADMISSION date and less

than or equal to DISCHARGE date.

Variable Name Portal PROCDATE6
Access PROCDATE6
SPSS PROCDATE6

HIPE-PAS interchange

Data TypeDateField Size8

Populated in National File

(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)

Reported by Hospital

Reported for All cases where a 5th additional procedure was

performed.

Order in Instruction Manual 23

(for use with HIPE Portal)

Date of procedure sequenced 7th

Variable Date of procedure sequenced 7th

Definition Date of procedure sequenced 7th.

Definition source ESRI HIPE Unit

Source Chart

Collected since 2011 - migration to Portal

Collected/Derived Collected

Code Set

Data Entry Guideline Greater than or equal to ADMISSION date and less

than or equal to DISCHARGE date.

Variable Name PortalPROCDATE7AccessPROCDATE7SPSSPROCDATE7

HIPE-PAS interchange

Data TypeDateField Size8

Populated in National File Y

(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)

Reported by Hospital

Reported for All cases where a 6th additional procedure was

performed.

Order in Instruction Manual 23

(for use with HIPE Portal)

Date of procedure sequenced 8th

Variable Date of procedure sequenced 8th

Definition Date of procedure sequenced 8th.

Definition source ESRI HIPE Unit

Source Chart

Collected since 2011 - migration to Portal

Collected/Derived Collected

Code Set

Data Entry Guideline Greater than or equal to ADMISSION date and less

than or equal to DISCHARGE date.

Variable Name Portal PROCDATE8
Access PROCDATE8
SPSS PROCDATE8

HIPE-PAS interchange

Data TypeDateField Size8

Populated in National File

(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)

Reported by Hospital

Reported for All cases where a 7th additional procedure was

performed.

Order in Instruction Manual 23

(for use with HIPE Portal)

Date of procedure sequenced 9th

Variable Date of procedure sequenced 9th

Definition Date of procedure sequenced 9th.

Definition source ESRI HIPE Unit

Source Chart

Collected since 2011 - migration to Portal

Collected/Derived Collected

Code Set

Data Entry Guideline Greater than or equal to ADMISSION date and less

than or equal to DISCHARGE date.

Variable Name Portal PROCDATE9
Access PROCDATE9
SPSS PROCDATE9

HIPE-PAS interchange

Data TypeDateField Size8

Populated in National File

(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)

Reported by Hospital

Reported for All cases where an 8th additional procedure was

performed.

Order in Instruction Manual 23

(for use with HIPE Portal)

Date of procedure sequenced 10th

Variable Date of procedure sequenced 10th

Definition Date of procedure sequenced 10th.

Definition source ESRI HIPE Unit

Source Chart

Collected since 2011 - migration to Portal

Collected/Derived Collected

Code Set

Data Entry Guideline Greater than or equal to ADMISSION date and less

than or equal to DISCHARGE date.

Variable Name PortalPROCDATE10AccessPROCDATE10SPSSPROCDATE10

HIPE-PAS interchange

Data TypeDateField Size8

Populated in National File

(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)

Reported by Hospital

Reported for All cases where a 9th additional procedure was

performed.

Order in Instruction Manual 23

(for use with HIPE Portal)

Date of procedure sequenced 11th

Variable Date of procedure sequenced 11th

Definition Date of procedure sequenced 11th.

Definition source ESRI HIPE Unit

Source Chart

Collected since 2011 - migration to Portal

Collected/Derived Collected

Code Set

Data Entry Guideline Greater than or equal to ADMISSION date and less

than or equal to DISCHARGE date.

Variable Name PortalPROCDATE11AccessPROCDATE11SPSSPROCDATE11

HIPE-PAS interchange

Data TypeDateField Size8

Populated in National File

(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)

Reported by Hospital

Reported for All cases where a 10th additional procedure was

performed.

Order in Instruction Manual 23

(for use with HIPE Portal)

Date of procedure sequenced 12th

Variable Date of procedure sequenced 12th

Definition Date of procedure sequenced 12th.

Definition source ESRI HIPE Unit

Source Chart

Collected since 2011 - migration to Portal

Collected/Derived Collected

Code Set

Data Entry Guideline Greater than or equal to ADMISSION date and less

than or equal to DISCHARGE date.

Variable Name Portal PROCDATE12
Access PROCDATE12
SPSS PROCDATE12

HIPE-PAS interchange

Data TypeDateField Size8

Populated in National File Y

(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)

Reported by Hospital

Reported for All cases where an 11th additional procedure was

performed.

Order in Instruction Manual 23

(for use with HIPE Portal)

Date of procedure sequenced 13th

Variable Date of procedure sequenced 13th

Definition Date of procedure sequenced 13th.

Definition source ESRI HIPE Unit

Source Chart

Collected since 2011 - migration to Portal

Collected/Derived Collected

Code Set

Data Entry Guideline Greater than or equal to ADMISSION date and less

than or equal to DISCHARGE date.

Variable Name Portal PROCDATE13
Access PROCDATE13
SPSS PROCDATE13

HIPE-PAS interchange

Data TypeDateField Size8

Populated in National File Y

(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)

Reported by Hospital

Reported for All cases where a 12th additional procedure was

performed.

Order in Instruction Manual 23

(for use with HIPE Portal)

Date of procedure sequenced 14th

Variable Date of procedure sequenced 14th

Definition Date of procedure sequenced 14th.

Definition source ESRI HIPE Unit

Source Chart

Collected since 2011 - migration to Portal

Collected/Derived Collected

Code Set

Data Entry Guideline Greater than or equal to ADMISSION date and less

than or equal to DISCHARGE date.

Variable Name Portal PROCDATE14
Access PROCDATE14
SPSS PROCDATE14

HIPE-PAS interchange

Data TypeDateField Size8

Populated in National File Y

(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)

Reported by Hospital

Reported for All cases where a 13th additional procedure was

performed.

Order in Instruction Manual 23

(for use with HIPE Portal)

Date of procedure sequenced 15th

Variable Date of procedure sequenced 15th

Definition Date of procedure sequenced 15th.

Definition source ESRI HIPE Unit

Source Chart

Collected since 2011 - migration to Portal

Collected/Derived Collected

Code Set

Data Entry Guideline Greater than or equal to ADMISSION date and less

than or equal to DISCHARGE date.

Variable Name Portal PROCDATE15
Access PROCDATE15
SPSS PROCDATE15

HIPE-PAS interchange

Data TypeDateField Size8

Populated in National File

(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)

Reported by Hospital

Reported for All cases where a 14th additional procedure was

performed.

Order in Instruction Manual 23

(for use with HIPE Portal)

Date of procedure sequenced 16th

Variable Date of procedure sequenced 16th

Definition Date of procedure sequenced 16th.

Definition source ESRI HIPE Unit

Source Chart

Collected since 2011 - migration to Portal

Collected/Derived Collected

Code Set

Data Entry Guideline Greater than or equal to ADMISSION date and less

than or equal to DISCHARGE date.

Variable Name PortalPROCDATE16AccessPROCDATE16SPSSPROCDATE16

HIPE-PAS interchange

Data TypeDateField Size8

Populated in National File

(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)

Reported by Hospital

Reported for All cases where a 15th additional procedure was

performed.

Order in Instruction Manual 23

(for use with HIPE Portal)

Date of procedure sequenced 17th

Variable Date of procedure sequenced 17th

Definition Date of procedure sequenced 17th.

Definition source ESRI HIPE Unit

Source Chart

Collected since 2011 - migration to Portal

Collected/Derived Collected

Code Set

Data Entry Guideline Greater than or equal to ADMISSION date and less

than or equal to DISCHARGE date.

Variable Name Portal PROCDATE17
Access PROCDATE17
SPSS PROCDATE17

HIPE-PAS interchange

Data TypeDateField Size8

Populated in National File Y

(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)

Reported by Hospital

Reported for All cases where a 16th additional procedure was

performed.

Order in Instruction Manual 23

(for use with HIPE Portal)

Date of procedure sequenced 18th

Variable Date of procedure sequenced 18th

Definition Date of procedure sequenced 18th.

Definition source ESRI HIPE Unit

Source Chart

Collected since 2011 - migration to Portal

Collected/Derived Collected

Code Set

Data Entry Guideline Greater than or equal to ADMISSION date and less

than or equal to DISCHARGE date.

Variable Name Portal PROCDATE18
Access PROCDATE18
SPSS PROCDATE18

HIPE-PAS interchange

Data TypeDateField Size8

Populated in National File

(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)

Reported by Hospital

Reported for All cases where a 17th additional procedure was

performed.

Order in Instruction Manual 23

(for use with HIPE Portal)

Date of procedure sequenced 19th

Variable Date of procedure sequenced 19th

Definition Date of procedure sequenced 19th.

Definition source ESRI HIPE Unit

Source Chart

Collected since 2011 - migration to Portal

Collected/Derived Collected

Code Set

Data Entry Guideline Greater than or equal to ADMISSION date and less

than or equal to DISCHARGE date.

Variable Name Portal PROCDATE19
Access PROCDATE19
SPSS PROCDATE19

HIPE-PAS interchange

Data TypeDateField Size8

Populated in National File

(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)

Reported by Hospital

Reported for All cases where an 18th additional procedure was

performed.

Order in Instruction Manual 23

(for use with HIPE Portal)

Date of procedure sequenced 20th

Variable Date of procedure sequenced 20th

Definition Date of procedure sequenced 20th.

Definition source ESRI HIPE Unit

Source Chart

Collected since 2011 - migration to Portal

Collected/Derived Collected

Code Set

Data Entry Guideline Greater than or equal to ADMISSION date and less

than or equal to DISCHARGE date.

Variable Name PortalPROCDATE20AccessPROCDATE20SPSSPROCDATE20

HIPE-PAS interchange

Data TypeDateField Size8

Populated in National File Y

(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)

Reported by Hospital

Reported for All cases where a 19th additional procedure was

performed.

Order in Instruction Manual 23

(for use with HIPE Portal)

Date of Transfer to Pre-Discharge Unit/Rehab

Variable Date of Transfer to Pre-Discharge Unit/Rehab

Definition Date when a patient is transferred to a registered

Pre-Discharge unit within the hospital prior to

discharge.

Definition source ESRI HIPE Unit

Source Chart

Collected since 2004

Collected/Derived Collected

Code Set

Data Entry Guideline Date must be greater than ADMISSION date & less

than DISCHARGE date.

Hospitals must register the pre-Discharge

Unit/Rehab with the National Casemix Programme,

HSE.

Variable Name Portal TRPDU

Access TRPDU
SPSS TRPDU
HIPE-PAS interchange TRPDU

Data TypeDateField Size8

Populated in National File Y

(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)

Reported by Hospital Reported for Optional

Order in Instruction Manual (for use with HIPE Portal)
Irish Coding Standard

Day Case indicator

Variable Day Case indicator

Definition Day Case

Definition source DOHC

Source Hospital PAS

Collected since 2000

Collected/DerivedCollectedCode SetDAYCASE

Data Entry Guideline A day case is a patient who is admitted to hospital

on an elective basis for care and/or treatment which does not require use of a hospital bed overnight and who is discharged as scheduled. If Daycase is indicated, Day Ward Indicator/Identifier must be

completed.

Variable Name PortalDAYCASEAccessDAYCASESPSSDAYCASEHIPE-PAS interchangeDAYCASE

Data Type Integer Field Size 1

Populated in National File

(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)

16

Reported by Hospital

Reported for All cases reported to HIPE.

Order in Instruction Manual

(for use with HIPE Portal)
Irish Coding Standard

Day Ward Identifier

Variable Day Ward Identifier

Definition Name of pre-registered Day Ward - to identify the

day place where the patient was treated.

Definition sourceESRI HIPE UnitSourceHospital PAS

Collected since 2005

Collected/Derived Collected

Code Set

Data Entry Guideline Dedicated Day Wards must be registered with the

National Casemix Programme.

Variable Name PortalWARDLOCAccessWARDLOCSPSSWARDLOCHIPE-PAS interchangeWARDLOC

Data Type Alphanumeric

Field Size 6

Populated in National File Y

(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)

18

Reported by Hospital

Reported for All cases where WARDIND = 1

Order in Instruction Manual

(for use with HIPE Portal)
Irish Coding Standard

Day Ward Indicator

Variable Day Ward Indicator

Definition Indicates if a day case patient was admitted to a

dedicated Day Ward.

Definition sourceESRI HIPE UnitSourceHospital PAS

Collected since 2004

Collected/DerivedCollectedCode SetWARDIND

Data Entry Guideline Dedicated Day Wards must be registered with the

National Casemix Programme.

WARDIND = 0 if patient is marked as a day case but the episode was not admitted to a dedicated Day

Ward,

WARDIND = 1 if patient is marked as a daycase and the episode was admitted to a dedicated Day Ward, WARDIND = 2 if the patient is marked as a daycase

and the setting of the episode is unknown

Variable Name Portal WARDIND
Access WARDIND
SPSS WARDIND
HIPE-PAS interchange WARDIND

Data Type Integer Field Size 1

Populated in National File

(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)

Reported by Hospital

Reported for All cases where DAYCASE = 1

Order in Instruction Manual 17

(for use with HIPE Portal)

Irish Coding Standard HIPE Guideline V

Discharge Code

Variable Discharge Code

Definition Identifies the discharge destination

Definition sourceESRI HIPE UnitSourceHospital PAS

Collected since 2002

Collected/DerivedCollectedCode SetDISC CODE

Data Entry Guideline

Variable Name Portal
Access
DISC_CODE
SPSS
DISC_CODE
HIPE-PAS interchange
DISC_CODE

Data Type Integer Field Size 2

Populated in National File

(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)

Reported by Hospital

Reported for All cases reported to HIPE.

Order in Instruction Manual (for use with HIPE Portal)
Irish Coding Standard

Discharge Consultant

Variable Discharge Consultant

Definition The consultant who discharges the patient at the

> end of the episode. Each consultant has a unique number/code assigned by the ESRI, which may not be used for any other consultant. The unique number assigned by the ESRI is encrypted to a unique Alphanumeric code when HIPE data are exported from the hospitals. The encrypted values are stored on the HIPE National File and it is not possible to ascertain the identity of individual consultants from any of the consultant fields in the

national file.

ESRI HIPE Unit Definition source Source **Hospital PAS**

Collected since 1996 – 2001 optional; 2002 - mandatory

Collected/Derived Collected

Code Set

Data Entry Guideline Where the entire case is handled by one consultant

> his/her code number need be entered only opposite the principal diagnosis. If more than one consultant is involved in a case the relevant consultant number

will be placed opposite the relevant

diagnosis/procedures

Variable Name Portal DISCON

> Access DISCON **SPSS DISCON** HIPE-PAS interchange D CONSULT

Data Type Integer **Field Size**

Populated in National File Y - encrypted

(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)

Reported by Hospital

All cases reported to HIPE. Reported for

Order in Instruction Manual

(for use with HIPE Portal) **Irish Coding Standard**

Discharge Status

Variable Discharge Status

Definition Public/Private Status of Patient on Discharge

Definition source ESRI HIPE Unit **Source** Hospital PAS

Collected since 1999

Collected/DerivedCollectedCode SetDIS STATUS

Data Entry Guideline Refers to whether the patient saw the consultant

publicly or privately. It does not relate to the type of bed occupied nor is it an indicator of possession of

private health insurance.

Variable Name Portal DIS_STATUS

Access DIS_STATUS
SPSS DIS_STATUS
HIPE-PAS interchange DIS_STATUS

Data Type Integer Field Size 1

Populated in National File

 $(If no, this \ variable \ is \ only \ populated \ in \ the \ hospital \ version \ of \ HIPE \ and \ is \ not \ available \ across \ hospitals)$

Reported by Hospital

Reported for All cases reported to HIPE.

Order in Instruction Manual 15

(for use with HIPE Portal)
Irish Coding Standard

Discharge Ward

Variable Discharge Ward

Definition The ward occupied prior to discharge

Definition sourceHospitalSourceHospital PAS

Collected since 1996- 2006 optional; 2007 mandatory

Collected/Derived Collected

Code Set

Data Entry Guideline

Variable Name Portal D_WARD

Access D_WARD
SPSS D_WARD
HIPE-PAS interchange D_WARD

Data Type Alphanumeric

Field Size 6

Populated in National File

(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)

Reported by Hospital

Reported for All cases reported to HIPE.

Order in Instruction Manual 24

(for use with HIPE Portal)

Irish Coding Standard HIPE Guideline II

Episode Number

Variable Episode Number

Definition PAS or HIS episode identifier. Definition varies by

hospital.

Definition sourceHospitalSourceHospital PAS

Collected since 2000 locally, 2010 national level

Collected/Derived Collected

Code Set

Data Entry Guideline

Variable Name Portal EPISODE

Access EPISODE
SPSS EPISODE
HIPE-PAS interchange EP_NUM

Data Type Alphanumeric

Field Size 8

Populated in National File

(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)

Reported by Hospital

Reported for All cases downloaded from a PAS or HIS system.

Order in Instruction Manual 21

(for use with HIPE Portal)
Irish Coding Standard

Health Insurer

Variable Health Insurer

Definition Name of Health Insurer

Definition source Casemix Technical Group

Source PAS

Collected since 2011 - migration to Portal

Collected/DerivedCollectedCode SetHealthInsurer

Data Entry Guideline

Variable Name Portal HealthInsurer

Access HealthInsurer
SPSS HealthInsurer
HIPE-PAS interchange HealthInsurer

Data TypeCharField Size2

Populated in National File Y

(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)

Reported by Hospital

Reported for All cases where DIS_STATUS = 2 (private)

15

Order in Instruction Manual

(for use with HIPE Portal)
Irish Coding Standard

Variable Hospital Acquired Diagnosis 2

Definition Flag: diagnosis acquired during the patient's episode

of care that was not present on admission, 2nd

diagnosis.

Definition source ESRI HIPE Unit

Source Chart

Collected since 2011 - migration to Portal

Collected/Derived Collected

Code Set 1= Hospital Acquired Diagnosis, otherwise null

Data Entry Guideline

Variable Name Portal HADx2
Access HADx2
SPSS HADx2

HIPE-PAS interchange

Data Type Integer Field Size 1

Populated in National File Y

(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)

Reported by Hospital

Reported for Optional for all additional diagnoses.

Order in Instruction Manual (for use with HIPE Portal)

Variable Hospital Acquired Diagnosis 3

Definition Flag: diagnosis acquired during the patient's episode

of care that was not present on admission, 3rd

diagnosis.

Definition source ESRI HIPE Unit

Source Chart

Collected since 2011 - migration to Portal

Collected/Derived Collected

Code Set 1= Hospital Acquired Diagnosis, otherwise null

Data Entry Guideline

Variable Name Portal HADx3
Access HADx3
SPSS HADx3

HIPE-PAS interchange

Data Type Integer Field Size 1

Populated in National File Y

(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)

Reported by Hospital

Reported for Optional for all additional diagnoses.

Order in Instruction Manual (for use with HIPE Portal)

Variable Hospital Acquired Diagnosis 4

Definition Flag: diagnosis acquired during the patient's episode

of care that was not present on admission, 4th

diagnosis.

Definition source ESRI HIPE Unit

Source Chart

Collected since 2011 - migration to Portal

Collected/Derived Collected

Code Set 1= Hospital Acquired Diagnosis, otherwise null

Data Entry Guideline

Variable Name Portal HADx4
Access HADx4
SPSS HADx4

HIPE-PAS interchange

Data Type Integer Field Size 1

Populated in National File Y

(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)

Reported by Hospital

Reported for Optional for all additional diagnoses.

Order in Instruction Manual (for use with HIPE Portal)

Variable Hospital Acquired Diagnosis 5

Definition Flag: diagnosis acquired during the patient's episode

of care that was not present on admission,5th

diagnosis.

Definition source ESRI HIPE Unit

Source Chart

Collected since 2011 - migration to Portal

Collected/Derived Collected

Code Set 1= Hospital Acquired Diagnosis, otherwise null

Data Entry Guideline

Variable Name Portal HADx5
Access HADx5
SPSS HADx5

HIPE-PAS interchange

Data Type Integer Field Size 1

Populated in National File Y

(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)

Reported by Hospital

Reported for Optional for all additional diagnoses.

Order in Instruction Manual (for use with HIPE Portal)

Variable Hospital Acquired Diagnosis 6

Definition Flag: diagnosis acquired during the patient's episode

of care that was not present on admission, 6th

diagnosis.

Definition source ESRI HIPE Unit

Source Chart

Collected since 2011 - migration to Portal

Collected/Derived Collected

Code Set 1= Hospital Acquired Diagnosis, otherwise null

Data Entry Guideline

Variable Name Portal HADx6
Access HADx6
SPSS HADx6

HIPE-PAS interchange

Data Type Integer Field Size 1

Populated in National File Y

(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)

Reported by Hospital

Reported for Optional for all additional diagnoses.

Order in Instruction Manual (for use with HIPE Portal)

Variable Hospital Acquired Diagnosis 7

Definition Flag: diagnosis acquired during the patient's episode

of care that was not present on admission, 7th

diagnosis.

Definition source ESRI HIPE Unit

Source Chart

Collected since 2011 - migration to Portal

Collected/Derived Collected

Code Set 1= Hospital Acquired Diagnosis, otherwise null

Data Entry Guideline

Variable Name Portal HADx7
Access HADx7
SPSS HADx7

HIPE-PAS interchange

Data Type Integer Field Size 1

Populated in National File Y

(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)

Reported by Hospital

Reported for Optional for all additional diagnoses.

Order in Instruction Manual (for use with HIPE Portal)

Variable Hospital Acquired Diagnosis 8

Definition Flag: diagnosis acquired during the patient's episode

of care that was not present on admission, 8th

diagnosis.

Definition source ESRI HIPE Unit

Source Chart

Collected since 2011 - migration to Portal

Collected/Derived Collected

Code Set 1= Hospital Acquired Diagnosis, otherwise null

Data Entry Guideline

Variable Name Portal HADx8
Access HADx8
SPSS HADx8

HIPE-PAS interchange

Data Type Integer Field Size 1

Populated in National File Y

(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)

Reported by Hospital

Reported for Optional for all additional diagnoses.

Order in Instruction Manual (for use with HIPE Portal)

Variable Hospital Acquired Diagnosis 9

Definition Flag: diagnosis acquired during the patient's episode

of care that was not present on admission, 9th

diagnosis.

Definition source ESRI HIPE Unit

Source Chart

Collected since 2011 - migration to Portal

Collected/Derived Collected

Code Set 1= Hospital Acquired Diagnosis, otherwise null

Data Entry Guideline

Variable Name Portal HADx9
Access HADx9
SPSS HADx9

HIPE-PAS interchange

Data Type Integer Field Size 1

Populated in National File Y

(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)

Reported by Hospital

Reported for Optional for all additional diagnoses.

Order in Instruction Manual (for use with HIPE Portal)

Variable Hospital Acquired Diagnosis 10

Definition Flag: diagnosis acquired during the patient's episode

of care that was not present on admission, 10th

diagnosis.

Definition source ESRI HIPE Unit

Source Chart

Collected since 2011 - migration to Portal

Collected/Derived Collected

Code Set 1= Hospital Acquired Diagnosis, otherwise null

Data Entry Guideline

Variable Name Portal HADx10
Access HADx10
SPSS HADx10

HIPE-PAS interchange

Data Type Integer Field Size 1

Populated in National File Y

(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)

Reported by Hospital

Reported for Optional for all additional diagnoses.

Order in Instruction Manual (for use with HIPE Portal)

Variable Hospital Acquired Diagnosis 11

Definition Flag: diagnosis acquired during the patient's episode

of care that was not present on admission, 11th

diagnosis.

Definition source ESRI HIPE Unit

Source Chart

Collected since 2011 - migration to Portal

Collected/Derived Collected

Code Set 1= Hospital Acquired Diagnosis, otherwise null

Data Entry Guideline

Variable Name Portal HADx11
Access HADx11
SPSS HADx11

HIPE-PAS interchange

Data Type Integer Field Size 1

Populated in National File Y

(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)

Reported by Hospital

Reported for Optional for all additional diagnoses.

Order in Instruction Manual (for use with HIPE Portal)

Variable Hospital Acquired Diagnosis 12

Definition Flag: diagnosis acquired during the patient's episode

of care that was not present on admission, 12th

diagnosis.

Definition source ESRI HIPE Unit

Source Chart

Collected since 2011 - migration to Portal

Collected/Derived Collected

Code Set 1= Hospital Acquired Diagnosis, otherwise null

Data Entry Guideline

Variable Name Portal HADx12
Access HADx12
SPSS HADx12

HIPE-PAS interchange

Data Type Integer Field Size 1

Populated in National File Y

(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)

Reported by Hospital

Reported for Optional for all additional diagnoses.

Order in Instruction Manual (for use with HIPE Portal)

Variable Hospital Acquired Diagnosis 13

Definition Flag: diagnosis acquired during the patient's episode

of care that was not present on admission, 13th

diagnosis.

Definition source ESRI HIPE Unit

Source Chart

Collected since 2011 - migration to Portal

Collected/Derived Collected

Code Set 1= Hospital Acquired Diagnosis, otherwise null

Data Entry Guideline

Variable Name Portal HADx13
Access HADx13
SPSS HADx13

HIPE-PAS interchange

Data Type Integer Field Size 1

Populated in National File Y

(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)

Reported by Hospital

Reported for Optional for all additional diagnoses.

Order in Instruction Manual (for use with HIPE Portal)

Variable Hospital Acquired Diagnosis 14

Definition Flag: diagnosis acquired during the patient's episode

of care that was not present on admission, 14th

diagnosis.

Definition source ESRI HIPE Unit

Source Chart

Collected since 2011 - migration to Portal

Collected/Derived Collected

Code Set 1= Hospital Acquired Diagnosis, otherwise null

Data Entry Guideline

Variable Name Portal HADx14
Access HADx14
SPSS HADx14

HIPE-PAS interchange

Data Type Integer Field Size 1

Populated in National File Y

(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)

Reported by Hospital

Reported for Optional for all additional diagnoses.

Order in Instruction Manual (for use with HIPE Portal)

Variable Hospital Acquired Diagnosis 15

Definition Flag: diagnosis acquired during the patient's episode

of care that was not present on admission, 15th

diagnosis.

Definition source ESRI HIPE Unit

Source Chart

Collected since 2011 - migration to Portal

Collected/Derived Collected

Code Set 1= Hospital Acquired Diagnosis, otherwise null

Data Entry Guideline

Variable Name Portal HADx15
Access HADx15
SPSS HADx15

HIPE-PAS interchange

Data Type Integer Field Size 1

Populated in National File Y

(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)

Reported by Hospital

Reported for Optional for all additional diagnoses.

Order in Instruction Manual (for use with HIPE Portal)

Variable Hospital Acquired Diagnosis 16

Definition Flag: diagnosis acquired during the patient's episode

of care that was not present on admission, 16th

diagnosis.

Definition source ESRI HIPE Unit

Source Chart

Collected since 2011 - migration to Portal

Collected/Derived Collected

Code Set 1= Hospital Acquired Diagnosis, otherwise null

Data Entry Guideline

Variable Name Portal HADx16
Access HADx16
SPSS HADx16

HIPE-PAS interchange

Data Type Integer Field Size 1

Populated in National File Y

(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)

Reported by Hospital

Reported for Optional for all additional diagnoses.

Order in Instruction Manual (for use with HIPE Portal)

Variable Hospital Acquired Diagnosis 17

Definition Flag: diagnosis acquired during the patient's episode

of care that was not present on admission, 17th

diagnosis.

Definition source ESRI HIPE Unit

Source Chart

Collected since 2011 - migration to Portal

Collected/Derived Collected

Code Set 1= Hospital Acquired Diagnosis, otherwise null

Data Entry Guideline

Variable Name Portal HADx17
Access HADx17
SPSS HADx17

HIPE-PAS interchange

Data Type Integer Field Size 1

Populated in National File Y

(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)

Reported by Hospital

Reported for Optional for all additional diagnoses.

Order in Instruction Manual (for use with HIPE Portal)

Variable Hospital Acquired Diagnosis 18

Definition Flag: diagnosis acquired during the patient's episode

of care that was not present on admission, 18th

diagnosis.

Definition source ESRI HIPE Unit

Source Chart

Collected since 2011 - migration to Portal

Collected/Derived Collected

Code Set 1= Hospital Acquired Diagnosis, otherwise null

Data Entry Guideline

Variable Name Portal HADx18
Access HADx18
SPSS HADx18

HIPE-PAS interchange

Data Type Integer Field Size 1

Populated in National File Y

(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)

Reported by Hospital

Reported for Optional for all additional diagnoses.

Order in Instruction Manual (for use with HIPE Portal)

Variable Hospital Acquired Diagnosis 19

Definition Flag: diagnosis acquired during the patient's episode

of care that was not present on admission, 19th

diagnosis.

Definition source ESRI HIPE Unit

Source Chart

Collected since 2011 - migration to Portal

Collected/Derived Collected

Code Set 1= Hospital Acquired Diagnosis, otherwise null

Data Entry Guideline

Variable Name Portal HADx19
Access HADx19
SPSS HADx19

HIPE-PAS interchange

Data Type Integer Field Size 1

Populated in National File Y

(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)

Reported by Hospital

Reported for Optional for all additional diagnoses.

Order in Instruction Manual (for use with HIPE Portal)

Variable Hospital Acquired Diagnosis 20

Definition Flag: diagnosis acquired during the patient's episode

of care that was not present on admission, 20th

diagnosis.

Definition source ESRI HIPE Unit

Source Chart

Collected since 2011 - migration to Portal

Collected/Derived Collected

Code Set 1= Hospital Acquired Diagnosis, otherwise null

Data Entry Guideline

Variable Name Portal HADx20
Access HADx20
SPSS HADx20

HIPE-PAS interchange

Data Type Integer Field Size 1

Populated in National File Y

(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)

Reported by Hospital

Reported for Optional for all additional diagnoses.

Order in Instruction Manual (for use with HIPE Portal)

Variable Hospital Acquired Diagnosis 21

Definition Flag: diagnosis acquired during the patient's episode

of care that was not present on admission, 21st

diagnosis.

Definition source ESRI HIPE Unit

Source Chart

Collected since 2011 - migration to Portal

Collected/Derived Collected

Code Set 1= Hospital Acquired Diagnosis, otherwise null

Data Entry Guideline

Variable Name Portal HADx21
Access HADx21
SPSS HADx21

HIPE-PAS interchange

Data Type Integer Field Size 1

Populated in National File Y

(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)

Reported by Hospital

Reported for Optional for all additional diagnoses.

Order in Instruction Manual (for use with HIPE Portal)

Variable Hospital Acquired Diagnosis 22

Definition Flag: diagnosis acquired during the patient's episode

of care that was not present on admission, 22nd

diagnosis.

Definition source ESRI HIPE Unit

Source Chart

Collected since 2011 - migration to Portal

Collected/Derived Collected

Code Set 1= Hospital Acquired Diagnosis, otherwise null

Data Entry Guideline

Variable Name Portal HADx22
Access HADx22
SPSS HADx22

HIPE-PAS interchange

Data Type Integer Field Size 1

Populated in National File Y

(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)

Reported by Hospital

Reported for Optional for all additional diagnoses.

Order in Instruction Manual (for use with HIPE Portal)

Variable Hospital Acquired Diagnosis 23

Definition Flag: diagnosis acquired during the patient's episode

of care that was not present on admission, 23rd

diagnosis.

Definition source ESRI HIPE Unit

Source Chart

Collected since 2011 - migration to Portal

Collected/Derived Collected

Code Set 1= Hospital Acquired Diagnosis, otherwise null

Data Entry Guideline

Variable Name Portal HADx23
Access HADx23
SPSS HADx23

HIPE-PAS interchange

Data Type Integer Field Size 1

Populated in National File Y

(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)

Reported by Hospital

Reported for Optional for all additional diagnoses.

Order in Instruction Manual (for use with HIPE Portal)

Variable Hospital Acquired Diagnosis 24

Definition Flag: diagnosis acquired during the patient's episode

of care that was not present on admission, 24th

diagnosis.

Definition source ESRI HIPE Unit

Source Chart

Collected since 2011 - migration to Portal

Collected/Derived Collected

Code Set 1= Hospital Acquired Diagnosis, otherwise null

Data Entry Guideline

Variable Name Portal HADx24
Access HADx24
SPSS HADx24

HIPE-PAS interchange

Data Type Integer Field Size 1

Populated in National File Y

(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)

Reported by Hospital

Reported for Optional for all additional diagnoses.

Order in Instruction Manual (for use with HIPE Portal)

Variable Hospital Acquired Diagnosis 25

Definition Flag: diagnosis acquired during the patient's episode

of care that was not present on admission, 25th

diagnosis.

Definition source ESRI HIPE Unit

Source Chart

Collected since 2011 - migration to Portal

Collected/Derived Collected

Code Set 1= Hospital Acquired Diagnosis, otherwise null

Data Entry Guideline

Variable Name Portal HADx25
Access HADx25
SPSS HADx25

HIPE-PAS interchange

Data Type Integer Field Size 1

Populated in National File Y

(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)

Reported by Hospital

Reported for Optional for all additional diagnoses.

Order in Instruction Manual (for use with HIPE Portal)

Variable Hospital Acquired Diagnosis 26

Definition Flag: diagnosis acquired during the patient's episode

of care that was not present on admission, 26th

diagnosis.

Definition source ESRI HIPE Unit

Source Chart

Collected since 2011 - migration to Portal

Collected/Derived Collected

Code Set 1= Hospital Acquired Diagnosis, otherwise null

Data Entry Guideline

Variable Name Portal HADx26
Access HADx26
SPSS HADx26

HIPE-PAS interchange

Data Type Integer Field Size 1

Populated in National File Y

(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)

Reported by Hospital

Reported for Optional for all additional diagnoses.

Order in Instruction Manual (for use with HIPE Portal)

Variable Hospital Acquired Diagnosis 27

Definition Flag: diagnosis acquired during the patient's episode

of care that was not present on admission, 27th

diagnosis.

Definition source ESRI HIPE Unit

Source Chart

Collected since 2011 - migration to Portal

Collected/Derived Collected

Code Set 1= Hospital Acquired Diagnosis, otherwise null

Data Entry Guideline

Variable Name Portal HADx27
Access HADx27
SPSS HADx27

HIPE-PAS interchange

Data Type Integer Field Size 1

Populated in National File Y

(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)

Reported by Hospital

Reported for Optional for all additional diagnoses.

Order in Instruction Manual (for use with HIPE Portal)

Variable Hospital Acquired Diagnosis 28

Definition Flag: diagnosis acquired during the patient's episode

of care that was not present on admission, 28th

diagnosis.

Definition source ESRI HIPE Unit

Source Chart

Collected since 2011 - migration to Portal

Collected/Derived Collected

Code Set 1= Hospital Acquired Diagnosis, otherwise null

Data Entry Guideline

Variable Name Portal HADx28
Access HADx28
SPSS HADx28

HIPE-PAS interchange

Data Type Integer Field Size 1

Populated in National File Y

(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)

Reported by Hospital

Reported for Optional for all additional diagnoses.

Order in Instruction Manual (for use with HIPE Portal)

Variable Hospital Acquired Diagnosis 29

Definition Flag: diagnosis acquired during the patient's episode

of care that was not present on admission, 29th

diagnosis.

Definition source ESRI HIPE Unit

Source Chart

Collected since 2011 - migration to Portal

Collected/Derived Collected

Code Set 1= Hospital Acquired Diagnosis, otherwise null

Data Entry Guideline

Access HADx29
SPSS HADx29

HIPE-PAS interchange

Data Type Integer Field Size 1

Populated in National File Y

(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)

Reported by Hospital

Reported for Optional for all additional diagnoses.

Order in Instruction Manual (for use with HIPE Portal)

Variable Hospital Acquired Diagnosis 30

Definition Flag: diagnosis acquired during the patient's episode

of care that was not present on admission, 30th

diagnosis.

Definition source ESRI HIPE Unit

Source Chart

Collected since 2011 - migration to Portal

Collected/Derived Collected

Code Set 1= Hospital Acquired Diagnosis, otherwise null

Data Entry Guideline

Variable Name Portal HADx30
Access HADx30
SPSS HADx30

HIPE-PAS interchange

Data Type Integer Field Size 1

Populated in National File Y

(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)

Reported by Hospital

Reported for Optional for all additional diagnoses.

Order in Instruction Manual (for use with HIPE Portal)

Hospital Number

Variable Hospital Number

Definition Unique numeric identifier assigned to each hospital

by HIPE for operational purposes.

Definition source ESRI HIPE Unit

Source Assigned by ESRI HIPE unit

Collected since pre-1990

Collected/DerivedCollectedCode SetHospital Codes

Data Entry GuidelineThe 3-digit number is allocated to the hospital by

the ESRI for HIPE purposes and is automatically assigned by the W-HIPE software. This code number differs from the DOHC hospital codes which are

used for transfers to and from hospitals

Variable Name Portal HOSPITAL

Access HOSPITAL SPSS HOSPITAL

HIPE-PAS interchange

Data Type Alphanumeric

Field Size 3

Populated in National File Y

(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)

Reported by Hospital

Reported for All cases reported to HIPE.

Order in Instruction Manual 1

Intensive Care Consultant

Variable Intensive Care Consultant

Definition Intensive Care Consultant/Consultant Intensivist.

Consultants involved in a case but who do not record a diagnosis or procedure will be captured here. Up to 10 consultants codes can be added, all stored in this variable (1st consultant code position

1-4, 2nd consultant code 5-9 etc).

Definition source ESRI HIPE Unit

Source Chart

Collected since 01 Sep 2008

Collected/Derived

Code Set

Data Entry Guideline

Collected

Variable Name Portal ICUCON
Access ICUCON
SPSS ICUCON

HIPE-PAS interchange

Data Type Alphanumeric

Field Size 40

Populated in National File Y - encrypted

(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)

Reported by Hospital

Reported for All cases where ITU_DAYS greater than 0

Order in Instruction Manual

(for use with HIPE Portal)
Irish Coding Standard

22e

Major Diagnostic Category

Variable Major Diagnostic Category (MDC)

Definition The MDC is a category generally based on a single

body system or aetiology that is associated with a particular medical specialty. However, records assigned to MDCs 01, 15, 18 and 21 may have principal diagnoses associated with other categories. In AR-DRG Version 6.0, there are 23

MDCs.

http://www.health.gov.au/internet/main/publishing

.nsf/Content/health-casemix-glossary1.htm

Definition source Grouper Version 6.0

Source Grouping Programme

Collected since 2005 using Grouper 5.1, 2011 Grouper 6.0

Collected/Derived Derived

Code Set

Data Entry Guideline

Variable Name Portal MDC

Access MDC SPSS MDC

HIPE-PAS interchange

Data Type Alphanumeric

Field Size 2

Populated in National File Y

(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)

Reported by

Reported forAll cases reported to HIPE

Order in Instruction Manual (for use with HIPE Portal)
Irish Coding Standard

Marital Status

Variable Marital Status

Definition Current marital status of the patient Following the

Civil Partnership and Certain Rights and Obligations of Cohabitants Act 2010, the name and contents of

this variable are under review .

Definition sourceSource

ESRI HIPE Unit
Hospital PAS

Collected since Pre-1990, updated in 2001 to include divorced.

Collected/DerivedCollectedCode SetMARR

Data Entry Guideline

Variable Name PortalMARRAccessMARRSPSSMARRHIPE-PAS interchangeMARR

Data Type Integer Field Size 1

Populated in National File

 $(If no, this \ variable \ is \ only \ populated \ in \ the \ hospital \ version \ of \ HIPE \ and \ is \ not \ available \ across \ hospitals)$

Reported by Hospital

Reported for All cases reported to HIPE.

Order in Instruction Manual 11

Medical Card

Variable Medical Card

Definition Medical Card Indicator

Definition sourceESRI HIPE UnitSourceHospital PAS

Collected since 1994

Collected/DerivedCollectedCode SetMCARD

Data Entry Guideline Medical Card Indicator relates to the patient's

eligibility and not the status of the bed used by the

patient during the stay in hospital.

Variable Name Portal MEDICAL
Access MEDICAL
SPSS MEDICAL

HIPE-PAS interchange MED_CARD

Data Type Integer Field Size 1

Populated in National File Y

(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)

Reported by Hospital

Reported for All cases reported to HIPE.

Order in Instruction Manual 12

Medical Card Number

Variable Medical Card Number

Definition General Medical Services/Medical Card Number

Definition source DOHC

Source Hospital PAS

Collected since 1999 2007 optional; 2008 mandatory where

medical=1. Oct 2010 not populated in national file

Collected/Derived Collected

Code Set

Data Entry Guideline "NA" may be entered if the specific medical card

number is unknown but it is known that the patient

has a medical card.

Variable Name Portal MCN

Access MCN
SPSS MCN
HIPE-PAS interchange MCN

Data Type Alphanumeric

Field Size 8

Populated in National File

 $(If no, this \ variable \ is \ only \ populated \ in \ the \ hospital \ version \ of \ HIPE \ and \ is \ not \ available \ across \ hospitals)$

Reported by Hospital

Reported for All cases where Medical Card = 1, Yes

Order in Instruction Manual 13

Medical Record Number

Variable Medical Record Number

Definition Unique identifier assigned by hospital to this patient

within this hospital but not necessarily unique to this patient encounter. All encounters relating to a particular patient in the same hospital should be recorded under the same MRN, but this is not

always possible.

Definition source Hospital
Source Hospital PAS

Collected since pre-1990

Collected/Derived Collected

Code Set

Data Entry Guideline Determined by the hospital, if number of digits is

less than 7, place leading zeros before the Chart Number. Up to 2 Alphanumeric digits allowed, place these before the chart number and in the first position. Chart numbers that are keyed as 6-digits are stored with # in the first position on the National

File

Variable Name Portal MRN
Access MRN

SPSS MRN
HIPE-PAS interchange MRN

Data Type Alphanumeric

Field Size 7

Populated in National File

(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)

Reported by Hospital

Reported for All cases reported to HIPE.

Order in Instruction Manual 2

Mode of Emergency Admission

Variable Mode of Emergency Admission

Definition Indicates where the patient was treated prior to

being admitted into the hospital as an emergency in-patient or when the patient was treated only in a registered Medical Assessment Unit (MAU). MAU

must be registered with DOHC.

Definition sourceESRI HIPE UnitSourceHospital PAS

Collected since 2004

Collected/DerivedCollectedCode SetEMADM

Data Entry Guideline Use code = 2 where Patient is admitted as In-Patient

through the MAU.

Use code 5 if the patient is admitted to the MAU and discharged from there on the same day.

Variable Name Portal EMADM

Access EMADM SPSS EMADM HIPE-PAS interchange EMADM

Data Type Integer Field Size 1

Populated in National File Y

(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)

Reported by Hospital

Reported for All cases reported to HIPE where Admission Type is

4 (Emergency), 5 (Emergency Readmission), or 7

(New born).

Order in Instruction Manual

NHO flag

Variable NHO flag

Definition National Hospital Office Flag

Definition source ESRI HIPE Unit

Source derived

Collected since 2009

Collected/Derived Derived

Code Set Hospital Codes

Data Entry Guideline

Variable Name Portal NHO Access NHO

SPSS NHO HIPE-PAS interchange NHO

Data Type Integer Field Size 1

Populated in National File

(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)

Reported by

Reported for All cases reported to HIPE.

Order in Instruction Manual (for use with HIPE Portal)
Irish Coding Standard

Non Acute Length of Stay: Temporary Leave Days

Variable Non Acute Length of Stay: Temporary Leave Days

Definition Number of days a patient did not spend in hospital

during an episode.

Definition sourceDOHCCSourceChart

Collected since 2007

Collected/Derived Collected

Code Set

Data Entry Guideline A patient is temporarily discharged when: the

patient is allowed to leave the hospital for a short number of days; their bed in hospital remains for their use and is not available for another patient; the patient returns after the specified amount of time to continue their ongoing care. Temporary Leave Days do NOT apply in the following situations: *patient is considered clinically discharged but continues to reside in a bed prior to transfer elsewhere *patient is temporarily sent to another hospital for a day to undergo a particular procedure *where the patient returns home during a day and returns to hospital before midnight *where a patient returns home for more than 3 days and is

then readmitted

Variable Name Portal NALOS
Access NALOS
SPSS NALOS
HIPE-PAS interchange NONACUTE

Data TypeIntegerField Size3

Populated in National File

 $(If no, this \ variable \ is \ only \ populated \ in \ the \ hospital \ version \ of \ HIPE \ and \ is \ not \ available \ across \ hospitals)$

Reported by Hospital

Reported for All cases reported to HIPE where a patient is

temporarily discharged.

Order in Instruction Manual 25

(for use with HIPE Portal)

Irish Coding Standard HIPE Guideline I

Number of Days in Intensive Care Environment

Variable Number of Days in Intensive Care Environment

Definition This identifies the number of days, or part thereof,

the patient spent in an intensive care environment

e.g. ICU/ITU/CCU/HDU/NITU etc.

Definition sourceESRI HIPE UnitSourceHospital PAS

Collected since 1996 - 2001 optional; 2002 – 2010 mandatory. 2011

- definition revised from "based on midnight census"

to "can be based on midnight census"

Collected/Derived Collected

Code Set

Data Entry Guideline The midnight census can be used to determine the

number of days spent in these environments. If the

patient spends less than 1 day in these

environments and is not present at the time of the midnight census, a stay of less than one day can optionally be recorded as '1' day. Where part of day is spent in ICU the allocation of public/private/semi-

private days can be adjusted accordingly.

HIPE-PAS interchange ITU_DAYS

Data Type Integer Field Size 1

Populated in National File Y

(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)

Reported by Hospital

Reported for All cases reported to HIPE.

Order in Instruction Manual 19

Oncology Day Ward Flag

Variable Oncology Day Ward Flag

Definition Oncology Ward Repeat Status

Definition source ESRI HIPE Unit

Source Chart

Collected since 2010

Collected/DerivedCollectedCode SetRepeatStatus

Data Entry Guideline Stores the value of the oncology ward repeat status

Variable Name Portal RepeatStatus

Access RepeatStatus SPSS RepeatStatus

HIPE-PAS interchange

Data TypeIntegerField Size1

Populated in National File Y

(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)

Reported by Hospital

Reported for All cases reported to HIPE.

Order in Instruction Manual 18

(for use with HIPE Portal)

Parity: Live births

Variable Parity: Live births

Definition Number of previous live births

Definition source ESRI HIPE Unit

Source Chart

Collected since 2011 - migration to Portal

Collected/Derived Collected

Code Set

Data Entry Guideline Current pregnancy is not included. If information is

not available please enter NA.

Variable Name Portal LiveBirths
Access LiveBirths
SPSS LiveBirths

HIPE-PAS interchange

Data TypeCharField Size2

Populated in National File

(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)

Reported by Hospital

Reported for Mandatory where admission type = 6 (maternity),

26

optional for other female patients.

Order in Instruction Manual

(for use with HIPE Portal)

Irish Coding Standard HIPE Guideline VII

Parity: Still births

Variable Parity: Still births

Definition Number of previous still births

Definition source ESRI HIPE Unit

Source Chart

Collected since 2011 - migration to Portal

Collected/Derived Collected

Code Set

Data Entry Guideline Current pregnancy is not included. If information is

not available please enter NA.

Variable Name Portal Stillbirths
Access Stillbirths
SPSS StillBirths

HIPE-PAS interchange

Data TypeCharField Size2

Populated in National File

(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)

Reported by Hospital

Reported for Mandatory where admission type = 6 (maternity),

26

optional for other female patients.

Order in Instruction Manual

(for use with HIPE Portal)

Irish Coding Standard HIPE Guideline VII

Patient's Name

Variable Patient's Name

Definition The patient's name

Definition source Hospital
Source Hospital PAS

Collected since Pre 1990

Collected/Derived Collected

Code Set

Data Entry Guideline

Variable Name Portal NAMEVAL
Access NAMEVAL
SPSS NAMEVAL

HIPE-PAS interchange NAME

Data Type Alphanumeric

Field Size 15

Populated in National File N

(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)

Reported by Hospital

Reported for All cases reported to HIPE.

Order in Instruction Manual (for use with HIPE Portal)
Irish Coding Standard

Primary Consultant

Variable Primary Consultant

Definition The primary consultant of a case is the consultant

who has overall responsibility for the case.

Definition sourceESRI HIPE UnitSourceHospital PAS

Collected since 1990

Collected/Derived Collected

Code Set

Data Entry Guideline Where the entire case is handled by one consultant

his/her code number need be entered only opposite the principal diagnosis. If more than one consultant is involved in a case the relevant consultant number

will be placed opposite the relevant

diagnosis/procedures

Variable Name Portal PrimaryCons

Access DCON
SPSS DCON
HIPE-PAS interchange PRICON

Data Type Alphanumeric

Field Size 4

Populated in National File Y - encrypted

(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)

Reported by Hospital

Reported for All cases reported to HIPE.

Order in Instruction Manual

(for use with HIPE Portal)
Irish Coding Standard

22a

Principal Diagnosis

Variable Principal Diagnosis

Definition The diagnosis established after study to be chiefly

responsible for occasioning the episode of admitted

patient care.

Definition source 6th ed ICD-10-AM/ACHI/ACS/ICS

Source Chart

Collected sincepre-1990. name Name change 2011 from DIAG to DIAG1

Collected/Derived Collected

Code Set 6th ed ICD-10-AM/ACHI/ACS/ICS

Data Entry Guideline

Variable Name Portal DIAG1
Access DIAG
SPSS DIAG1

HIPE-PAS interchange

Data Type Alphanumeric

Field Size 5

Populated in National File 30

 $(If no, this \ variable \ is \ only \ populated \ in \ the \ hospital \ version \ of \ HIPE \ and \ is \ not \ available \ across \ hospitals)$

Reported by Hospital

Reported for All cases reported to HIPE.

Order in Instruction Manual (for use with HIPE Portal)
Irish Coding Standard

Principal Procedure

Variable Principal Procedure

Definition The principal procedure is the procedure performed

for treatment of the principal diagnosis or a diagnostic/exploratory procedure related to the principal diagnosis. A procedeure is defined as a clinical intervention that is surgical in nature, carries a procedural risk and/or carries an anaesthetic risk and/or requires special facilities or equipment only available in an

acute care setting.

Definition source 6th ed ICD-10-AM/ACHI/ACS/ICS

Source Chart

Collected since Pre-1990. Name change 2011 - migration to Portal,

formally PROC.

Collected/Derived Collected

Code Set 6th ed ICD-10-AM/ACHI/ACS/ICS

Data Entry Guideline The order of procedures is determined by the

following hierarchy: procedure performed for treatment of principal diagnosis, procedure

performed for treatment of an additional diagnosis,

diagnostic/exploratory procedure related to

principal diagnosis, diagnostic procedure related to

additional diagnosis

Variable Name Portal PROC1
Access PROC
SPSS PROC1

HIPE-PAS interchange

Data Type Integer Field Size 7

Populated in National File Y

(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)

Reported by Hospital

Reported for All cases where a procedure was performed.

Order in Instruction Manual (for use with HIPE Portal)
Irish Coding Standard

Principal Procedure Anaesthetist

Variable Principal Procedure Anaesthetist

Definition Consultant anaesthetist responsible for anaesthetics

in principal procedure

Definition source ESRI HIPE Unit

Source Chart

Collected since 01 Sep 2008. Name change 2011- migration to

Portal, formally P1ANA

Collected/Derived

Code Set

Data Entry Guideline

Collected

Variable Name Portal ANACONS1
Access P1ANA
SPSS ANACONS1

HIPE-PAS interchange

Data Type Alphanumeric

Field Size 4

Populated in National File Y - encrypted

(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)

Reported by Hospital

Reported for All cases where the procedure is performed. with

anaesthetic.

Order in Instruction Manual

(for use with HIPE Portal)
Irish Coding Standard

22d

Principal Procedure Consultant

Variable Principal Procedure Consultant

Definition Consultant responsible for principal procedure

Definition source ESRI HIPE Unit

Source Chart

Collected since pre-1990. Name change 2011- migration to Portal.

Formally PCON

Collected/Derived

Code Set

Data Entry Guideline

Collected

Variable Name Portal PROCCONS1

Access PCON

SPSS PROCCONS1

HIPE-PAS interchange

Data Type Alphanumeric

Field Size

Populated in National File Y - encrypted

(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)

Reported by Hospital

Reported for All cases where a procedure was performed.

Order in Instruction Manual (for use with HIPE Portal)

Irish Coding Standard

Private Bed

Variable Private Bed

Definition Number of days patient spent in a private bed

Definition sourceESRI HIPE UnitSourceHospital PAS

Collected since 2002

Collected/Derived Collected

Code Set

Data Entry Guideline

Variable Name Portal PRIV_DAYS

Access PRIV_DAYS
SPSS PRIV_DAYS
HIPE-PAS interchange PRIV_DAYS

Data TypeIntegerField Size3

Populated in National File Y

 $(\textit{If no, this variable is only populated in the hospital version of \textit{HIPE} and \textit{is not available across hospitals})$

Reported by Hospital

Reported for All cases reported to HIPE.

Order in Instruction Manual 20

Public Bed

Variable Public Bed

Definition Number of days patient spent in a public bed

Definition sourceESRI HIPE UnitSourceHospital PAS

Collected since 2002 - optional; 2008 mandatory

Collected/Derived Collected

Code Set

Data Entry Guideline

Variable Name Portal PUB_DAYS

Access PUB_DAYS
SPSS PUB_DAYS
HIPE-PAS interchange PUB_DAYS

Data TypeIntegerField Size3

Populated in National File

(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)

Reported by Hospital

Reported for All cases reported to HIPE.

Order in Instruction Manual 21

Semi Private Bed

Variable Semi Private Bed

Definition Number of days patient spent in a semi private bed

Definition sourceESRI HIPE UnitSourceHospital PAS

Collected since 2011 - migration to Portal

Collected/Derived Collected

Code Set

Data Entry Guideline

Variable Name Portal SPRIVDAYS

Access SPRIVDAYS
SPSS SPRIVDAYS
HIPE-PAS interchange SPRIVDAYS

Data TypeIntegerField Size3

Populated in National File Y

(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)

Reported by Hospital

Reported for All cases reported to HIPE.

Order in Instruction Manual 20

Sex

Variable Sex

Definition The sex of the patient

Definition sourceESRI HIPE UnitSourceHospital PAS

Collected since pre-1990

Collected/Derived Collected

Code Set SEX

Data Entry Guideline

Variable Name PortalSEXAccessSEXSPSSSEXHIPE-PAS interchangeSEX

Data Type Integer Field Size 1

Populated in National File

(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)

Reported by Hospital

Reported for All cases reported to HIPE.

Order in Instruction Manual 10

Source of Admission

Variable Source of Admission

Definition Describes where the patient was admitted from. It

does not refer to where an emergency or accident

occurred.

Definition sourceESRI HIPE UnitSourceHospital PAS

Collected since 2002

Collected/Derived Collected
Code Set ADMSOURCE

Data Entry Guideline

Variable Name PortalADMSOURCEAccessADMSOURCESPSSADMSOURCEHIPE-PAS interchangeADMSOURCE

Data Type Integer Field Size 1

Populated in National File

(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)

Reported by Hospital

Reported for All cases reported to HIPE.

Order in Instruction Manual (for use with HIPE Portal)
Irish Coding Standard

5

Transfer Hospital: From

Variable Transfer Hospital: From

Definition Hospital from which the patient was transferred

Definition source DOHC

Source Hospital PAS

Collected since 1994

Collected/DerivedCollectedCode SetHospital Codes

Data Entry Guideline When ADMSOURCE is entered as 3, Portal directs to

TRANSFER_I question

Variable Name Portal TRANSFER_I
Access TRANSFER_I
SPSS TRANSFER_I
HIPE-PAS interchange TRANSFER_I

Data Type Integer Field Size 4

Populated in National File

(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)

Reported by Hospital

Reported for All cases reported to HIPE where Source of

5

admission = 3

Order in Instruction Manual (for use with HIPE Portal)

Irish Coding Standard

Transfer Hospital: To

Variable Transfer Hospital: To

Definition Hospital to which the patient was transferred

Definition source DOHC

Source Hospital PAS

Collected since 1994

Collected/DerivedCollectedCode SetHospital Codes

Data Entry Guideline When DISC_CODE is entered as 3 or 4, Portal directs

to TRANSFER_O question

Variable Name PortalTRANSFER_OAccessTRANSFER_OSPSSTRANSFER_OHIPE-PAS interchangeTRANSFER_O

Data Type Integer Field Size 4

Populated in National File Y

(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)

Reported by Hospital

Reported for All cases where Discharge code = 03 or 04

Order in Instruction Manual 7

Type of Admission

Variable Type of Admission

Definition The category of admission relating to this episode of

care, indicates the priority of the admission.

Definition sourceESRI HIPE UnitSourceHospital PAS

Collected since 2002; amended 2009

Collected/DerivedCollectedCode SetADMTYPE

Data Entry Guideline Elective MAU Admissions to registered MAUs will

record an elective admission type. The admitting ward will record the MAU ward code and the discharge ward will be coded as appropriate.

Variable Name PortalADMTYPEAccessADMTYPESPSSADMTYPEHIPE-PAS interchangeADMTYPE

Data Type Integer Field Size 1

Populated in National File Y

 $(If no, this \ variable \ is \ only \ populated \ in \ the \ hospital \ version \ of \ HIPE \ and \ is \ not \ available \ across \ hospitals)$

Reported by Hospital

Reported for All cases reported to HIPE.

Order in Instruction Manual 4

Waiting List Indicator

Variable Waiting List Indicator

Definition Is the case funded by the National Treatment

Purchase Fund, yes or no

Definition sourceESRI HIPE UnitSourceHospital PAS

Collected since 2004

Collected/DerivedCollectedCode SetWLIST

Data Entry Guideline

Variable Name Portal WLIST Access WLIST

SPSS WLIST HIPE-PAS interchange WLIST

Data Type Integer Field Size 1

Populated in National File Y

(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)

Reported by Hospital

Reported for All cases reported to HIPE where Admission Type is

4

1 (Elective) or 2 (Elective Readmission).

Order in Instruction Manual

1st Additional Diagnosis

Variable 1st Additional Diagnosis

Definition A condition or complaint either coexisting with the

principal diagnosis or arising during the episode of admitted patient care. Interpreted as conditions

that affect patient management.

Definition source 6th ed ICD-10-AM/ACHI/ACS/ICS

Source Chart

Collected since Pre 1990. Name change 2011 - migration to Portal,

formally C2DIA

Collected/Derived Collected

Code Set 6th ed ICD-10-AM/ACHI/ACS/ICS

Data Entry Guideline

Variable Name Portal DIAG2
Access C2DIA

SPSS DIAG2

HIPE-PAS interchange

Data Type Alphanumeric

Field Size 5

Populated in National File

(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)

Reported by Hospital

Reported for All cases where at least an additional diagnosis was

made.

Order in Instruction Manual (for use with HIPE Portal)

Irish Coding Standard

1st Additional Diagnosis Consultant

Variable 1st Additional Diagnosis Consultant

Definition Consultant attending 1st additional diagnosis.

Definition source ESRI HIPE Unit

Source Chart

Collected since 1990. Name change 2011migration to Portal,

formally C2CON

Collected/Derived

Code Set

Data Entry Guideline

Collected

Variable Name Portal DIAGCONS2

Access C2CON SPSS DIAGCONS2

HIPE-PAS interchange

Data Type Alphanumeric

Field Size 4

Populated in National File Y - encrypted

 $(If no, this \ variable \ is \ only \ populated \ in \ the \ hospital \ version \ of \ HIPE \ and \ is \ not \ available \ across \ hospitals)$

Reported by Hospital

Reported for All cases where at least 1 additional diagnosis was

made.

1st Additional Procedure

Variable 1st Additional Procedure

Definition Clinical intervention that is surgical in nature, carries

a procedural risk and/or carries an anaesthetic risk and/or requires specialised training and/or requires special facilities or equipment only available in an

acute care setting.

Definition source 6th ed ICD-10-AM/ACHI/ACS/ICS

Source Chart

Collected since 1990. Name change 2011 - migration to Portal,

formally P2PRO

Collected/Derived Collected

Code Set 6th ed ICD-10-AM/ACHI/ACS/ICS

Data Entry Guideline The order of procedures is determined by the

following hierarchy: procedure performed for treatment of principal diagnosis, procedure

performed for treatment of an additional diagnosis,

diagnostic/exploratory procedure related to

principal diagnosis, diagnostic procedure related to

additional diagnosis

Variable Name Portal PROC2
Access P2PRO
SPSS PROC2

HIPE-PAS interchange

Data Type Integer Field Size 7

Populated in National File

(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)

Reported by Hospital

Reported for All cases where at least one additional procedure

was performed.

1st Additional Procedure Anaesthetist

Variable 1st Additional Procedure Anaesthetist

Definition Anaesthetist responsible for anaesthetics in 1st

additional procedure.

Definition source ESRI HIPE Unit

Source Chart

Collected since 01 Sep 2008. Name change 2011-migration to

Portal, formally P2ANA

Collected/Derived

Code Set

Data Entry Guideline

Collected

Variable Name Portal ANACONS2
Access P2ANA
SPSS ANACONS2

HIPE-PAS interchange

Data Type Alphanumeric

Field Size 4

Populated in National File Y - encrypted

(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)

Reported by Hospital

Reported for All cases where the 1st additional procedure was

performed with anaesthetic.

Order in Instruction Manual

(for use with HIPE Portal)
Irish Coding Standard

22d

1st Additional Procedure Consultant

Variable 1st Additional Procedure Consultant

Definition Consultant responsible for 1st additional procedure

Definition source ESRI HIPE Unit

Source Chart

Collected since 1990. Name change 2011-migration to Portal,

formally P2CON

Collected/Derived

Code Set

Data Entry Guideline

Collected

Variable Name Portal PROCCONS2
Access P2CON
SPSS PROCCONS2

HIPE-PAS interchange

Data Type Alphanumeric

Field Size 4

Populated in National File Y - encrypted

(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)

Reported by Hospital

Reported for All cases where at least 1 additional procedure was

performed.

2nd Additional Diagnosis

Variable 2nd Additional Diagnosis

Definition A condition or complaint either coexisting with the

principal diagnosis or arising during the episode of admitted patient care. Interpreted as conditions

that affect patient management.

Definition source 6th ed ICD-10-AM/ACHI/ACS/ICS

Source Chart

Collected since 1990. Name change 2011 - migration to Portal,

formallyC3DIA

Collected/Derived Collected

Code Set 6th ed ICD-10-AM/ACHI/ACS/ICS

Data Entry Guideline

Variable Name Portal DIAG3
Access C3DIA

SPSS DIAG3

HIPE-PAS interchange

Data Type Alphanumeric

Field Size 5

Populated in National File Y

(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)

Reported by Hospital

Reported for All cases where a 2nd additional diagnosis was

made.

2nd Additional Diagnosis Consultant

Variable 2nd Additional Diagnosis Consultant

Definition Consultant attending 2nd additional diagnosis

Definition source ESRI HIPE Unit

Source Chart

Collected since 1990. Name change 2011 - migration to Portal,

formally C3CON

Collected/Derived

Code Set

Data Entry Guideline

Collected

Variable Name Portal DIAGCONS3

Access C3CON SPSS DIAGCONS3

HIPE-PAS interchange

Data Type Alphanumeric

Field Size 4

Populated in National File Y - encrypted

(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)

Reported by Hospital

Reported for All cases where a 2nd additional diagnoses were

made.

Order in Instruction Manual

2nd Additional Procedure

Variable 2nd Additional Procedure

Definition Clinical intervention that is surgical in nature, carries

a procedural risk and/or carries an anaesthetic risk and/or requires specialised training and/or requires special facilities or equipment only available in an

acute care setting.

Definition source 6th ed ICD-10-AM/ACHI/ACS/ICS

Source Chart

Collected since 1990. Name change 2011-migration to Portal,

formally P3PRO

Collected/Derived Collected

Code Set 6th ed ICD-10-AM/ACHI/ACS/ICS

Data Entry Guideline The order of procedures is determined by the

following hierarchy: procedure performed for treatment of principal diagnosis, procedure

performed for treatment of an additional diagnosis,

diagnostic/exploratory procedure related to

principal diagnosis, diagnostic procedure related to

additional diagnosis

Variable Name Portal PROC3
Access P3PRO
SPSS PROC3

HIPE-PAS interchange

Data Type Integer Field Size 7

Populated in National File

(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)

Reported by Hospital

Reported for All cases where a 2nd additional procedure was

performed.

2nd Additional Procedure Anaesthetist

Variable 2nd Additional Procedure Anaesthetist

Definition Anaesthetist responsible for anaesthetics in 2nd

additional procedure.

Definition source ESRI HIPE Unit

Source Chart

Collected since 01 Sep 2008. Name change 2011-migration to

Portal, formally P3ANA

Collected/Derived

Code Set

Data Entry Guideline

Collected

Variable Name Portal ANACON3
Access P3ANA
SPSS ANACONS3

HIPE-PAS interchange

Data Type Alphanumeric

Field Size 4

Populated in National File Y - encrypted

(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)

Reported by Hospital

Reported for All cases where a 2nd additional procedures was

performed with anaesthetic.

Order in Instruction Manual

(for use with HIPE Portal)
Irish Coding Standard

22d

2nd Additional Procedure Consultant

Variable 2nd Additional Procedure Consultant

Definition Consultant responsible for 2nd additional

procedure.

Definition source ESRI HIPE Unit

Source Chart

Collected since 1990. Name change 2011-migration to Portal,

formally P3CON

Collected/Derived

Code Set

Data Entry Guideline

Collected

Variable Name Portal PROCCONS3
Access P3CON
SPSS PROCCONS3

HIPE-PAS interchange

Data Type Alphanumeric

Field Size 4

Populated in National File Y - encrypted

(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)

Reported by Hospital

Reported for All cases where a 2nd additional procedures was

performed.

3rd Additional Diagnosis

Variable 3rd Additional Diagnosis

Definition A condition or complaint either coexisting with the

principal diagnosis or arising during the episode of admitted patient care. Interpreted as conditions

that affect patient management.

Definition source 6th ed ICD-10-AM/ACHI/ACS/ICS

Source Chart

Collected since 1990. Name change 2011 - migration to Portal,

formally C4DIA

Collected/Derived Collected

Code Set 6th ed ICD-10-AM/ACHI/ACS/ICS

Data Entry Guideline

Variable Name Portal DIAG4
Access C4DIA

SPSS DIAG4

HIPE-PAS interchange

Data Type Alphanumeric

Field Size 5

Populated in National File Y

(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)

Reported by Hospital

Reported for All cases where a 3rd additional diagnosis was

made.

Order in Instruction Manual (for use with HIPE Portal)

Irish Coding Standard

3rd Additional Diagnosis Consultant

Variable 3rd Additional Diagnosis Consultant

Definition Consultant attending 3rd additional diagnosis.

Definition source ESRI HIPE Unit

Source Chart

Collected since 1990. Name change 2011 - migration to Portal,

formally C4CON

Collected/Derived

Code Set

Data Entry Guideline

Collected

Variable Name Portal DIAGCONS4

Access C4CON SPSS DIAGCONS4

HIPE-PAS interchange

Data Type Alphanumeric

Field Size 4

Populated in National File Y - encrypted

(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)

Reported by Hospital

Reported for All cases where a 3rd additional diagnosis was made.

Order in Instruction Manual (for use with HIPE Portal)

Irish Coding Standard

3rd Additional Procedure

Variable 3rd Additional Procedure

Definition Clinical intervention that is surgical in nature, carries

a procedural risk and/or carries an anaesthetic risk and/or requires specialised training and/or requires special facilities or equipment only available in an

acute care setting.

Definition source 6th ed ICD-10-AM/ACHI/ACS/ICS

Source Chart

Collected since 1990. Name change 2011 - migration to Portal,

formally P4PRO

Collected/Derived Collected

Code Set 6th ed ICD-10-AM/ACHI/ACS/ICS

Data Entry Guideline The order of procedures is determined by the

following hierarchy: procedure performed for treatment of principal diagnosis, procedure

performed for treatment of an additional diagnosis,

diagnostic/exploratory procedure related to

principal diagnosis, diagnostic procedure related to

additional diagnosis.

Variable Name Portal PROC4
Access P4PRO
SPSS PROC4

HIPE-PAS interchange

Data Type Integer Field Size 6

Populated in National File Y

(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)

Reported by Hospital

Reported for All cases where a 3rd additional procedure was

performed.

3rd Additional Procedure Anaesthetist

Variable 3rd Additional Procedure Anaesthetist

Definition Anaesthetist responsible for 3rd additional

procedure.

Definition source ESRI HIPE Unit

Source Chart

Collected since 1990. Name change 2011 migration to Portal,

formally P4ANA

Collected/Derived

Code Set

Data Entry Guideline

Collected

Variable Name Portal ANACONS4
Access P4ANA
SPSS ANACONS4

HIPE-PAS interchange

Data Type Alphanumeric

Field Size 4

Populated in National File Y - encrypted

(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)

Reported by Hospital

Reported for All cases where a 3rd additional procedure was

performed with anaesthetic.

Order in Instruction Manual

(for use with HIPE Portal)
Irish Coding Standard

22d

3rd Additional Procedure Consultant

Variable 3rd Additional Procedure Consultant

Definition Consultant responsible for 3rd additional procedure.

Definition source ESRI HIPE Unit

Source Chart

Collected since 1990. Name change 2011 migration to Portal

formally P4CON

Collected/Derived

Code Set

Data Entry Guideline

Collected

Variable Name Portal PROCCONS4
Access P4CON
SPSS PROCCONS4

HIPE-PAS interchange

Data Type Alphanumeric

Field Size 4

Populated in National File Y - encrypted

(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)

Reported by Hospital

Reported for All cases where a 3rd additional procedures were

performed.

4th Additional Diagnosis

Variable 4th Additional Diagnosis

Definition A condition or complaint either coexisting with the

principal diagnosis or arising during the episode of admitted patient care. Interpreted as conditions

that affect patient management.

Definition source 6th ed ICD-10-AM/ACHI/ACS/ICS

Source Chart

Collected since 1990. Name change 2011 - migration to Portal,

formally C5DIA

Collected/Derived Collected

Code Set 6th ed ICD-10-AM/ACHI/ACS/ICS

Data Entry Guideline

Variable Name Portal DIAG5
Access C5DIA

SPSS DIAG5

HIPE-PAS interchange

Data Type Alphanumeric

Field Size 5

Populated in National File Y

(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)

Reported by Hospital

Reported for All cases where a 4th additional diagnosis was

made.

4th Additional Diagnosis Consultant

Variable 4th Additional Diagnosis Consultant

Definition Consultant attending 4th additional diagnosis.

Definition source ESRI HIPE Unit

Source Chart

Collected since 1990. Name change 2011 - migration to Portal,

formally C5CON

Collected/Derived

Code Set

Data Entry Guideline

Collected

Variable Name Portal DIAGCONS5

Access C5CON SPSS DIAGCONS5

HIPE-PAS interchange

Data Type Alphanumeric

Field Size 4

Populated in National File Y - encrypted

 $(If no, this \ variable \ is \ only \ populated \ in \ the \ hospital \ version \ of \ HIPE \ and \ is \ not \ available \ across \ hospitals)$

Reported by Hospital

Reported for All cases where a 4th additional diagnosis was

made.

4th Additional Procedure

Variable 4th Additional Procedure

Definition Clinical intervention that is surgical in nature, carries

a procedural risk and/or carries an anaesthetic risk and/or requires specialised training and/or requires special facilities or equipment only available in an

acute care setting.

Definition source 6th ed ICD-10-AM/ACHI/ACS/ICS

Source Chart

Collected since 2002. Name change 2011- migration to Portal,

formally P5PRO

Collected/Derived Collected

Code Set 6th ed ICD-10-AM/ACHI/ACS/ICS

Data Entry Guideline The order of procedures is determined by the

following hierarchy: procedure performed for treatment of principal diagnosis, procedure

performed for treatment of an additional diagnosis,

diagnostic/exploratory procedure related to

principal diagnosis, diagnostic procedure related to

additional diagnosis.

Variable Name Portal PROC5
Access P5PRO

SPSS PROC5

HIPE-PAS interchange

Data Type Integer Field Size 7

Populated in National File Y

(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)

Reported by Hospital

Reported for All cases where a 4th additional procedure was

performed.

4th Additional Procedure Anaesthetist

Variable 4th Additional Procedure Anaesthetist

Definition Anaesthetist responsible for 4th additional

procedure.

Definition source ESRI HIPE Unit

Source Chart

Collected since 01 Sep 2008. Name change 2011-migration to

Portal, formally P5ANA

Collected/Derived

Code Set

Data Entry Guideline

Collected

Variable Name Portal ANACONS5
Access P5ANA
SPSS ANACONS5

HIPE-PAS interchange

Data Type Alphanumeric

Field Size 4

Populated in National File Y - encrypted

(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)

Reported by Hospital

Reported for All cases where a 4th additional procedure was

performed with anaesthetic.

Order in Instruction Manual

(for use with HIPE Portal)
Irish Coding Standard

22d

4th Additional Procedure Consultant

Variable 4th Additional Procedure Consultant

Definition Consultant responsible for 4th additional procedure.

Definition source ESRI HIPE Unit

Source Chart

Collected since 2002. Name change 2011- migration to Portal,

formally P5CON

Collected/Derived

Code Set

Data Entry Guideline

Collected

Variable Name Portal PROCCONS5
Access P5CON

SPSS PROCCONS5

HIPE-PAS interchange

Data Type Alphanumeric

Field Size 4

Populated in National File Y - encrypted

(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)

Reported by Hospital

Reported for All cases where a 4th additional procedure was

performed.

5th Additional Diagnosis

Variable 5th Additional Diagnosis

Definition A condition or complaint either coexisting with the

principal diagnosis or arising during the episode of admitted patient care. Interpreted as conditions

that affect patient management.

Definition source 6th ed ICD-10-AM/ACHI/ACS/ICS

Source Chart

Collected since 1990. Name change 2011 - migration to Portal,

formally C6DIA

Collected/Derived Collected

Code Set 6th ed ICD-10-AM/ACHI/ACS/ICS

Data Entry Guideline

Variable Name Portal DIAG6
Access C6DIA

SPSS DIAG6

HIPE-PAS interchange

Data Type Alphanumeric

Field Size 5

Populated in National File Y

(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)

Reported by Hospital

Reported for All cases where a 5th additional diagnosis was

made.

5th Additional Diagnosis Consultant

Variable 5th Additional Diagnosis Consultant

Definition Consultant attending 5th additional diagnosis.

Definition source ESRI HIPE Unit

Source Chart

Collected since 1990. Name change 2011 migration to Portal.,

formally C6CON

Collected/Derived

Code Set

Data Entry Guideline

Collected

Variable Name Portal DIAGCONS6

Access C6CON SPSS DIAGCONS6

HIPE-PAS interchange

Data Type Alphanumeric

Field Size 4

Populated in National File Y - encrypted

(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)

Reported by Hospital

Reported for All cases where a 5th additional diagnosis was

made.

5th Additional Procedure

Variable 5th Additional Procedure

Definition Clinical intervention that is surgical in nature, carries

a procedural risk and/or carries an anaesthetic risk and/or requires specialised training and/or requires special facilities or equipment only available in an

acute care setting.

Definition source 6th ed ICD-10-AM/ACHI/ACS/ICS

Source Chart

Collected since 2002. Name change 2011 -migration to Portal,

formally P6PRO

Collected/Derived Collected

Code Set 6th ed ICD-10-AM/ACHI/ACS/ICS

Data Entry Guideline The order of procedures is determined by the

following hierarchy: procedure performed for treatment of principal diagnosis, procedure

performed for treatment of an additional diagnosis,

diagnostic/exploratory procedure related to

principal diagnosis, diagnostic procedure related to

additional diagnosis

Variable Name Portal PROC6
Access P6PRO
SPSS PROC6

HIPE-PAS interchange

Data Type Integer Field Size 7

Populated in National File

(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)

Reported by Hospital

Reported for All cases where a 5th additional procedure was

performed.

5th Additional Procedure Anaesthetist

Variable 5th Additional Procedure Anaesthetist

Definition Anaesthetist responsible for anaesthetics in 5th

additional procedure.

Definition source ESRI HIPE Unit

Source Chart

Collected since 01 Sep 2008. Name change 2011-migration to

Portal, formally P6ANA

Collected/Derived

Code Set

Data Entry Guideline

Collected

Variable Name Portal ANACONS6 Access P6ANA

SPSS ANACONS6

HIPE-PAS interchange

Data Type Alphanumeric

Field Size 4

Populated in National File Y - encrypted

(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)

Reported by Hospital

Reported for All cases where a 5th additional procedure was

performed with anaesthetic.

Order in Instruction Manual

(for use with HIPE Portal)
Irish Coding Standard

22d

5th Additional Procedure Consultant

Variable 5th Additional Procedure Consultant

Definition Consultant responsible for 5th additional procedure.

Definition source ESRI HIPE Unit

Source Chart

Collected since 2002. Name change 2011- migration to Portal,

formally P6CON

Collected/Derived

Code Set

Data Entry Guideline

Collected

Variable Name Portal PROCCONS6
Access P6CON
SPSS PROCCONS6

HIPE-PAS interchange

Data Type Alphanumeric

Field Size 4

Populated in National File Y - encrypted

(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)

Reported by Hospital

Reported for All cases where a 5th additional procedure was

performed.

Variable 6th Additional Diagnosis

Definition A condition or complaint either coexisting with the

principal diagnosis or arising during the episode of admitted patient care. Interpreted as conditions

that affect patient management.

Definition source 6th ed ICD-10-AM/ACHI/ACS/ICS

Source Chart

Collected since 2002. Name change 2011 - migration to Portal,

formally C7DIA

Collected/Derived Collected

Code Set 6th ed ICD-10-AM/ACHI/ACS/ICS

Data Entry Guideline

Variable Name Portal DIAG7
Access C7DIA

SPSS DIAG7

HIPE-PAS interchange

Data Type Alphanumeric

Field Size 5

Populated in National File Y

(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)

Reported by Hospital

Reported for All cases where a 6th additional diagnosis was

made.

6th Additional Diagnosis Consultant

Variable 6th Additional Diagnosis Consultant

Definition Consultant attending 6th additional diagnosis.

Definition source ESRI HIPE Unit

Source Chart

Collected since 2002. Name change 2011 - migration to Portal,

formally C7CON

Collected/Derived

Code Set

Data Entry Guideline

Collected

Variable Name Portal DIAGCONS7

Access C7CON SPSS DIAGCONS7

HIPE-PAS interchange

Data Type Alphanumeric

Field Size 4

Populated in National File Y - encrypted

 $(If no, this \ variable \ is \ only \ populated \ in \ the \ hospital \ version \ of \ HIPE \ and \ is \ not \ available \ across \ hospitals)$

Reported by Hospital

Reported for All cases where a 6th additional diagnosis was

made.

6th Additional Procedure

Variable 6th Additional Procedure

Definition Clinical intervention that is surgical in nature, carries

a procedural risk and/or carries an anaesthetic risk and/or requires specialised training and/or requires special facilities or equipment only available in an

acute care setting.

Definition source 6th ed ICD-10-AM/ACHI/ACS/ICS

Source Chart

Collected since 2002. Name change 2011 migration to Portal,

formally P7PRO

Collected/Derived Collected

Code Set 6th ed ICD-10-AM/ACHI/ACS/ICS

Data Entry Guideline The order of procedures is determined by the

following hierarchy: procedure performed for treatment of principal diagnosis, procedure

performed for treatment of an additional diagnosis,

diagnostic/exploratory procedure related to

principal diagnosis, diagnostic procedure related to

additional diagnosis.

Variable Name Portal PROC7
Access P7PRO
SPSS PROC7

HIPE-PAS interchange

Data Type Integer Field Size 7

Populated in National File

(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)

Reported by Hospital

Reported for All cases where a 6th additional procedure was

performed.

6th Additional Procedure Anaesthetist

Variable 6th Additional Procedure Anaesthetist

Definition Anaesthetist responsible for anaesthetics in 6th

additional procedure.

Definition source ESRI HIPE Unit

Source Chart

Collected since 01 Sep 2008. Name change 2011 - migration to

Portal, formally P7ANA

Collected/Derived

Code Set

Data Entry Guideline

Collected

Variable Name Portal ANACONS7
Access P7ANA
SPSS ANACONS7

HIPE-PAS interchange

Data Type Alphanumeric

Field Size 4

Populated in National File Y - encrypted

(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)

Reported by Hospital

Reported for All cases where a 6th additional procedure was

performed with anaesthetic.

Order in Instruction Manual

(for use with HIPE Portal)
Irish Coding Standard

22d

6th Additional Procedure Consultant

Variable 6th Additional Procedure Consultant

Definition Consultant responsible for 6th additional procedure.

Definition source ESRI HIPE Unit

Source Chart

Collected since 2002. Name change 2011 migration to Portal,

formally P7CON

Collected/Derived

Code Set

Data Entry Guideline

Collected

Variable Name Portal PROCCONS7
Access P7CON
SPSS PROCCONS7

HIPE-PAS interchange

Data Type Alphanumeric

Field Size

Populated in National File Y - encrypted

(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)

Reported by Hospital

Reported for All cases where a 6th additional procedure was

performed.

Variable 7th Additional Diagnosis

Definition A condition or complaint either coexisting with the

principal diagnosis or arising during the episode of admitted patient care. Interpreted as conditions

that affect patient management.

Definition source 6th ed ICD-10-AM/ACHI/ACS/ICS

Source Chart

Collected since 2002. Name change 2011 - migration to Portal,

formally C8DIA

Collected/Derived Collected

Code Set 6th ed ICD-10-AM/ACHI/ACS/ICS

Data Entry Guideline

Variable Name Portal DIAG8
Access C8DIA

SPSS DIAG8

HIPE-PAS interchange

Data Type Alphanumeric

Field Size 5

Populated in National File Y

(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)

Reported by Hospital

Reported for All cases where a 7th additional diagnosis was

made.

7th Additional Diagnosis Consultant

Variable 7th Additional Diagnosis Consultant

Definition Consultant attending 7th additional diagnosis.

Definition source ESRI HIPE Unit

Source Chart

Collected since 2002. Name change 2011 - migration to Portal,

formally C8CON

Collected/Derived

Code Set

Data Entry Guideline

Collected

Variable Name Portal DIAGCONS8

Access C8CON SPSS DIAGCONS8

HIPE-PAS interchange

Data Type Alphanumeric

Field Size 4

Populated in National File Y - encrypted

(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)

Reported by Hospital

Reported for All cases where a 7th additional diagnosis was

made.

7th Additional Procedure

Variable 7th Additional Procedure

Definition Clinical intervention that is surgical in nature, carries

a procedural risk and/or carries an anaesthetic risk and/or requires specialised training and/or requires special facilities or equipment only available in an

acute care setting.

Definition source 6th ed ICD-10-AM/ACHI/ACS/ICS

Source Chart

Collected since 2002. Name change 2011 migration to Portal,

formally P8PRO

Collected/Derived Collected

Code Set 6th ed ICD-10-AM/ACHI/ACS/ICS

Data Entry Guideline The order of procedures is determined by the

following hierarchy: procedure performed for treatment of principal diagnosis, procedure

performed for treatment of an additional diagnosis,

diagnostic/exploratory procedure related to

principal diagnosis, diagnostic procedure related to

additional diagnosis.

Variable Name Portal PROC8
Access P8PRO
SPSS PROC8

HIPE-PAS interchange

Data Type Integer Field Size 7

Populated in National File

(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)

Reported by Hospital

Reported for All cases where a 7th additional procedure was

performed.

7th Additional Procedure Anaesthetist

Variable 7th Additional Procedure Anaesthetist

Definition Anaesthetist responsible for 7th additional

procedure.

Definition source ESRI HIPE Unit

Source Chart

Collected since 01 Sep 2008. Name change 2011 migration to

Portal, formally P8ANA

Collected/Derived

Code Set

Data Entry Guideline

Collected

Variable Name Portal ANACONS8
Access P8ANA

SPSS ANACONS8

HIPE-PAS interchange

Data Type Alphanumeric

Field Size 4

Populated in National File Y - encrypted

(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)

Reported by Hospital

Reported for All cases where a 7th additional procedure was

performed with anaesthetic.

Order in Instruction Manual

(for use with HIPE Portal)
Irish Coding Standard

22d

7th Additional Procedure Consultant

Variable 7th Additional Procedure Consultant

Definition Consultant responsible for 7th additional procedure.

Definition source ESRI HIPE Unit

Source Chart

Collected since 2002. Name change 2011 migration to Portal,

formally P8CON

Collected/Derived

Code Set

Data Entry Guideline

Collected

Variable Name Portal PROCCONS8
Access P8CON

SPSS PROCCONS8

HIPE-PAS interchange

Data Type Alphanumeric

Field Size 4

Populated in National File Y - encrypted

(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)

Reported by Hospital

Reported for All cases where a 7th additional procedure was

performed.

Variable 8th Additional Diagnosis

Definition A condition or complaint either coexisting with the

principal diagnosis or arising during the episode of admitted patient care. Interpreted as conditions

that affect patient management.

Definition source 6th ed ICD-10-AM/ACHI/ACS/ICS

Source Chart

Collected since 2002. Name change 2011 - migration to Portal,

formally C9DIA

Collected/Derived Collected

Code Set 6th ed ICD-10-AM/ACHI/ACS/ICS

Data Entry Guideline

Variable Name Portal DIAG9
Access C9DIA

SPSS DIAG9

HIPE-PAS interchange

Data Type Alphanumeric

Field Size 5

Populated in National File Y

(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)

Reported by Hospital

Reported for All cases where an 8th additional diagnosis was

made.

8th Additional Diagnosis Consultant

Variable 8th Additional Diagnosis Consultant

Definition Consultant attending 8th additional diagnosis.

Definition source ESRI HIPE Unit

Source Chart

Collected since 2002. Name change 2011 - migration to Portal,

formally C9CON

Collected/Derived

Code Set

Data Entry Guideline

Collected

Variable Name Portal DIAGCONS9

Access C9CON SPSS DIAGCONS9

HIPE-PAS interchange

Data Type Alphanumeric

Field Size 4

Populated in National File Y - encrypted

(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)

Reported by Hospital

Reported for All cases where an 8th additional diagnosis was

made.

8th Additional Procedure

Variable 8th Additional Procedure

Definition Clinical intervention that is surgical in nature, carries

a procedural risk and/or carries an anaesthetic risk and/or requires specialised training and/or requires special facilities or equipment only available in an

acute care setting.

Definition source 6th ed ICD-10-AM/ACHI/ACS/ICS

Source Chart

Collected since 2002. Name change 2011 - migration to Portal,

formally P9PRO

Collected/Derived Collected

Code Set 6th ed ICD-10-AM/ACHI/ACS/ICS

Data Entry Guideline The order of procedures is determined by the

following hierarchy: procedure performed for treatment of principal diagnosis, procedure

performed for treatment of an additional diagnosis,

diagnostic/exploratory procedure related to

principal diagnosis, diagnostic procedure related to

additional diagnosis.

Variable Name Portal PROC9
Access P9PRO
SPSS PROC9

HIPE-PAS interchange

Data Type Integer Field Size 7

Populated in National File Y

(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)

Reported by Hospital

Reported for All cases where an 8th additional procedure was

performed.

8th Additional Procedure Anaesthetist

Variable 8th Additional Procedure Anaesthetist

Definition Anaesthetist responsible for anaesthetics in 8th

additional procedure.

Definition source ESRI HIPE Unit

Source Chart

Collected since 01 Sep 2008. Name change - 2011 migration to

Portal, formally P9ANA

Collected/Derived

Code Set

Data Entry Guideline

Collected

Variable Name Portal ANACONS9
Access P9ANA
SPSS ANACONS9

HIPE-PAS interchange

Data Type Alphanumeric

Field Size 4

Populated in National File Y - encrypted

(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)

Reported by Hospital

Reported for All cases where an 8th additional procedure was

performed.

Order in Instruction Manual

(for use with HIPE Portal)
Irish Coding Standard

22d

8th Additional Procedure Consultant

Variable 8th Additional Procedure Consultant

Definition Consultant responsible for 8th additional procedure.

Definition source ESRI HIPE Unit

Source Chart

Collected since 2002. Name change 2011 - migration to Portal,

formally P9CON

Collected/Derived

Code Set

Data Entry Guideline

Collected

Variable Name Portal PROCCONS9
Access P9CON
SPSS PROCCONS9

HIPE-PAS interchange

Data Type Alphanumeric

Field Size 4

Populated in National File Y - encrypted

(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)

Reported by Hospital

Reported for All cases where an 8th additional procedure was

performed.

Variable 9th Additional Diagnosis

Definition A condition or complaint either coexisting with the

principal diagnosis or arising during the episode of admitted patient care. Interpreted as conditions

that affect patient management.

Definition source 6th ed ICD-10-AM/ACHI/ACS/ICS

Source Chart

Collected since 2002. Name change 2011 - migration to Portal,

formallyCADIA

Collected/Derived Collected

Code Set 6th ed ICD-10-AM/ACHI/ACS/ICS

Data Entry Guideline

Variable Name Portal DIAG10
Access CADIA

SPSS DIAG10

HIPE-PAS interchange

Data Type Alphanumeric

Field Size 5

Populated in National File Y

(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)

Reported by Hospital

Reported for All cases where a 9th additional diagnosis was

made.

9th Additional Diagnosis Consultant

Variable 9th Additional Diagnosis Consultant

Definition Consultant attending 9th additional diagnosis.

Definition source ESRI HIPE Unit

Source Chart

Collected since 2002. Name change 2011- migration to Portal,

formally CACON

Collected/Derived

Code Set

Data Entry Guideline

Collected

Variable Name Portal DIAGCONS10

Access CACON

SPSS DIAGCONS10

HIPE-PAS interchange

Data Type Alphanumeric

Field Size 4

Populated in National File Y - encrypted

(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)

Reported by Hospital

Reported for All cases where a 9th additional diagnosis was

made.

9th Additional Procedure

Variable 9th Additional Procedure

Definition Clinical intervention that is surgical in nature, carries

a procedural risk and/or carries an anaesthetic risk and/or requires specialised training and/or requires special facilities or equipment only available in an

acute care setting.

Definition source 6th ed ICD-10-AM/ACHI/ACS/ICS

Source Chart

Collected since 2002. Name change 2011 - migration to Portal

formally, PAPRO

Collected/Derived Collected

Code Set 6th ed ICD-10-AM/ACHI/ACS/ICS

Data Entry Guideline The order of procedures is determined by the

following hierarchy: procedure performed for treatment of principal diagnosis, procedure

performed for treatment of an additional diagnosis,

diagnostic/exploratory procedure related to

principal diagnosis, diagnostic procedure related to

additional diagnosis.

Variable Name Portal PROC10
Access PAPRO
SPSS PROC10

HIPE-PAS interchange

Data Type Integer Field Size 7

Populated in National File Y

(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)

Reported by Hospital

Reported for All cases where a 9th additional procedure was

performed.

9th Additional Procedure Anaesthetist

Variable 9th Additional Procedure Anaesthetist

Definition Anaesthetist responsible for anaesthetics in 9th

additional procedure.

Definition source ESRI HIPE Unit

Source Chart

Collected since 01 Sep 2008. Name change 2011 - migration to

Portal, formally PAANA

Collected/Derived

Code Set

Data Entry Guideline

Collected

Variable Name Portal ANACONS10
Access PAANA

SPSS ANACONS10

HIPE-PAS interchange

Data Type Alphanumeric

Field Size 4

Populated in National File Y - encrypted

(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)

Reported by Hospital

Reported for All cases where a 9th additional procedure was

performed.

Order in Instruction Manual

(for use with HIPE Portal)
Irish Coding Standard

22d

9th Additional Procedure Consultant

Variable 9th Additional Procedure Consultant

Definition Consultant responsible for 9th additional procedure.

Definition source ESRI HIPE Unit

Source Chart

Collected since 2002. Name change 2011 - migration to Portal,

formally PACON

Collected/Derived

Code Set

Data Entry Guideline

Collected

Variable Name Portal PROCCONS10

Access PACON

SPSS PROCCONS10

HIPE-PAS interchange

Data Type Alphanumeric

Field Size 4

Populated in National File Y - encrypted

(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)

Reported by Hospital

Reported for All cases where a 9th additional procedure was

performed.

Variable 10th Additional Diagnosis

Definition A condition or complaint either coexisting with the

principal diagnosis or arising during the episode of admitted patient care. Interpreted as conditions

that affect patient management.

Definition source 6th ed ICD-10-AM/ACHI/ACS/ICS

Source Chart

Collected since 2005 Name change 2011 - migration to Portal,

formally CBDIA

Collected/Derived Collected

Code Set 6th ed ICD-10-AM/ACHI/ACS/ICS

Data Entry Guideline

Variable Name Portal DIAG11
Access CBDIA

Access CBDIA SPSS DIAG11

HIPE-PAS interchange

Data Type Alphanumeric

Field Size 5

Populated in National File Y

(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)

Reported by Hospital

Reported for All cases where a 10th additional diagnosis was

made.

10th Additional Diagnosis Consultant

Variable 10th Additional Diagnosis Consultant

Definition Consultant attending 10th additional diagnosis.

Definition source ESRI HIPE Unit

Source Chart

Collected since 2005. Name change 2011- migration to Portal,

formally CBCON

Collected/Derived

Code Set

Data Entry Guideline

Collected

Variable Name Portal DIAGCONS11

Access CBCON

SPSS DIAGCONS11

HIPE-PAS interchange

Data Type Alphanumeric

Field Size 4

Populated in National File Y - encrypted

(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)

Reported by Hospital

Reported for All cases where a 10th additional diagnosis was

made.

10th Additional Procedure

Variable 10th Additional Procedure

Definition Clinical intervention that is surgical in nature, carries

a procedural risk and/or carries an anaesthetic risk and/or requires specialised training and/or requires special facilities or equipment only available in an

acute care setting.

Definition source 6th ed ICD-10-AM/ACHI/ACS/ICS

Source Chart

Collected since 2005. Name change 2011 - migration to Portal,

formally PBPRO

Collected/Derived Collected

Code Set 6th ed ICD-10-AM/ACHI/ACS/ICS

Data Entry Guideline The order of procedures is determined by the

following hierarchy: procedure performed for treatment of principal diagnosis, procedure

performed for treatment of an additional diagnosis,

diagnostic/exploratory procedure related to

principal diagnosis, diagnostic procedure related to

additional diagnosis.

Variable Name Portal PROC11
Access PBPRO
SPSS PROC11

HIPE-PAS interchange

Data Type Integer Field Size 7

Populated in National File Y

(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)

Reported by Hospital

Reported for All cases where a 10th additional procedure was

performed.

10th Additional Procedure Anaesthetist

Variable 10th Additional Procedure Anaesthetist

Definition Anaesthetist responsible for anaesthetics in 10th

additional procedure.

Definition source ESRI HIPE Unit

Source Chart

Collected since 01 Sep 2008. Name change 2011 - migration to

Portal, formally PBANA

Collected/Derived

Code Set

Data Entry Guideline

Collected

Variable Name Portal ANACONS11

Access PBANA SPSS ANACONS11

HIPE-PAS interchange

Data Type Alphanumeric

Field Size 4

Populated in National File Y - encrypted

(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)

Reported by Hospital

Reported for All cases where a 10th additional procedure was

performed with anaesthetic.

Order in Instruction Manual

(for use with HIPE Portal)
Irish Coding Standard

22d

10th Additional Procedure Consultant

Variable 10th Additional Procedure Consultant

Definition Consultant responsible for 10th additional

procedure

Definition source ESRI HIPE Unit

Source Chart

Collected since 2005. Name change 2011 - migration to Portal,

formally PBCON

Collected/Derived

Code Set

Data Entry Guideline

Collected

Variable Name Portal PROCCONS11

Access PBCON

SPSS PROCCONS11

HIPE-PAS interchange

Data Type Alphanumeric

Field Size

Populated in National File Y - encrypted

(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)

Reported by Hospital

Reported for All cases where a 10th additional procedure was

performed.

Variable 11th Additional Diagnosis

Definition A condition or complaint either coexisting with the

principal diagnosis or arising during the episode of admitted patient care. Interpreted as conditions

that affect patient management.

Definition source 6th ed ICD-10-AM/ACHI/ACS/ICS

Source Chart

Collected since 2005. Name change 2011 - migration to Portal,

formally CCDIA

Collected/Derived Collected

Code Set 6th ed ICD-10-AM/ACHI/ACS/ICS

Data Entry Guideline

Variable Name Portal DIAG12

Access CCDIA SPSS DIAG12

HIPE-PAS interchange

Data Type Alphanumeric

Field Size 5

Populated in National File Y

(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)

Reported by Hospital

Reported for All cases where an 11th additional diagnosis was

made.

11th Additional Diagnosis Consultant

Variable 11th Additional Diagnosis Consultant

Definition Consultant attending 11th additional diagnosis.

Definition source ESRI HIPE Unit

Source Chart

Collected since 2005. Name change 2011- migration to Portal,

formally CCCON

Collected/Derived

Code Set

Data Entry Guideline

Collected

Variable Name Portal DIAGCONS12

Access CCCON

SPSS DIAGCONS12

HIPE-PAS interchange

Data Type Alphanumeric

Field Size 4

Populated in National File Y - encrypted

 $(If no, this \ variable \ is \ only \ populated \ in \ the \ hospital \ version \ of \ HIPE \ and \ is \ not \ available \ across \ hospitals)$

Reported by Hospital

Reported for All cases where an 11th additional diagnosis was

made.

11th Additional Procedure

Variable 11th Additional Procedure

Definition Clinical intervention that is surgical in nature, carries

a procedural risk and/or carries an anaesthetic risk and/or requires specialised training and/or requires special facilities or equipment only available in an

acute care setting.

Definition source 6th ed ICD-10-AM/ACHI/ACS/ICS

Source Chart

Collected since 2005. Name change 2011 migration to Portal,

formally PCPRO

Collected/Derived Collected

Code Set 6th ed ICD-10-AM/ACHI/ACS/ICS

Data Entry Guideline The order of procedures is determined by the

following hierarchy: procedure performed for treatment of principal diagnosis, procedure

performed for treatment of an additional diagnosis,

diagnostic/exploratory procedure related to

principal diagnosis, diagnostic procedure related to

additional diagnosis.

Variable Name Portal PROC12
Access PCPRO
SPSS PROC12

HIPE-PAS interchange

Data Type Integer Field Size 7

Populated in National File

(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)

Reported by Hospital

Reported for All cases where an 11th additional procedure was

performed.

11th Additional Procedure Anaesthetist

Variable 11th Additional Procedure Anaesthetist

Definition Anaesthetist responsible for anaesthetics in 11th

additional procedure.

Definition source ESRI HIPE Unit

Source Chart

Collected since 01 Sep 2008. Name change 2011 - migration to

Portal, formally PCANA

Collected/Derived

Code Set

Data Entry Guideline

Collected

Variable Name Portal ANACONS12

Access PCANA
SPSS ANACONS12

HIPE-PAS interchange

Data Type Alphanumeric

Field Size 4

Populated in National File Y - encrypted

(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)

Reported by Hospital

Reported for All cases where an 11th additional procedure was

performed.

Order in Instruction Manual

(for use with HIPE Portal)
Irish Coding Standard

22d

11th Additional Procedure Consultant

Variable 11th Additional Procedure Consultant

Definition Consultant responsible for 11th additional

procedure.

Definition source ESRI HIPE Unit

Source Chart

Collected since 2005. Name change 2011 - migration to Portal,

formally PCCON

Collected/Derived

Code Set

Data Entry Guideline

Collected

Variable Name Portal PROCCONS12

Access PCCON

SPSS PROCCONS12

HIPE-PAS interchange

Data Type Alphanumeric

Field Size

Populated in National File Y - encrypted

(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)

Reported by Hospital

Reported for All cases where an 11th additional procedure was

performed.

Variable 12th Additional Diagnosis

Definition A condition or complaint either coexisting with the

principal diagnosis or arising during the episode of admitted patient care. Interpreted as conditions

that affect patient management.

Definition source 6th ed ICD-10-AM/ACHI/ACS/ICS

Source Chart

Collected since 2005. Name change 2011 - migration to Portal,

formally CDDIA

Collected/Derived Collected

Code Set 6th ed ICD-10-AM/ACHI/ACS/ICS

Data Entry Guideline

Variable Name Portal DIAG13

Access CDDIA SPSS DIAG13

HIPE-PAS interchange

Data Type Alphanumeric

Field Size 5

Populated in National File Y

(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)

Reported by Hospital

Reported for All cases where an 11th additional diagnosis was

made.

12th Additional Diagnosis Consultant

Variable 12th Additional Diagnosis Consultant

Definition Consultant attending 12th additional diagnosis.

Definition source ESRI HIPE Unit

Source Chart

Collected since 2005. Name change 2011- migration to Portal,

formally CDCON

Collected/Derived

Code Set

Data Entry Guideline

Collected

Variable Name Portal DIAGCONS13

Access CDCON
SPSS DIAGCONS13

HIPE-PAS interchange

Data Type Alphanumeric

Field Size 4

Populated in National File Y - encrypted

 $(If no, this \ variable \ is \ only \ populated \ in \ the \ hospital \ version \ of \ HIPE \ and \ is \ not \ available \ across \ hospitals)$

Reported by Hospital

Reported for All cases where a 12th additional diagnosis was

made.

12th Additional Procedure

Variable 12th Additional Procedure

Definition Clinical intervention that is surgical in nature, carries

a procedural risk and/or carries an anaesthetic risk and/or requires specialised training and/or requires special facilities or equipment only available in an

acute care setting.

Definition source 6th ed ICD-10-AM/ACHI/ACS/ICS

Source Chart

Collected since 2005. Name change 2011 migration to Portal,

formally PDPRO

Collected/Derived Collected

Code Set 6th ed ICD-10-AM/ACHI/ACS/ICS

Data Entry Guideline The order of procedures is determined by the

following hierarchy: procedure performed for treatment of principal diagnosis, procedure

performed for treatment of an additional diagnosis,

diagnostic/exploratory procedure related to

principal diagnosis, diagnostic procedure related to

additional diagnosis.

Variable Name Portal PROC13
Access PDPRO
SPSS PROC13

HIPE-PAS interchange

Data Type Integer Field Size 7

Populated in National File

(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)

Reported by Hospital

Reported for All cases where a 12th additional procedure was

performed.

12th Additional Procedure Anaesthetist

Variable 12th Additional Procedure Anaesthetist

Definition Anaesthetist responsible for anaesthetics in 12th

additional procedure.

Definition source ESRI HIPE Unit

Source Chart

Collected since 01 Sep 2008. Name change 2011 - migration to

Portal, formally PDANA

Collected/Derived

Code Set

Data Entry Guideline

Collected

Variable Name Portal ANACONS13
Access PDANA

SPSS ANACONS13

HIPE-PAS interchange

Data Type Alphanumeric

Field Size 4

Populated in National File Y - encrypted

(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)

Reported by Hospital

Reported for All cases where a 12th additional procedure was

performed with anaesthetic.

Order in Instruction Manual

(for use with HIPE Portal)
Irish Coding Standard

22d

12th Additional Procedure Consultant

Variable 12th Additional Procedure Consultant

Definition Consultant responsible for 12th additional

procedure.

Definition source ESRI HIPE Unit

Source Chart

Collected since 2005. Name change 2011 - migration to Portal,

formally PDCON

Collected/Derived

Code Set

Data Entry Guideline

Collected

Variable Name Portal PROCCONS13

Access PDCON

SPSS PROCCONS13

HIPE-PAS interchange

Data Type Alphanumeric

Field Size 4

Populated in National File Y - encrypted

(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)

Reported by Hospital

Reported for All cases where a 12th additional procedure was

performed.

Variable 13th Additional Diagnosis

Definition A condition or complaint either coexisting with the

principal diagnosis or arising during the episode of admitted patient care. Interpreted as conditions

that affect patient management.

Definition source 6th ed ICD-10-AM/ACHI/ACS/ICS

Source Chart

Collected since 2005. Name change 2011 - migration to Portal,

formally CEDIA

Collected/Derived Collected

Code Set 6th ed ICD-10-AM/ACHI/ACS/ICS

Data Entry Guideline

Variable Name Portal DIAG14

Access CEDIA SPSS DIAG14

HIPE-PAS interchange

Data Type Alphanumeric

Field Size 5

Populated in National File Y

(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)

Reported by Hospital

Reported for All cases where a 13th additional diagnosis was

made.

Variable 13th Additional Diagnosis Consultant

Definition Consultant attending 13th additional diagnosis.

Definition source ESRI HIPE Unit

Source Chart

Collected since 2005. Name change 2011-migration to Portal,

formally CECON

Collected/Derived

Code Set

Data Entry Guideline

Collected

Variable Name Portal DIAGCONS14

Access CECON

SPSS DIAGCONS14

HIPE-PAS interchange

Data Type Alphanumeric

Field Size 4

Populated in National File Y - encrypted

 $(If no, this \ variable \ is \ only \ populated \ in \ the \ hospital \ version \ of \ HIPE \ and \ is \ not \ available \ across \ hospitals)$

Reported by Hospital

Reported for All cases where a 13th additional diagnosis was

made.

13th Additional Procedure

Variable 13th Additional Procedure

Definition Clinical intervention that is surgical in nature, carries

a procedural risk and/or carries an anaesthetic risk and/or requires specialised training and/or requires special facilities or equipment only available in an

acute care setting.

Definition source 6th ed ICD-10-AM/ACHI/ACS/ICS

Source Chart

Collected since 2005. Name change - 2011 migration to Portal

formallyPEPRO

Collected/Derived Collected

Code Set 6th ed ICD-10-AM/ACHI/ACS/ICS

Data Entry Guideline The order of procedures is determined by the

following hierarchy: procedure performed for treatment of principal diagnosis, procedure

performed for treatment of an additional diagnosis,

diagnostic/exploratory procedure related to

principal diagnosis, diagnostic procedure related to

additional diagnosis.

Variable Name Portal PROC14
Access PEPRO
SPSS PROC14

HIPE-PAS interchange

Data Type Integer Field Size 7

Populated in National File

(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)

Reported by Hospital

Reported for All cases where a 13th additional procedure was

performed.

13th Additional Procedure Anaesthetist

Variable 13th Additional Procedure Anaesthetist

Definition Anaesthetist responsible for anaesthetics in 13th

additional procedure.

Definition source ESRI HIPE Unit

Source Chart

Collected since 01 Sep 2008. Name change 2011 - migration to

Portal formally PEANA

Collected/Derived

Code Set

Data Entry Guideline

Collected

Variable Name Portal ANACONS14

Access PEANA SPSS ANACONS14

HIPE-PAS interchange

Data Type Alphanumeric

Field Size 4

Populated in National File Y - encrypted

(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)

Reported by Hospital

Reported for All cases where a 13th additional procedure was

performed with anaesthetic.

Order in Instruction Manual

(for use with HIPE Portal)
Irish Coding Standard

22d

13th Additional Procedure Consultant

Variable 13th Additional Procedure Consultant

Definition Consultant responsible for 13th additional

procedure.

Definition source ESRI HIPE Unit

Source Chart

Collected since 2005. Name change 2011 migration to Portal

formally PECON

Collected/Derived

Code Set

Data Entry Guideline

Collected

Variable Name Portal PROCCONS14

Access PECON

SPSS PROCCONS14

HIPE-PAS interchange

Data Type Alphanumeric

Field Size

Populated in National File Y - encrypted

(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)

Reported by Hospital

Reported for All cases where a 13th additional procedure was

performed.

14th Additional Diagnosis

Variable 14th Additional Diagnosis

Definition A condition or complaint either coexisting with the

principal diagnosis or arising during the episode of admitted patient care. Interpreted as conditions

that affect patient management.

Definition source 6th ed ICD-10-AM/ACHI/ACS/ICS

Source Chart

Collected since 2005. Name change 2011 - migration to Portal.

Previously called CfDIA

Collected/Derived Collected

Code Set 6th ed ICD-10-AM/ACHI/ACS/ICS

Data Entry Guideline

Variable Name Portal DIAG15

Access CFDIA SPSS DIAG15

HIPE-PAS interchange

Data Type Alphanumeric

Field Size 5

Populated in National File Y

(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)

Reported by Hospital

Reported for All cases where a 14th additional diagnosis was

made.

Variable 14th Additional Diagnosis Consultant

Definition Consultant attending 14th additional diagnosis.

Definition source ESRI HIPE Unit

Source Chart

Collected since 2005. Name change 2011-migration to Portal,

formally CFCON

Collected/Derived

Code Set

Data Entry Guideline

Collected

Variable Name Portal DIAGCONS15

Access CFCON

SPSS DIAGCONS15

HIPE-PAS interchange

Data Type Alphanumeric

Field Size

Populated in National File Y - encrypted

(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)

Reported by Hospital

Reported for All cases where a 14th additional diagnosis was

made.

14th Additional Procedure

Variable 14th Additional Procedure

Definition Clinical intervention that is surgical in nature, carries

a procedural risk and/or carries an anaesthetic risk and/or requires specialised training and/or requires special facilities or equipment only available in an

acute care setting.

Definition source 6th ed ICD-10-AM/ACHI/ACS/ICS

Source Chart

Collected since 2005. Name change 2011 migration to Portal

formally PFPRO

Collected/Derived Collected

Code Set 6th ed ICD-10-AM/ACHI/ACS/ICS

Data Entry Guideline The order of procedures is determined by the

following hierarchy: procedure performed for treatment of principal diagnosis, procedure

performed for treatment of an additional diagnosis,

diagnostic/exploratory procedure related to

principal diagnosis, diagnostic procedure related to

additional diagnosis.

Variable Name Portal PROC15
Access PfPRO
SPSS PROC15

HIPE-PAS interchange

Data Type Integer Field Size 7

Populated in National File

(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)

Reported by Hospital

Reported for All cases where a 14th additional procedure was

performed.

14th Additional Procedure Anaesthetist

Variable 14th Additional Procedure Anaesthetist

Definition Anaesthetist responsible for anaesthetics in 14th

additional procedure.

Definition source ESRI HIPE Unit

Source Chart

Collected since 01 Sep 2008. Name change 2011 - migration to

Portal, formally PFANA

Collected/Derived

Code Set

Data Entry Guideline

Collected

Variable Name Portal ANACONS15

Access PFANA
SPSS ANACONS15

HIPE-PAS interchange

Data Type Alphanumeric

Field Size 4

Populated in National File Y - encrypted

(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)

Reported by Hospital

Reported for All cases where a 14th additional procedure was

performed with anaesthetic.

Order in Instruction Manual

(for use with HIPE Portal)
Irish Coding Standard

22d

14th Additional Procedure Consultant

Variable 14th Additional Procedure Consultant

Definition Consultant responsible for 14th additional

procedure.

Definition source ESRI HIPE Unit

Source Chart

Collected since 2005. Name change 2011 - migration to Portal,

formally PFCON

Collected/Derived

Code Set

Data Entry Guideline

Collected

Variable Name Portal PROCCONS15

Access PFCON

SPSS PROCCONS15

HIPE-PAS interchange

Data Type Alphanumeric

Field Size 4

Populated in National File Y - encrypted

(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)

Reported by Hospital

Reported for All cases where a 14th additional procedure was

performed.

15th Additional Diagnosis

Variable 15th Additional Diagnosis

Definition A condition or complaint either coexisting with the

principal diagnosis or arising during the episode of admitted patient care. Interpreted as conditions

that affect patient management.

Definition source 6th ed ICD-10-AM/ACHI/ACS/ICS

Source Chart

Collected since 2005. Name change 2011 - migration to Portal.,

formally CGDIA

Collected/Derived Collected

Code Set 6th ed ICD-10-AM/ACHI/ACS/ICS

Data Entry Guideline

Variable Name Portal DIAG16

Access CGDIA SPSS DIAG16

HIPE-PAS interchange

Data Type Alphanumeric

Field Size 5

Populated in National File

(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)

Reported by Hospital

Reported for All cases where a 15th additional diagnosis made.

Order in Instruction Manual (for use with HIPE Portal)

Irish Coding Standard

Variable 15th Additional Diagnosis Consultant

Definition Consultant attending 15th additional diagnosis.

Definition source ESRI HIPE Unit

Source Chart

Collected since 2005. Name change 2011 - migration to Portal.,

formally CGCON

Collected/Derived

Code Set

Data Entry Guideline

Collected

Variable Name Portal DIAGCONS16

Access CGCON

SPSS DIAGCONS16

HIPE-PAS interchange

Data Type Alphanumeric

Field Size 4

Populated in National File Y - encrypted

(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)

Reported by Hospital

Reported for All cases where a 15th additional diagnosis made.

Order in Instruction Manual (for use with HIPE Portal)

Irish Coding Standard

15th Additional Procedure

Variable 15th Additional Procedure

Definition Clinical intervention that is surgical in nature, carries

a procedural risk and/or carries an anaesthetic risk and/or requires specialised training and/or requires special facilities or equipment only available in an

acute care setting.

Definition source 6th ed ICD-10-AM/ACHI/ACS/ICS

Source Chart

Collected since 2005. Name change 2011 - migration to Portal,

formally PGPRO

Collected/Derived Collected

Code Set 6th ed ICD-10-AM/ACHI/ACS/ICS

Data Entry Guideline The order of procedures is determined by the

following hierarchy: procedure performed for treatment of principal diagnosis, procedure

performed for treatment of an additional diagnosis,

diagnostic/exploratory procedure related to

principal diagnosis, diagnostic procedure related to

additional diagnosis.

Variable Name Portal PROC16
Access PGPRO
SPSS PROC16

HIPE-PAS interchange

Data Type Integer Field Size 7

Populated in National File

(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)

Reported by Hospital

Reported for All cases where a 15th additional procedure was

performed.

15th Additional Procedure Anaesthetist

Variable 15th Additional Procedure Anaesthetist

Definition Anaesthetist responsible for anaesthetics in 15th

additional procedure.

Definition source ESRI HIPE Unit

Source Chart

Collected since 01 Sep 2008. Name change 2011 - migration to

Portal, formally PGANA

Collected/Derived

Code Set

Data Entry Guideline

Collected

Variable Name Portal ANACONS16

Access PGANA SPSS ANACONS16

HIPE-PAS interchange

Data Type Alphanumeric

Field Size 4

Populated in National File Y - encrypted

(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)

Reported by Hospital

Reported for All cases where a 15th additional procedure was

performed with anaesthetic.

Order in Instruction Manual

(for use with HIPE Portal)
Irish Coding Standard

22d

15th Additional Procedure Consultant

Variable 15th Additional Procedure Consultant

Definition Consultant responsible for 15th additional

procedure.

Definition source ESRI HIPE Unit

Source Chart

Collected since 2005. Name change 2011 - migration to Portal,

formally PGCON

Collected/Derived

Code Set

Data Entry Guideline

Collected

Variable Name Portal PROCCONS16

Access PGCON

SPSS PROCCONS16

HIPE-PAS interchange

Data Type Alphanumeric

Field Size 4

Populated in National File Y - encrypted

(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)

Reported by Hospital

Reported for All cases where a 15th additional procedure was

performed.

16th Additional Diagnosis

Variable 16th Additional Diagnosis

Definition A condition or complaint either coexisting with the

principal diagnosis or arising during the episode of admitted patient care. Interpreted as conditions

that affect patient management.

Definition source 6th ed ICD-10-AM/ACHI/ACS/ICS

Source Chart

Collected since 2005. Name change 2011 - migration to Portal,

formally CHDIA

Collected/Derived Collected

Code Set 6th ed ICD-10-AM/ACHI/ACS/ICS

Data Entry Guideline

Variable Name Portal DIAG17

Access CHDIA SPSS DIAG17

HIPE-PAS interchange

Data Type Alphanumeric

Field Size 5

Populated in National File Y

(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)

Reported by Hospital

Reported for All cases where a 16th additional diagnosis was

made.

Variable 16th Additional Diagnosis Consultant

Definition Consultant attending 16th additional diagnosis.

Definition source ESRI HIPE Unit

Source Chart

Collected since 2005. Name change 2011- migration to Portal,

formally CHCON

Collected/Derived Collected

Code Set

Data Entry Guideline

Variable Name Portal DIAGCONS17

Access CHCON
SPSS DIAGCONS17

HIPE-PAS interchange

Data Type Alphanumeric

Field Size 4

Populated in National File Y - encrypted

 $(If no, this \ variable \ is \ only \ populated \ in \ the \ hospital \ version \ of \ HIPE \ and \ is \ not \ available \ across \ hospitals)$

Reported by Hospital

Reported for All cases where a 16th additional diagnosis was

made.

16th Additional Procedure

Variable 16th Additional Procedure

Definition Clinical intervention that is surgical in nature, carries

a procedural risk and/or carries an anaesthetic risk and/or requires specialised training and/or requires special facilities or equipment only available in an

acute care setting.

Definition source 6th ed ICD-10-AM/ACHI/ACS/ICS

Source Chart

Collected since 2005. Name change 2011 - migration to Portal,

formally PHPRO

Collected/Derived Collected

Code Set 6th ed ICD-10-AM/ACHI/ACS/ICS

Data Entry Guideline The order of procedures is determined by the

following hierarchy: procedure performed for treatment of principal diagnosis, procedure

performed for treatment of an additional diagnosis,

diagnostic/exploratory procedure related to

principal diagnosis, diagnostic procedure related to

additional diagnosis.

Variable Name Portal PROC17
Access PHPRO
SPSS PROC17

HIPE-PAS interchange

Data Type Integer Field Size 7

Populated in National File

(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)

Reported by Hospital

Reported for All cases where a 16th additional procedure was

performed.

16th Additional Procedure Anaesthetist

Variable 16th Additional Procedure Anaesthetist

Definition Anaesthetist responsible for anaesthetics in 16th

additional procedure.

Definition source ESRI HIPE Unit

Source Chart

Collected since 01 Sep 2008. Name change 2011 - migration to

Portal, formally PHANA

Collected/Derived

Code Set

Data Entry Guideline

Collected

Variable Name Portal ANACONS17

Access PHANA
SPSS ANACONS17

HIPE-PAS interchange

Data Type Alphanumeric

Field Size 4

Populated in National File Y - encrypted

(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)

Reported by Hospital

Reported for All cases where a 16th additional procedure was

performed with anaesthetic.

Order in Instruction Manual

(for use with HIPE Portal)
Irish Coding Standard

22d

16th Additional Procedure Consultant

Variable 16th Additional Procedure Consultant

Definition Consultant responsible for 16th additional

procedure.

Definition source ESRI HIPE Unit

Source Chart

Collected since 2005. Name change 2011 - migration to Portal,

formally PHCON

Collected/Derived

Code Set

Data Entry Guideline

Collected

Variable Name Portal PROCCONS17

Access PHCON

SPSS PROCCONS17

HIPE-PAS interchange

Data Type Alphanumeric

Field Size 4

Populated in National File Y - encrypted

(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)

Reported by Hospital

Reported for All cases where a 16th additional procedure was

performed.

17th Additional Diagnosis

Variable 17th Additional Diagnosis

Definition A condition or complaint either coexisting with the

principal diagnosis or arising during the episode of admitted patient care. Interpreted as conditions

that affect patient management.

Definition source 6th ed ICD-10-AM/ACHI/ACS/ICS

Source Chart

Collected since 2005. Name change 2011 - migration to Portal,

formally CIDIA

Collected/Derived Collected

Code Set 6th ed ICD-10-AM/ACHI/ACS/ICS

Data Entry Guideline

Variable Name Portal DIAG18
Access CIDIA

SPSS DIAG18

HIPE-PAS interchange

Data Type Alphanumeric

Field Size 5

Populated in National File Y

(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)

Reported by Hospital

Reported for All cases where a 17th additional diagnosis was

made.

Variable 17th Additional Diagnosis Consultant

Definition Consultant attending 17th additional diagnosis.

Definition source ESRI HIPE Unit

Source Chart

Collected since 2005. Name change 2011- migration to Portal,

formally CICON

Collected/Derived

Code Set

Data Entry Guideline

Collected

Variable Name Portal DIAGCONS18

Access CICON

SPSS DIAGCONS18

HIPE-PAS interchange

Data Type Alphanumeric

Field Size 4

Populated in National File Y - encrypted

(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)

Reported by Hospital

Reported for All cases where a 17th additional diagnosis was

made.

17th Additional Procedure

Variable 17th Additional Procedure

Definition Clinical intervention that is surgical in nature, carries

a procedural risk and/or carries an anaesthetic risk and/or requires specialised training and/or requires special facilities or equipment only available in an

acute care setting.

Definition source 6th ed ICD-10-AM/ACHI/ACS/ICS

Source Chart

Collected since 2005. Name change 2011 - migration to Portal,

formally PIPRO

Collected/Derived Collected

Code Set 6th ed ICD-10-AM/ACHI/ACS/ICS

Data Entry Guideline The order of procedures is determined by the

following hierarchy: procedure performed for treatment of principal diagnosis, procedure

performed for treatment of an additional diagnosis,

diagnostic/exploratory procedure related to

principal diagnosis, diagnostic procedure related to

additional diagnosis.

Variable Name Portal PROC18
Access PIPRO
SPSS PROC18

HIPE-PAS interchange

Data Type Integer Field Size 7

Populated in National File

(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)

Reported by Hospital

Reported for All cases where a 17th additional procedure was

performed.

17th Additional Procedure Anaesthetist

Variable 17th Additional Procedure Anaesthetist

Definition Anaesthetist responsible for anaesthetics in 17th

additional procedure.

Definition source ESRI HIPE Unit

Source Chart

Collected since 01 Sep 2008. Name change 2011 - migration to

Portal, formally PIANA

Collected/Derived

Code Set

Data Entry Guideline

Collected

Variable Name Portal ANACONS18

Access PIANA

SPSS ANACONS18

HIPE-PAS interchange

Data Type Alphanumeric

Field Size 4

Populated in National File Y - encrypted

(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)

Reported by Hospital

Reported for All cases where a 17th additional procedure was

performed with anaesthetic.

Order in Instruction Manual

(for use with HIPE Portal)
Irish Coding Standard

22d

17th Additional Procedure Consultant

Variable 17th Additional Procedure Consultant

Definition Consultant responsible for 17th additional

procedure.

Definition source ESRI HIPE Unit

Source Chart

Collected since 2005. Name change 2011 - migration to Portal,

formally PIOCON

Collected/Derived

Code Set

Data Entry Guideline

Collected

Variable Name Portal PROCCONS18

Access PICON

SPSS PROCCONS18

HIPE-PAS interchange

Data Type Alphanumeric

Field Size 4

Populated in National File Y - encrypted

(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)

Reported by Hospital

Reported for All cases where a 17th additional procedure was

performed.

18th Additional Diagnosis

Variable 18th Additional Diagnosis

Definition A condition or complaint either coexisting with the

principal diagnosis or arising during the episode of admitted patient care. Interpreted as conditions

that affect patient management.

Definition source 6th ed ICD-10-AM/ACHI/ACS/ICS

Source Chart

Collected since 2005. Name change 2011 - migration to Portal,

formally CJjDIA

Collected/Derived Collected

Code Set 6th ed ICD-10-AM/ACHI/ACS/ICS

Data Entry Guideline

Variable Name Portal DIAG19

Access CJDIA SPSS DIAG19

HIPE-PAS interchange

Data Type Alphanumeric

Field Size 5

Populated in National File Y

(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)

Reported by Hospital

Reported for All cases where an 18th additional diagnosis was

made.

Variable 18th Additional Diagnosis Consultant

Definition Consultant attending 18th additional diagnosis.

Definition source ESRI HIPE Unit

Source Chart

Collected since 2005. Name change 2011 - migration to Portal,

formally CJCON

Collected/Derived

Code Set

Data Entry Guideline

Collected

Variable Name Portal DIAGCONS19

Access CJCON

SPSS DIAGCONS19

HIPE-PAS interchange

Data Type Alphanumeric

Field Size 4

Populated in National File Y - encrypted

(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)

Reported by Hospital

Reported for All cases where an 18th additional diagnosis was

made.

18th Additional Procedure

Variable 18th Additional Procedure

Definition Clinical intervention that is surgical in nature, carries

a procedural risk and/or carries an anaesthetic risk and/or requires specialised training and/or requires special facilities or equipment only available in an

acute care setting.

Definition source 6th ed ICD-10-AM/ACHI/ACS/ICS

Source Chart

Collected since 2005. Name change 2011 - migration to Portal,

formally PJPRO

Collected/Derived Collected

Code Set 6th ed ICD-10-AM/ACHI/ACS/ICS

Data Entry Guideline The order of procedures is determined by the

following hierarchy: procedure performed for treatment of principal diagnosis, procedure

performed for treatment of an additional diagnosis,

diagnostic/exploratory procedure related to

principal diagnosis, diagnostic procedure related to

additional diagnosis.

Variable Name Portal PROC19

Access PjPRO SPSS PROC19

HIPE-PAS interchange

Data Type Integer Field Size 7

Populated in National File

(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)

Reported by Hospital

Reported for All cases where an 18th additional procedure was

performed.

Order in Instruction Manual (for use with HIPE Portal)

Irish Coding Standard

18th Additional Procedure Anaesthetist

Variable 18th Additional Procedure Anaesthetist

Definition Anaesthetist responsible for anaesthetics in 18th

additional procedure.

Definition source ESRI HIPE Unit

Source Chart

Collected since 01 Sep 2008. Name change 2011 - migration to

Portal, formally PJANA

Collected/Derived

Code Set

Data Entry Guideline

Collected

Variable Name Portal ANACONS19

Access PJANA

SPSS ANACONS19

HIPE-PAS interchange

Data Type Alphanumeric

Field Size

Populated in National File Y - encrypted

(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)

Reported by Hospital

Reported for All cases where an 18th additional procedure was

performed with anaesthetic.

Order in Instruction Manual

(for use with HIPE Portal)
Irish Coding Standard

22d

18th Additional Procedure Consultant

Variable 18th Additional Procedure Consultant

Definition Consultant responsible for 18th additional

procedure.

Definition source ESRI HIPE Unit

Source Chart

Collected since 2005. Name change 2011 - migration to Porta, I

formally PJCON

Collected/Derived

Code Set

Data Entry Guideline

Collected

Variable Name Portal PROCCONS19

Access PJCON

SPSS PROCCONS19

HIPE-PAS interchange

Data Type Alphanumeric

Field Size 4

Populated in National File Y - encrypted

(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)

Reported by Hospital

Reported for All cases where an 18th additional procedure was

performed.

19th Additional Diagnosis

Variable 19th Additional Diagnosis

Definition A condition or complaint either coexisting with the

principal diagnosis or arising during the episode of admitted patient care. Interpreted as conditions

that affect patient management.

Definition source 6th ed ICD-10-AM/ACHI/ACS/ICS

Source Chart

Collected since 2005. Name change 2011 - migration to Portal,

formally CKDIA

Collected/Derived Collected

Code Set 6th ed ICD-10-AM/ACHI/ACS/ICS

Data Entry Guideline

Variable Name Portal DIAG20

Access CKDIA SPSS DIAG20

HIPE-PAS interchange

Data Type Alphanumeric

Field Size 5

Populated in National File Y

(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)

Reported by Hospital

Reported for All cases where a 19th additional diagnosis was

made.

Variable 19th Additional Diagnosis Consultant

Definition Consultant attending 19th additional diagnosis.

Definition source ESRI HIPE Unit

Source Chart

Collected since 2005. Name change 2011-migration to Portal,

formally CKCON

Collected/Derived Collected

Code Set

Data Entry Guideline

Variable Name Portal DIAGCONS20

Access CKCON

SPSS DIAGCONS20

HIPE-PAS interchange

Data Type Alphanumeric

Field Size 4

Populated in National File Y - encrypted

(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)

Reported by Hospital

Reported for All cases where a 19th additional diagnosis was

made.

19th Additional Procedure

Variable 19th Additional Procedure

Definition Clinical intervention that is surgical in nature, carries

a procedural risk and/or carries an anaesthetic risk and/or requires specialised training and/or requires special facilities or equipment only available in an

acute care setting.

Definition source 6th ed ICD-10-AM/ACHI/ACS/ICS

Source Chart

Collected since 2005. Name change 2011 - migration to Portal

formally PKPRO

Collected/Derived Collected

Code Set 6th ed ICD-10-AM/ACHI/ACS/ICS

Data Entry Guideline The order of procedures is determined by the

following hierarchy: procedure performed for treatment of principal diagnosis, procedure

performed for treatment of an additional diagnosis,

diagnostic/exploratory procedure related to

principal diagnosis, diagnostic procedure related to

additional diagnosis.

Variable Name Portal PROC20
Access PKPRO
SPSS PROC20

HIPE-PAS interchange

Data Type Integer Field Size 7

Populated in National File Y

(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)

Reported by Hospital

Reported for All cases where a 19th additional procedure was

performed.

19th Additional Procedure Anaesthetist

Variable 19th Additional Procedure Anaesthetist

Definition Anaesthetist responsible for anaesthetics in 19th

additional procedure.

Definition source ESRI HIPE Unit

Source Chart

Collected since 01 Sep 2008. Name change 2011 - migration to

Portal, formally PKANA

Collected/Derived

Code Set

Data Entry Guideline

Collected

Variable Name Portal ANACONS20

Access PKANA
SPSS ANACONS20

HIPE-PAS interchange

Data Type Alphanumeric

Field Size 4

Populated in National File Y - encrypted

(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)

Reported by Hospital

Reported for All cases where a 19th additional procedure was

performed with anaesthetic.

Order in Instruction Manual

(for use with HIPE Portal)
Irish Coding Standard

22d

19th Additional Procedure Consultant

Variable 19th Additional Procedure Consultant

Definition Consultant responsible for 19th additional

procedure

Definition source ESRI HIPE Unit

Source Chart

Collected since 2005. Name change 2011 - migration to Portal,

formally PKCON

Collected/Derived

Code Set

Data Entry Guideline

Collected

Variable Name Portal PROCCONS20

Access PKCON

SPSS PROCCONS20

HIPE-PAS interchange

Data Type Alphanumeric

Field Size

Populated in National File Y - encrypted

(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)

Reported by Hospital

Reported for All cases where a 19th additional procedure was

performed.

20th Additional Diagnosis

Variable 20th Additional Diagnosis

Definition A condition or complaint either coexisting with the

principal diagnosis or arising during the episode of admitted patient care. Interpreted as conditions

that affect patient management.

Definition source 6th ed ICD-10-AM/ACHI/ACS/ICS

Source Chart

Collected since 2011 - migration to Portal

Collected/Derived Collected

Code Set 6th ed ICD-10-AM/ACHI/ACS/ICS

Data Entry Guideline

Variable Name Portal DIAG21

Access DIAG21 SPSS DIAG21

HIPE-PAS interchange

Data Type Alphanumeric

Field Size 5

Populated in National File Y

 $(If no, this \ variable \ is \ only \ populated \ in \ the \ hospital \ version \ of \ HIPE \ and \ is \ not \ available \ across \ hospitals)$

Reported by Hospital

Reported for All cases where a 20th additional diagnosis was

made.

Order in Instruction Manual

(for use with HIPE Portal)
Irish Coding Standard

Variable 20th Additional Diagnosis Consultant

Definition Consultant attending 20th additional diagnosis.

Definition source ESRI HIPE Unit

Source Chart

Collected since 2011-migration to Portal

Collected/Derived Collected

Code Set

Data Entry Guideline

Variable Name Portal DIAGCONS21

Access DIAGCONS21 SPSS DIAGCONS21

HIPE-PAS interchange

Data Type Alphanumeric

Field Size 4

Populated in National File Y - encrypted

(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)

Reported by Hospital

Reported for All cases where a 20th additional diagnosis was

made.

Order in Instruction Manual

(for use with HIPE Portal)
Irish Coding Standard

Variable 21st Additional Diagnosis

Definition A condition or complaint either coexisting with the

principal diagnosis or arising during the episode of admitted patient care. Interpreted as conditions

that affect patient management.

Definition source 6th ed ICD-10-AM/ACHI/ACS/ICS

Source Chart

Collected since 2011 - migration to Portal

Collected/Derived Collected

Code Set 6th ed ICD-10-AM/ACHI/ACS/ICS

Data Entry Guideline

Variable Name Portal DIAG22

Access DIAG22 SPSS DIAG22

HIPE-PAS interchange

Data Type Alphanumeric

Field Size 5

Populated in National File Y

 $(If no, this \ variable \ is \ only \ populated \ in \ the \ hospital \ version \ of \ HIPE \ and \ is \ not \ available \ across \ hospitals)$

Reported by Hospital

Reported for All cases where a 21st additional diagnosis was

made.

Order in Instruction Manual

Variable 21st Additional Diagnosis Consultant

Definition Consultant attending 21st additional diagnosis.

Definition source ESRI HIPE Unit

Source Chart

Collected since 2011-migration to Portal

Collected/Derived Collected

Code Set

Data Entry Guideline

Variable Name Portal DIAGCONS22

Access DIAGCONS22 SPSS DIAGCONS22

HIPE-PAS interchange

Data Type Alphanumeric

Field Size 4

Populated in National File Y - encrypted

(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)

Reported by Hospital

Reported for All cases where a 21st additional diagnosis was

made.

Order in Instruction Manual

Variable 22nd Additional Diagnosis

Definition A condition or complaint either coexisting with the

principal diagnosis or arising during the episode of admitted patient care. Interpreted as conditions

that affect patient management.

Definition source 6th ed ICD-10-AM/ACHI/ACS/ICS

Source Chart

Collected since 2011 - migration to Portal

Collected/Derived Collected

Code Set 6th ed ICD-10-AM/ACHI/ACS/ICS

Data Entry Guideline

Variable Name Portal DIAG23

Access DIAG23 SPSS DIAG23

HIPE-PAS interchange

Data Type Alphanumeric

Field Size 5

Populated in National File Y

 $(If no, this \ variable \ is \ only \ populated \ in \ the \ hospital \ version \ of \ HIPE \ and \ is \ not \ available \ across \ hospitals)$

Reported by Hospital

Reported for All cases where a 22nd additional diagnosis was

made.

Order in Instruction Manual

Variable 22nd Additional Diagnosis Consultant

Definition Consultant attending 22nd additional diagnosis.

Definition source ESRI HIPE Unit

Source Chart

Collected since 2011-migration to Portal

Collected/Derived Collected

Code Set

Data Entry Guideline

Variable Name Portal DIAGCONS23

Access DIAGCONS23 SPSS DIAGCONS23

HIPE-PAS interchange

Data Type Alphanumeric

Field Size 4

Populated in National File Y - encrypted

(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)

Reported by Hospital

Reported for All cases where a 22nd additional diagnosis was

made.

Order in Instruction Manual (for use with HIPE Portal)

Irish Coding Standard

Variable 23rd Additional Diagnosis

Definition A condition or complaint either coexisting with the

principal diagnosis or arising during the episode of admitted patient care. Interpreted as conditions

that affect patient management.

Definition source 6th ed ICD-10-AM/ACHI/ACS/ICS

Source Chart

Collected since 2011 - migration to Portal

Collected/Derived Collected

Code Set 6th ed ICD-10-AM/ACHI/ACS/ICS

Data Entry Guideline

Variable Name Portal DIAG24

Access DIAG24 SPSS DIAG24

HIPE-PAS interchange

Data Type Alphanumeric

Field Size 5

Populated in National File Y

 $(If no, this \ variable \ is \ only \ populated \ in \ the \ hospital \ version \ of \ HIPE \ and \ is \ not \ available \ across \ hospitals)$

Reported by Hospital

Reported for All cases where a 23rd additional diagnosis was

made.

Order in Instruction Manual

Variable 23rd Additional Diagnosis Consultant

Definition Consultant attending 23rd additional diagnosis.

Definition source ESRI HIPE Unit

Source Chart

Collected since 2011-migration to Portal

Collected/Derived Collected

Code Set

Data Entry Guideline

Variable Name Portal DIAGCONS24

Access DIAGCONS24
SPSS DIAGCONS24

HIPE-PAS interchange

Data Type Alphanumeric

Field Size

Populated in National File Y - encrypted

(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)

Reported by Hospital

Reported for All cases where a 23rd additional diagnosis was

made.

Order in Instruction Manual

Variable 24th Additional Diagnosis

Definition A condition or complaint either coexisting with the

principal diagnosis or arising during the episode of admitted patient care. Interpreted as conditions

that affect patient management.

Definition source 6th ed ICD-10-AM/ACHI/ACS/ICS

Source Chart

Collected since 2011 - migration to Portal

Collected/Derived Collected

Code Set 6th ed ICD-10-AM/ACHI/ACS/ICS

Data Entry Guideline

Variable Name Portal DIAG25

Access DIAG25 SPSS DIAG25

HIPE-PAS interchange

Data Type Alphanumeric

Field Size 5

Populated in National File

(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)

Reported by Hospital

Reported for All cases where a 24th additional diagnosis was

made.

Order in Instruction Manual

Variable 24th Additional Diagnosis Consultant

Definition Consultant attending 24th additional diagnosis.

Definition source ESRI HIPE Unit

Source Chart

Collected since 2011-migration to Portal

Collected/Derived Collected

Code Set

Data Entry Guideline

Variable Name Portal DIAGCONS25

Access DIAGCONS25 SPSS DIAGCONS25

HIPE-PAS interchange

Data Type Alphanumeric

Field Size 4

Populated in National File Y - encrypted

(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)

Reported by Hospital

Reported for All cases where a 24th additional diagnosis was

made.

Order in Instruction Manual

Variable 25th Additional Diagnosis

Definition A condition or complaint either coexisting with the

principal diagnosis or arising during the episode of admitted patient care. Interpreted as conditions

that affect patient management.

Definition source 6th ed ICD-10-AM/ACHI/ACS/ICS

Source Chart

Collected since 2011 - migration to Portal

Collected/Derived Collected

Code Set 6th ed ICD-10-AM/ACHI/ACS/ICS

Data Entry Guideline

Variable Name Portal DIAG26

Access DIAG26 SPSS DIAG26

HIPE-PAS interchange

Data Type Alphanumeric

Field Size 5

Populated in National File

(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)

Reported by Hospital

Reported for All cases where a 25th additional diagnosis was

made.

Order in Instruction Manual

Variable 25th Additional Diagnosis Consultant

Definition Consultant attending 25th additional diagnosis.

Definition source ESRI HIPE Unit

Source Chart

Collected since 2011-migration to Portal

Collected/Derived Collected

Code Set

Data Entry Guideline

Variable Name Portal DIAGCONS26

Access DIAGCONS26 SPSS DIAGCONS26

HIPE-PAS interchange

Data Type Alphanumeric

Field Size 4

Populated in National File Y - encrypted

(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)

Reported by Hospital

Reported for All cases where a 25th additional diagnosis was

made.

Order in Instruction Manual

Variable 26th Additional Diagnosis

Definition A condition or complaint either coexisting with the

principal diagnosis or arising during the episode of admitted patient care. Interpreted as conditions

that affect patient management.

Definition source 6th ed ICD-10-AM/ACHI/ACS/ICS

Source Chart

Collected since 2011 - migration to Portal

Collected/Derived Collected

Code Set 6th ed ICD-10-AM/ACHI/ACS/ICS

Data Entry Guideline

Variable Name Portal DIAG27

Access DIAG27 SPSS DIAG27

HIPE-PAS interchange

Data Type Alphanumeric

Field Size 5

Populated in National File Y

 $(If no, this \ variable \ is \ only \ populated \ in \ the \ hospital \ version \ of \ HIPE \ and \ is \ not \ available \ across \ hospitals)$

Reported by Hospital

Reported for All cases where a 26th additional diagnosis was

made.

Order in Instruction Manual

Variable 26th Additional Diagnosis Consultant

Definition Consultant attending 26th additional diagnosis.

Definition source ESRI HIPE Unit

Source Chart

Collected since 2011-migration to Portal

Collected/Derived Collected

Code Set

Data Entry Guideline

Variable Name Portal DIAGCONS27

Access DIAGCONS27 SPSS DIAGCONS27

HIPE-PAS interchange

Data Type Alphanumeric

Field Size 4

Populated in National File Y - encrypted

(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)

Reported by Hospital

Reported for All cases where a 26th additional diagnosis was

made.

Order in Instruction Manual

Variable 27th Additional Diagnosis

Definition A condition or complaint either coexisting with the

principal diagnosis or arising during the episode of admitted patient care. Interpreted as conditions

that affect patient management.

Definition source 6th ed ICD-10-AM/ACHI/ACS/ICS

Source Chart

Collected since 2011 - migration to Portal

Collected/Derived Collected

Code Set 6th ed ICD-10-AM/ACHI/ACS/ICS

Data Entry Guideline

Variable Name Portal DIAG28

Access DIAG28 SPSS DIAG28

HIPE-PAS interchange

Data Type Alphanumeric

Field Size 5

Populated in National File

(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)

Reported by Hospital

Reported for All cases where a 27th additional diagnosis was

made.

Order in Instruction Manual

Variable 27th Additional Diagnosis Consultant

Definition Consultant attending 27th additional diagnosis.

Definition source ESRI HIPE Unit

Source Chart

Collected since 2011-migration to Portal

Collected/Derived Collected

Code Set

Data Entry Guideline

Variable Name Portal DIAGCONS28

Access DIAGCONS28 SPSS DIAGCONS28

HIPE-PAS interchange

Data Type Alphanumeric

Field Size 4

Populated in National File Y - encrypted

(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)

Reported by Hospital

Reported for All cases where a 27th additional diagnosis was

made.

Order in Instruction Manual

Variable 28th Additional Diagnosis

Definition A condition or complaint either coexisting with the

principal diagnosis or arising during the episode of admitted patient care. Interpreted as conditions

that affect patient management.

Definition source 6th ed ICD-10-AM/ACHI/ACS/ICS

Source Chart

Collected since 2011 - migration to Portal

Collected/Derived Collected

Code Set 6th ed ICD-10-AM/ACHI/ACS/ICS

Data Entry Guideline

Variable Name Portal DIAG29

Access DIAG29 SPSS DIAG29

HIPE-PAS interchange

Data Type Alphanumeric

Field Size 5

Populated in National File Y

 $(If no, this \ variable \ is \ only \ populated \ in \ the \ hospital \ version \ of \ HIPE \ and \ is \ not \ available \ across \ hospitals)$

Reported by Hospital

Reported for All cases where a 28th additional diagnosis was

made.

Order in Instruction Manual

Variable 28th Additional Diagnosis Consultant

Definition Consultant attending 28th additional diagnosis.

Definition source ESRI HIPE Unit

Source Chart

Collected since 2011-migration to Portal

Collected/Derived Collected

Code Set

Data Entry Guideline

Variable Name Portal DIAGCONS29

Access DIAGCONS29 SPSS DIAGCONS29

HIPE-PAS interchange

Data Type Alphanumeric

Field Size 4

Populated in National File Y - encrypted

(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)

Reported by Hospital

Reported for All cases where a 28th additional diagnosis was

made.

Order in Instruction Manual

Variable 29th Additional Diagnosis

Definition A condition or complaint either coexisting with the

principal diagnosis or arising during the episode of admitted patient care. Interpreted as conditions

that affect patient management.

Definition source 6th ed ICD-10-AM/ACHI/ACS/ICS

Source Chart

Collected since 2011 - migration to Portal

Collected/Derived Collected

Code Set 6th ed ICD-10-AM/ACHI/ACS/ICS

Data Entry Guideline

Variable Name Portal DIAG30

Access DIAG30 SPSS DIAG30

HIPE-PAS interchange

Data Type Alphanumeric

Field Size 5

Populated in National File

 $(If no, this \ variable \ is \ only \ populated \ in \ the \ hospital \ version \ of \ HIPE \ and \ is \ not \ available \ across \ hospitals)$

Reported by Hospital

Reported for All cases where a 29th additional diagnosis was

made.

Order in Instruction Manual

Variable 29th Additional Diagnosis Consultant

Definition Consultant attending 29th additional diagnosis.

Definition source ESRI HIPE Unit

Source Chart

Collected since 2011-migration to Portal

Collected/Derived Collected

Code Set

Data Entry Guideline

Variable Name Portal DIAGCONS30

Access DIAGCONS30 SPSS DIAGCONS30

HIPE-PAS interchange

Data Type Alphanumeric

Field Size 4

Populated in National File Y - encrypted

(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)

Reported by Hospital

Reported for All cases where a 29th additional diagnosis was made.

Order in Instruction Manual (for use with HIPE Portal)
Irish Coding Standard

Appendix I - CODE SETS

ADMSOURCE - Source of Admission

Code	Description
1	Home
2	Transfer from nursing home/convalescent home or other long stay accommodation
3	Transfer from Acute Hospital.
	When the coder enters a transfer (3) as a source of admission the system will respond with a
	request to identify the hospital in question - identified using the 4-digit Department of Health
	and Children <u>hospital code</u> ,
4	Transfer from Non-Acute hospital not in HIPE hospital listing
5	Transfer from hospice not in HIPE hospital listing
6	Transfer from psychiatric hospital/unit
7	New born
8	Temporary place of residence
9	Prison
0	Other

ADMTYPE - Admission Type

Code	Description	Definition
1	Elective	The patient's condition permits adequate time to schedule the availability of suitable services, an elective admission can be delayed without substantial risk to the health of the individual.
2	Elective readmission	Patient admitted electively to the same hospital where they had previous treatment/care to continue ongoing treatment or care.
4	Emergency	The patient requires immediate care and treatment as a result of a severe, life threatening or potentially disabling condition. Generally the patient is admitted through the Emergency Department.
5	Emergency Readmission	This is an unscheduled readmission following previous spell of treatment in same hospital and relating to the treatment or care previously given.
6	Maternity	The patient is admitted related to their obstetrical experience. (From conception to 6 weeks post delivery).
7	New born	Neonate (0 - 27 days old) admitted to hospital for care or observation as an emergency or unplanned.

DAYCASE

Code	Description
0	In-patient
1	Daycase

DISC_CODE – Discharge Code

Code	Description
00	Self discharge
01	Home
02	Nursing home, convalescent home or long stay accommodation
03	Transfer to Hospital - Emergency
04	Transfer to Hospital - Non Emergency
05	Transfer to psychiatric hospital/unit
06	Died with post mortem
07	Died no post mortem
08	Transfer to Non-Acute hospital <u>not</u> in HIPE Hospital Listing - Emergency
09	Transfer to Non-Acute hospital <u>not</u> in HIPE Hospital Listing - Non Emergency
10	Transfer to external rehabilitation facility (not in HIPE Hospital Listing)
11	Hospice (not in HIPE Hospital Listing)
12	Prison
13	Absconded
14	Other (e.g. Foster care)
15	Temporary place of residence (e.g. hotel)

DIS_STATUS – Discharge Status

Code Description	
1	Public
2	Private

EMADM – Mode of Emergency Admission

Code	Description			
1	ED Emergency Department			
2	MAU (admitted as in-patient)			
3	Other			
4	Unknown			
5	MAU Day only			

Enc_Type - Additional Encounter Type

Code	Description
Α	Anaesthetist
D	Diagnosis
Р	Procedure

Health Insurer

Code	Description	
1	Voluntary Health Insurance (VHI)	
2	Quinn Healthcare	
3	Aviva	
4	Hospital Saturday Fund (HSF)	
5	Company Insurance Plan (ESB etc)	
6	State Employee Insurance (e.g. Prison officer, Garda, Army)	
8	Not stated	
9	Other	
0	No insurance	

Hospital Codes

HIPE Code	Hospital	DOHC Code	HIPE Code	Hospital	DOHC Code
1	Our Lady's Hospital for Sick Children, Crumlin	941	207	Mallow General Hospital, Cork	703
3	St. Columcille's Hospital, Loughlinstown	101	208	St. Mary's Orthopaedic Hospital, Gurranabraher	701
4	Naas General Hospital, Naas	102	235	Cork University Hospital (Includes Cork University Maternity Hospital)	724
5	Mater Misericordiae University Hospital, Eccles St	908	236	Kerry General Hospital	726
7	St. Vincent's University Hospital, Elm Park	910	302	Midwestern Regional Maternity Hospital, Limerick	301
9	Peamount Hospital	925	303	Midwestern Regional Hospital, Limerick	300
11	National Orthopaedic Hospital, Cappagh	955	304	Midwestern Regional Orthopaedic Hospital	302
14	The Children's University Hospital, Temple St	940	305	St. John's Hospital, Limerick	918
15	St. Luke's Hospital, Rathgar	947	307	Midwestern Regional Hospital, Ennis	305
21	St. James' Hospital	904	308	Midwestern Regional Hospital, Nenagh	304
22	Connolly Hospital, Blanchardstown	108	401	Roscommon County Hospital	803
23	St. Michael's Hospital, Dun Laoghaire	912	403	Portiuncula Hospital	919
24	Royal Victoria Eye and Ear Hospital	950	404	University College Hospital, Galway	800
26	National Rehabilitation Hospital, Rochestown Dun Laoghaire	960	405	Mayo General Hospital	802
27	St Joseph's Unit, Harold's Cross	1225	412	Merlin Park University Hospital,	0801
28	Our Lady's Hospice, Harold's Cross	0978	501	Midland Regional Hospital, Tullamore	203
35	Cherry Orchard Hospital, Ballyfermot	106	503	Midland Regional Hospital, Mullingar	202
37	Beaumont Hospital	923	506	Midland Regional Hospital, Portlaoise	201
38	Coombe Women and Infants University Hospital	930	601	Letterkenny General Hospital	500
39	Rotunda Hospital	932	602	Sligo General Hospital	501
40	National Maternity Hospital, Holles St	931	701	Our Lady of Lourdes Hospital, Drogheda	922
41	The Adelaide & Meath Hospital, incorporating the National Children's Hospital, Tallaght	1270	702	General Hospital, Cavan	402
44	St Joseph's Hospital, Raheny	1762	703	Louth County Hospital	400
47	Incorporated Orthopaedic Hospital of Ireland, Clontarf	954	704	Monaghan General Hospital	404
48	Blackrock Hospice	1001	705	Our Lady's Hospital, Navan	403
50	St. Vincent's Private Hospital	9060	N/A	Acute Hospital in Northern Ireland	9030
100	Waterford Regional Hospital	600	N/A	Acute Hospital in England	9031
101	St. Luke's General Hospital, Kilkenny	601	N/A	Acute Hospital in Scotland	9032
103	Wexford General Hospital	605	N/A	Acute Hospital in Wales	9033
104	Lourdes Orthopaedic Hospital, Kilcreene	602	N/A	Acute Hospital in France	9040
105	South Tipperary General Hospital, Clonmel	607	N/A	Acute Hospital in Germany	9041
200	St. Finbarr's Hospital, Cork	705	N/A	Acute Hospital in the United States of America	9050
202	Bantry General Hospital, Co Cork	704	N/A	Private Hospital	9060
203	Mercy University Hospital, Cork	913	N/A	Other Acute Hospital	9099
206	South Infirmary / Victoria Hospital, Cork	915			

MARR - Marital Status

Code	Description	
1	Single	
2	Married	
3	Widowed	
4	Other (includes separated)	
5	Unknown	
6	Divorced	

Note: Following the Civil Partnership and Certain Rights and Obligations of Cohabitants Act 2010, the name and contents of this variable are under review.

MCARD - Medical Card

Code	Description
0	No (not medical card holder)
1	Yes (medical card holder)
2	Unknown (medical card possession unknown)

RESID – Area of Residence (HSE Region only applies to Republic of Ireland)

Code	Area of Residence	HSE Region	Code	Area of Residence
0000	No fixed abode	N/A	3310	Northern Ireland
0500	Carlow	HSE South	3318	Austria
2900	Cavan	HSE Dublin North East	3301	Belgium
1600	Clare	HSE West	3331	Bulgaria
1101	Cork City	HSE South	3321	Cyprus
1200	Cork County	HSE South	3322	Czech Republic
2800	Donegal	HSE West	3302	Denmark
0100	North Dublin City and County	HSE Dublin North East	3303	England
0200	South Dublin City and County	HSE Dublin Mid-Leinster	3323	Estonia
1801	Galway (City)	HSE West	3316	Finland
1900	Galway (County)	HSE West	3304	France
1300	Kerry	HSE South	3305	Germany
0300	Kildare	HSE Dublin Mid-Leinster	3306	Greece
0700	Kilkenny	HSE South	3307	Holland
2500	Laois	HSE Dublin Mid-Leinster	3324	Hungary
2600	Leitrim	HSE West	3308	Italy
1401	Limerick City	HSE West	3325	Latvia
1500	Limerick County	HSE West	3326	Lithuania
2200	Longford	HSE Dublin Mid-Leinster	3309	Luxembourg
3100	Louth	HSE Dublin North East	3327	Malta
2100	Mayo	HSE West	3317	Norway
3200	Meath	HSE Dublin North East	3328	Poland
3000	Monaghan	HSE Dublin North East	3314	Portugal
2400	Offaly	HSE Dublin Mid-Leinster	3332	Romania
2000	Roscommon	HSE West	3311	Scotland
2700	Sligo	HSE West	3329	Slovak republic
1700	Tipperary North Riding	HSE West	3330	Slovenia
0800	Tipperary South Riding	HSE South	3313	Spain
0901	Waterford City	HSE South	3315	Sweden
1000	Waterford County	HSE South	3320	Wales
2300	Westmeath	HSE Dublin Mid-Leinster	3350	Other European
0600	Wexford	HSE South	3400	Africa
0400	Wicklow	HSE Dublin Mid-Leinster	3501	America North and Canada
			3502	America South, Central and Caribbean
			3600	Asia, Middle East, Far East, South East Asia
			3700	Australia, New Zealand, Oceania
			L	

RepeatStatus –Oncology Day Ward Flag

Code	Description
0	Not Applicable
1	Chemotherapy Case
2	First Encounter Flag
3	Non-Chemotherapy Procedure Flag
4	Repeat Encounter Flag

SEX

Code	Description
1	Male
2	Female
3	Unknown

Specialties

Code	Specialty	Code	Specialty
0100	Cardiology	2300	Nephrology
0300	Dermatology	2400	Respiratory Medicine
0400	Endocrinology	2500	Rheumatology
0402	Diabetes Mellitus	2600	General Surgery
0600	Otolaryngology (ENT)	2602	Gastro-Intestinal Surgery
0601	Paediatric ENT	2603	Hepato-Biliary Surgery
0700	Gastro-Enterology	2604	Vascular Surgery
0800	Genito-Urinary Medicine	2605	Breast Surgery
0900	Geriatric Medicine	2700	Infectious Diseases
0902	Psychogeriatric Medicine	2702	Tropical
1100	Haematology	2800	Emergency Department
1102	Transfusion Medicine	3000	Rehabilitation Medicine
1300	Neurology	3002	Spinal Paralysis
1302	Paediatric Neurology	5000	General Medicine
1400	Neurosurgery	6000	Audiological Medicine
1402	Paediatric Neurosurgery	6100	Public Health Medicine
1500	Obstetrics/Gynaecology	6200	Clinical Neurophysiology
1502	Obstetrics	6300	Clinical Pharmacology
1503	Gynaecology	6400	Clinical Physiology
1600	Oncology	6500	G.P. Medicine
1700	Ophthalmology	6700	Clinical (Medical) Genetics
1702	Neuro-Ophthalmic Surgery	6800	Mental Handicap
1702	Vitro-Retinal Surgery	6900	Nuclear Medicine
1800	Orthopaedics	7000	Dental Surgery
1802	Paediatric Orthopaedic Surgery	7001	Oral Surgery
1900	Paediatrics	7002	Orthodontics
1902	Paediatric Cardiology	7100	Occupational Medicine
1903	Paediatric Oncology	7200	Paediatric Surgery
1904	Neonatology	7300	Palliative Medicine
1905	Paediatric Endocrinology	7400	Pathology
1906	Paediatric Gastro-enterology	7500	Radiotherapy
1907	Paediatric Haematology	7600	Cardio-Thoracic Surgery
1908	Paediatric E.D. Medicine	7700	Metabolic Medicine
1909	Paediatric Infectious Diseases	7800	Urology
1910	Paediatric Metabolic Medicine	7802	Renal Transplantation
1911	Paediatric Nephrology	7803	Paediatric Urology
1912	Paediatric Respiratory Medicine	7900	Clinical Immunology
1913	Perinatal Paediatrics	8000	Anaesthetics
1914	Paediatric Physical Handicap	8002	Intensive Care
1915	Paediatric Dermatology	8003	Pain Relief
1916	Paediatrics Development	8004	Paediatric Anaesthetics
2000	Plastic Surgery	8300	General Pathology
2003	Maxillo-Facial	8400	Chemical Pathology
2100	Psychiatry	8402	Paediatric Chemical Pathology
2102	Child/adolescent Psychiatry	8500	Histopathology
2103	Forensic Psychiatry	8502	Neuropathology
2104	Substance Abuse	8600	Biochemistry
2105	Old Age Psychiatry	8700	Cytology
2106	Rehabilitation Psychiatry	8800	Immunology
2200	Radiology	8900	Microbiology
2202	Paediatric Radiology	8902	Virology
2203	Neuroradiology	9000	Other

WARDIND – Registered Day Ward Indicator

Code Description	
0	No
1	Yes
2	Unknown

WLIST – Waiting List Indicator

Code	Description
0	Not NTPF (National Treatment Purchase Fund)
1	NTPF

Appendix II - Classifications

Coding Classification

ICD-10-AM / ACHI / ACS 6th Edition

Casemix Classification

Australian Refined Diagnosis Related Groups (AR-DRGs)

Appendix III - Abbreviations

Adm Admission

Admwt Admission Weight

ACHI Australian Classification of Health Interventions

ACS Australian Coding Standards

AICD Automatic Implantable Cardioverter-Defibrillator
AR-DRG Australian Refined Diagnosis Related Group

CABG Coronary Artery Bypass Graft

DoH&C Department of Health and Children (DoHC)

DRG Diagnosis Related Group

ESRI Economic and Social Research Institute

g Grams

GMS General Medical Services
GP General Practitioner

HIS Hospital Information System (also known as PAS)

HIPE Hospital In-Patient Enquiry

HRID Health Research and Information Division

HSE Health Service Executive

ICD-10-AM Tenth Revision of the International Classification of Diseases, Australian Modification

LOS Length of Stay

MAU Medical Assessment Unit
MDC Major Diagnostic Category

NA Not available N/A Not applicable

NCCH National Centre for Classification in Health
NPRS National Perinatal Reporting System
NTPF National Treatment Purchase Fund
PAS Patient Administration System

Appendix IV – HIPE Source Documents

Discharge Summary

Instruction Manual

Irish Coding Standards

Health Research and Information Division

Appendix V - Organisations

Department of Health and Children

Health Service Executive

<u>Irish National Casemix Programme</u>