



# Hospital In-Patient Enquiry Scheme (HIPE)

Data Dictionary 2012

Version 4.0



**Reproduction of material**

This work is copyright. It may be reproduced in part for study and training purposes within the HIPE system in Ireland subject to the inclusion of an acknowledgement of the source and no commercial usage or resale. Reproduction for other purposes than those stated above requires the written permission of the HIPE Unit, Health Research and Information Division, ESRI.

## Table of Contents

Introduction .....	ix
Variables.....	1
Additional consultant involvement - encounter consultant.....	2
Additional consultant involvement - encounter position.....	3
Additional consultant involvement - encounter type.....	4
Admission Date .....	5
Admission Weight .....	6
Admitting Consultant .....	7
Admitting Ward.....	8
Age.....	9
Age In Weeks.....	10
Area of Residence .....	11
Australian Refined - Diagnostic Related Group .....	12
Consultant Specialties .....	13
Date of Birth .....	14
Date of Discharge .....	15
Date of Principal Procedure .....	16
Date of procedure sequenced 2nd .....	17
Date of procedure sequenced 3rd .....	18
Date of procedure sequenced 4th .....	19
Date of procedure sequenced 5th .....	20
Date of procedure sequenced 6th .....	21
Date of procedure sequenced 7th .....	22
Date of procedure sequenced 8th .....	23
Date of procedure sequenced 9th .....	24
Date of procedure sequenced 10th .....	25
Date of procedure sequenced 11th .....	26
Date of procedure sequenced 12th .....	27
Date of procedure sequenced 13th .....	28
Date of procedure sequenced 14th .....	29
Date of procedure sequenced 15th .....	30
Date of procedure sequenced 16th .....	31
Date of procedure sequenced 17th .....	32
Date of procedure sequenced 18th .....	33
Date of procedure sequenced 19th .....	34
Date of procedure sequenced 20th .....	35
Date of Transfer to Pre-Discharge Unit/Rehab.....	36
Day Case indicator.....	37
Day Ward Identifier.....	38
Day Ward Indicator .....	39
Discharge Code.....	40
Discharge Consultant .....	41
Discharge Status.....	42
Discharge Ward .....	43
Episode Number.....	44
Health Insurer.....	45

Hospital Acquired Diagnosis 2.....	46
Hospital Acquired Diagnosis 3.....	47
Hospital Acquired Diagnosis 4.....	48
Hospital Acquired Diagnosis 5.....	49
Hospital Acquired Diagnosis 6.....	50
Hospital Acquired Diagnosis 7.....	51
Hospital Acquired Diagnosis 8.....	52
Hospital Acquired Diagnosis 9.....	53
Hospital Acquired Diagnosis 10.....	54
Hospital Acquired Diagnosis 11.....	55
Hospital Acquired Diagnosis 12.....	56
Hospital Acquired Diagnosis 13.....	57
Hospital Acquired Diagnosis 14.....	58
Hospital Acquired Diagnosis 15.....	59
Hospital Acquired Diagnosis 16.....	60
Hospital Acquired Diagnosis 17.....	61
Hospital Acquired Diagnosis 18.....	62
Hospital Acquired Diagnosis 19.....	63
Hospital Acquired Diagnosis 20.....	64
Hospital Acquired Diagnosis 21.....	65
Hospital Acquired Diagnosis 22.....	66
Hospital Acquired Diagnosis 23.....	67
Hospital Acquired Diagnosis 24.....	68
Hospital Acquired Diagnosis 25.....	69
Hospital Acquired Diagnosis 26.....	70
Hospital Acquired Diagnosis 27.....	71
Hospital Acquired Diagnosis 28.....	72
Hospital Acquired Diagnosis 29.....	73
Hospital Acquired Diagnosis 30.....	74
Hospital Number .....	75
Intensive Care Consultant 1 .....	76
Intensive Care Consultant 2 .....	77
Intensive Care Consultant 3 .....	78
Intensive Care Consultant 4 .....	79
Intensive Care Consultant 5 .....	80
Intensive Care Consultant 6 .....	81
Intensive Care Consultant 7 .....	82
Intensive Care Consultant 8 .....	83
Intensive Care Consultant 9 .....	84
Intensive Care Consultant 10 .....	85
Major Diagnostic Category.....	86
Marital/Civil Status.....	87
Medical Card .....	88
Medical Card Number .....	89
Medical Record Number .....	90
Mode of Emergency Admission .....	91
NHO flag .....	92

Non Acute Length of Stay: Temporary Leave Days.....	93
Number of Days in Intensive Care Environment.....	94
Oncology Day Ward Flag .....	95
Parity: Live births.....	96
Parity: Still births .....	97
Patient's Name .....	98
Primary Consultant .....	99
Principal Diagnosis .....	100
Principal Diagnosis Consultant.....	101
Principal Procedure .....	102
Principal Procedure Anaesthetist.....	103
Principal Procedure Consultant .....	104
Private Bed .....	105
Public Bed.....	106
Semi Private Bed .....	107
Sex .....	108
Source of Admission.....	109
Time of Admission .....	110
Time of Discharge.....	111
Transfer Hospital: From .....	112
Transfer Hospital: To .....	113
Type of Admission .....	114
Waiting List Indicator .....	115
1st Additional Diagnosis .....	116
1st Additional Diagnosis Consultant .....	117
1st Additional Procedure .....	118
1st Additional Procedure Anaesthetist .....	119
1st Additional Procedure Consultant.....	120
2nd Additional Diagnosis.....	121
2nd Additional Diagnosis Consultant .....	122
2nd Additional Procedure .....	123
2nd Additional Procedure Anaesthetist.....	124
2nd Additional Procedure Consultant.....	125
3rd Additional Diagnosis .....	126
3rd Additional Diagnosis Consultant.....	127
3rd Additional Procedure.....	128
3rd Additional Procedure Anaesthetist .....	129
3rd Additional Procedure Consultant .....	130
4th Additional Diagnosis .....	131
4th Additional Diagnosis Consultant.....	132
4th Additional Procedure .....	133
4th Additional Procedure Anaesthetist .....	134
4th Additional Procedure Consultant .....	135
5th Additional Diagnosis .....	136
5th Additional Diagnosis Consultant.....	137
5th Additional Procedure .....	138
5th Additional Procedure Anaesthetist .....	139

5th Additional Procedure Consultant .....	140
6th Additional Diagnosis .....	141
6th Additional Diagnosis Consultant.....	142
6th Additional Procedure .....	143
6th Additional Procedure Anaesthetist .....	144
6th Additional Procedure Consultant .....	145
7th Additional Diagnosis .....	146
7th Additional Diagnosis Consultant.....	147
7th Additional Procedure .....	148
7th Additional Procedure Anaesthetist .....	149
7th Additional Procedure Consultant .....	150
8th Additional Diagnosis .....	151
8th Additional Diagnosis Consultant.....	152
8th Additional Procedure .....	153
8th Additional Procedure Anaesthetist .....	154
8th Additional Procedure Consultant .....	155
9th Additional Diagnosis .....	156
9th Additional Diagnosis Consultant.....	157
9th Additional Procedure .....	158
9th Additional Procedure Anaesthetist .....	159
9th Additional Procedure Consultant .....	160
10th Additional Diagnosis .....	161
10th Additional Diagnosis Consultant.....	162
10th Additional Procedure .....	163
10th Additional Procedure Anaesthetist .....	164
10th Additional Procedure Consultant .....	165
11th Additional Diagnosis .....	166
11th Additional Diagnosis Consultant.....	167
11th Additional Procedure .....	168
11th Additional Procedure Anaesthetist .....	169
11th Additional Procedure Consultant .....	170
12th Additional Diagnosis .....	171
12th Additional Diagnosis Consultant.....	172
12th Additional Procedure .....	173
12th Additional Procedure Anaesthetist .....	174
12th Additional Procedure Consultant .....	175
13th Additional Diagnosis .....	176
13th Additional Diagnosis Consultant.....	177
13th Additional Procedure .....	178
13th Additional Procedure Anaesthetist .....	179
13th Additional Procedure Consultant .....	180
14th Additional Diagnosis .....	181
14th Additional Diagnosis Consultant.....	182
14th Additional Procedure .....	183
14th Additional Procedure Anaesthetist .....	184
14th Additional Procedure Consultant .....	185
15th Additional Diagnosis .....	186

15th Additional Diagnosis Consultant.....	187
15th Additional Procedure .....	188
15th Additional Procedure Anaesthetist .....	189
15th Additional Procedure Consultant .....	190
16th Additional Diagnosis .....	191
16th Additional Diagnosis Consultant.....	192
16th Additional Procedure .....	193
16th Additional Procedure Anaesthetist .....	194
16th Additional Procedure Consultant .....	195
17th Additional Diagnosis .....	196
17th Additional Diagnosis Consultant.....	197
17th Additional Procedure .....	198
17th Additional Procedure Anaesthetist .....	199
17th Additional Procedure Consultant .....	200
18th Additional Diagnosis .....	201
18th Additional Diagnosis Consultant.....	202
18th Additional Procedure .....	203
18th Additional Procedure Anaesthetist .....	204
18th Additional Procedure Consultant .....	205
19th Additional Diagnosis .....	206
19th Additional Diagnosis Consultant.....	207
19th Additional Procedure .....	208
19th Additional Procedure Anaesthetist .....	209
19th Additional Procedure Consultant .....	210
20th Additional Diagnosis .....	211
20th Additional Diagnosis Consultant.....	212
21st Additional Diagnosis.....	213
21st Additional Diagnosis Consultant .....	214
22nd Additional Diagnosis .....	215
22nd Additional Diagnosis Consultant.....	216
23rd Additional Diagnosis .....	217
23rd Additional Diagnosis Consultant.....	218
24th Additional Diagnosis .....	219
24th Additional Diagnosis Consultant.....	220
25th Additional Diagnosis .....	221
25th Additional Diagnosis Consultant.....	222
26th Additional Diagnosis .....	223
26th Additional Diagnosis Consultant.....	224
27th Additional Diagnosis .....	225
27th Additional Diagnosis Consultant.....	226
28th Additional Diagnosis .....	227
28th Additional Diagnosis Consultant.....	228
29th Additional Diagnosis .....	229
29th Additional Diagnosis Consultant.....	230
Appendix I - CODE SETS.....	231
ADMSOURCE - Source of Admission .....	231
ADMSTYPE - Type of Admission .....	231




DAYCASE.....	231
DISC_CODE – Discharge Code .....	232
DIS_STATUS – Discharge Status .....	232
EMADM – Mode of Emergency Admission .....	232
Enc_Type - Additional Encounter Type .....	232
Health Insurer.....	232
Hospital Codes.....	233
MARR – Marital/Civil Status .....	234
MCARD – Medical Card .....	234
RESID – Area of Residence (HSE Region only applies to Republic of Ireland).....	235
RepeatStatus –Oncology Day Ward Flag.....	236
SEX .....	236
Specialties.....	237
WARDIND – Registered Day Ward Indicator.....	238
WLIST – Waiting List Indicator .....	238
Appendix II - Classifications.....	239
Appendix III - Abbreviations.....	239
Appendix IV – HIPE Source Documents .....	240
Appendix V - Organisations.....	240



## Introduction

The Hospital In-Patient Enquiry (HIPE) scheme, established in 1971, is a health information system designed to collect clinical and administrative data on discharges from, and deaths in, acute hospitals in Ireland. It is the principal source of national data on discharges from acute hospitals. The Economic and Social Research Institute (ESRI) oversee the administration and management of this scheme on behalf of the Health Service Executive (HSE) and the Department of Health (DoH).<sup>1</sup> Within the ESRI, the Health Research and Information Division (HRID) is responsible for overseeing all functions associated with the operation of this database, including the development and support of the data collection and reporting software, training of coders and data quality audit, reporting, and responding to requests for data. The figure below summarises the HIPE data collection and reporting process. Further information on the development of the HIPE scheme can be found in our annual report series.<sup>2</sup>



**Figure: The HIPE Data Collection and Reporting Process**

<sup>1</sup> The ESRI's HRID also oversees the administration and management of the National Perinatal Reporting System (NPRS) on behalf of the HSE and DoH.

<sup>2</sup> HIPE Annual Reports can be found on [http://www.esri.ie/health\\_information/latest\\_hipe\\_nprs\\_reports/](http://www.esri.ie/health_information/latest_hipe_nprs_reports/)

## **Objectives of HIPE Data Dictionary Version 4.0**

HIPE collects information on in-patient and day patient activity from participating hospitals. A HIPE discharge record is created when a patient is discharged from (or dies in) hospital. This record contains administrative, demographic and clinical information for a discrete episode of care. An episode of care begins at admission to hospital and ends at discharge from (or death in) that hospital.

This dictionary provides definitions and codes for data collected within HIPE as of 2012. It provides standard definitions for variables with the objective of ensuring that consistency and data quality are maintained. It is also hoped that the dictionary will be of use to researchers, clinicians and hospital management in understanding and analysing HIPE data.

## **Using the Data Dictionary**

The HIPE Data Dictionary contains publicly available information. Internal variables relating to data quality and the HIPE database structure are not included. Other exclusions from the HIPE Data Dictionary Version 4.0 are data and non HIPE cases collected from 01/01/2012 through the HIPE system but not included in the national file.<sup>3</sup>

All variables are listed alphabetically and an alphabetic index is included in the table of contents. The code sets used for variables are listed in Appendix I and can be accessed via hyperlinks. For information on the classifications for diagnoses and procedures and the casemix classification and grouping software see Appendix II.

A glossary of abbreviations is provided in Appendix III and hyperlinks to source documents and organisations are provided in Appendices IV and V respectively.

---

<sup>3</sup> From the 01/01/2011 *all* cases categorised as Inpatients or Day cases are to be downloaded from the hospital PAS to HIPE, including those cases not normally coded on HIPE. It is expected that the additional cases in the download will be for non-acute (not normally coded) activity on the hospital campus such as rehabilitation or psychiatry. The National Casemix Programme identify for individual hospitals, a list of wards which should be downloaded as part of this change. These additional downloaded records are not included on the national file.

For patients discharged on or after 01/01/2011, the HIPE record will also collect information on internal ward transfers of the patient during the episode of stay. This information is typically stored in a "ward transfer file" or "ward transfer database" as part of the PAS/HIS system. This information will be downloaded to the HIPE portal and can be viewed by the coder but cannot be amended. The information will be exported by the hospital monthly to the ESRI as part of the normal export process.

## Updates

This document will be updated as variables are added or amended.

## Summary of Changes between version 1.0 and 2.0 of Data Dictionary

Addition of variable: Oncology Day Ward Flag to store the value of oncology day ward repeat status.

Addition of code set: RepeatStatus; values for Oncology Day Ward Flag

Addition of Blackrock Hospice to hospital codes code set

## Summary of Changes between version 2.0 and 3.0 of Data Dictionary

The HIPE Portal is the next generation of HIPE data collection and reporting software designed by the HRID IT team at the ESRI. In 2011 it will replace the Windows HIPE software.

This migration from Windows HIPE (a windows based data entry and reporting system) to the HIPE Portal (a web based portal based on SQL server) has resulted in changes to variable names.

### Changes to Variable Name

**Diagnoses:** Rename variables from diag-CxDIA → **DIAG1–DIAG30**

**Diagnosis Consultants:** Rename variables from DCON - CxCON → DIAGCONS1 – DIAGCONS30

**Procedures:** Rename procedure variables from PROC –PkPRO → PROC1-PROC20

**Procedure Consultants:** Rename procedure consultant variables from PCON – PkCON → PROCON1-PROCON20

**Procedure dates:** Rename procedure date variables from P1Date or Theatre → PROCDATE1- PROCDATE20

**Procedure Anaesthetist:** Rename procedure date variables from P1ANA-PkANA → ANACONS1-ANACONS20

### Additional Variables in 2011

Hospital Acquired Diagnosis

Health Insurer

Parity Live births

Parity Still births

Procedure dates

Days in Semiprivate Bed

### Changes to Data Entry Guideline Number of Days in Intensive Care Environment

### Additional Codes to Code sets

Additional **Specialty** Code 2605 Breast Surgery

**Hospital code** for removal of temporary transfer code for CUMH

## Summary of Changes between version 3.0 and 4.0 of Data Dictionary

### Additional Variables

**Time of Admission**

**Time of Discharge**

### Code Set Changes

**Marital Status** – changed to **Marital/Civil Status**, addition of *Civil Partner*, *Former Civil Partner* and *Surviving Civil Partner*

**Health Insurer of the Patient** - removal of *Hospital Saturday Fund*

**Hospital Code** – removal of 412, HIPE activity data from University College Hospital Galway and Merlin Park Regional Hospital are now reported as 404, Galway University Hospitals.

**Hospital Transfer Codes** – addition of 0948, 0949

### Errata to Version 3.0

Addition of **DIAGCONS1** variable

Correction of details of **PRIMARYCONS** variable

Correction of data entry guideline on at **MEDICAL** variable

### Abbreviations

Department of Health & Children (DoHC) changed to Department of Health (DoH)

## Page Layout

While each page does not necessarily include all fields, each page in the data dictionary has a consistent format as follows:

<b>Variable</b>	Name of variable
<b>Definition</b>	Provides a description of the variable
<b>Definition Source</b>	What is the source of the definition of this information - e.g. ESRI HIPE Unit
<b>Source</b>	Information may come from Chart, Hospital PAS, assigned by HIPE Unit, ESRI or it may be derived from other variables
<b>Collected since</b>	Month and year when collection of variable commenced, as the ESRI took over the management of the HIPE Scheme in 1990, variables in operation prior to this data will be marked as pre-1990
<b>Collected/Derived</b>	Is this variable collected from Chart or is it derived from the HIPE Portal data entry software - C = Collected & D = Derived
<b>Code Set</b>	Details the information options available for each variable
<b>Data Entry Guideline</b>	Provides further guidance on how a variable is assigned to case
<b>Data Type</b>	Integer or Alphanumeric
<b>Field Size</b>	Number of characters in the variable
<b>Variable Name</b>	Variable name in Portal/Access/SPSS or HIPE-PAS interchange
<b>Populated in National File</b>	If no, this variable is only populated in the hospital version of HIPE and is not available on the national file
<b>Reported by</b>	Who reports this variable? This will generally be the Hospital
<b>Reported for</b>	For what cases/discharges is this information reported?
<b>Order in Instruction manual</b>	The HIPE Instruction Manual forms part of the training material provided by the HIPE Unit, it provides details of administrative and demographic variables collected and is updated to reflect any changes or updates in data collection, this order is numerically based.
<b>Irish Coding Standard</b>	The Irish Coding Standards are used in conjunction with the International Statistical Classification of Diseases and Related Health Problems, Tenth Revision, Australian Modification (ICD-10-AM), Australian Classification of Health Interventions (ACHI) and Australian Coding Standards (ACS) apply to all activity coded in HIPE in Ireland.

**PRODUCED BY AND CONTACT DETAILS**

**Health Research and Information Division**

The Economic and Social Research Institute

Whitaker Square

Sir John Rogerson's Quay

Dublin 2

Ireland

Telephone + 353 1 8632000

Fax + 353 1 8632100

[www.esri.ie](http://www.esri.ie)

Email: [hipe@esri.ie](mailto:hipe@esri.ie)



## Variables

## Additional consultant involvement - encounter consultant

<b>Variable</b>	<b>Additional consultant involvement – encounter consultant</b>
<b>Definition</b>	Additional consultant involvement - encounter consultant
<b>Definition source</b>	ESRI HIPE Unit
<b>Source</b>	Chart
<b>Collected since</b>	2011 - migration to Portal
<b>Collected/Derived</b>	Collected
<b>Code Set</b>	
<b>Data Entry Guideline</b>	Used to capture up to 20 additional consultants associated with each discharge and a maximum of 10 repeats per diagnosis/procedure/anaesthetic.
<b>Variable Name Portal</b>	CONS
Access	CONS
SPSS	CONS
HIPE-PAS interchange	
<b>Data Type</b>	Char
<b>Field Size</b>	4
<b>Populated in National File</b>	Y
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
<b>Reported by</b>	Hospital
<b>Reported for</b>	Where more than one consultant is involved in the same diagnosis/procedure within a HIPE discharge.
<b>Order in Instruction Manual</b>	
<b>Irish Coding Standard</b>	

### Additional consultant involvement - encounter position

<b>Variable</b>	<b>Additional consultant involvement – encounter position</b>
<b>Definition</b>	Additional consultant involvement - encounter position
<b>Definition source Source</b>	ESRI HIPE Unit Chart
<b>Collected since</b>	2011 - migration to Portal
<b>Collected/Derived Code Set</b>	Collected
<b>Data Entry Guideline</b>	Used to capture up to 20 additional consultants associated with each discharge and a maximum of 10 repeats per diagnosis/procedure/anaesthetic.
<b>Variable Name Portal</b>	POS
Access	POS
SPSS	POS
HIPE-PAS interchange	
<b>Data Type</b>	Integer
<b>Field Size</b>	2
<b>Populated in National File</b>	Y
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
<b>Reported by</b>	Hospital
<b>Reported for</b>	Where more than one consultant is involved in diagnosis/procedure within a HIPE discharge.
<b>Order in Instruction Manual</b>	22
<b>Irish Coding Standard</b>	

### Additional consultant involvement - encounter type

<b>Variable</b>	<b>Additional consultant involvement - encounter type</b>
<b>Definition</b>	Additional consultant involvement - encounter type
<b>Definition source</b>	ESRI HIPE Unit
<b>Source</b>	Chart
<b>Collected since</b>	2011 - migration to Portal
<b>Collected/Derived</b>	Collected
<b>Code Set</b>	<a href="#">ENC_TYPE</a>
<b>Data Entry Guideline</b>	Used to capture up to 20 additional consultants associated with each discharge and a maximum of 10 repeats per diagnosis/procedure/anaesthetic.
<b>Variable Name Portal</b>	ENC_TYPE
Access	ENC_TYPE
SPSS	ENC_TYPE
HIPE-PAS interchange	
<b>Data Type</b>	Char
<b>Field Size</b>	1
<b>Populated in National File</b>	Y
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
<b>Reported by</b>	Hospital
<b>Reported for</b>	Where more than one consultant is involved in diagnosis/procedure within a HIPE discharge.
<b>Order in Instruction Manual</b>	22
<b>Irish Coding Standard</b>	

**Admission Date**

<b>Variable</b>	<b>Admission Date</b>
<b>Definition</b>	The date on which a patient was admitted as an in-patient or daycase to the hospital for care.
<b>Definition source</b>	
<b>Source</b>	Hospital PAS
<b>Collected since</b>	pre-1990
<b>Collected/Derived</b>	Collected
<b>Code Set</b>	
<b>Data Entry Guideline</b>	DD/MM/YYYY must be less than or equal to Discharge date.
<b>Variable Name Portal</b>	ADMDATE
Access	ADMISSION
SPSS	ADMISSION
HIPE-PAS interchange	SDADM
<b>Data Type</b>	Date
<b>Field Size</b>	8
<b>Populated in National File</b>	Y
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
<b>Reported by</b>	Hospital
<b>Reported for</b>	All cases reported to HIPE.
<b>Order in Instruction Manual</b>	3
<b>Irish Coding Standard</b>	

**Admission Weight**

<b>Variable</b>	<b>Admission Weight</b>
<b>Definition</b>	Admission weight of patient in grams (Infant).
<b>Definition source</b>	ESRI HIPE Unit
<b>Source</b>	Hospital PAS
<b>Collected since</b>	2004
<b>Collected/Derived</b>	Collected
<b>Code Set</b>	
<b>Data Entry Guideline</b>	Limits: 400 to 9999. Can enter less than 400 with an explanation.
<b>Variable Name Portal</b>	ADMWEIGHT
Access	ADMWEIGHT
SPSS	ADMWEIGHT
HIPE-PAS interchange	ADMWGT
<b>Data Type</b>	Integer
<b>Field Size</b>	4
<b>Populated in National File</b>	Y
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
<b>Reported by</b>	Hospital
<b>Reported for</b>	All cases where age less than 28 days (0-27 days), or age less than 1 year and weight less than 2,500 grams.
<b>Order in Instruction Manual</b>	9
<b>Irish Coding Standard</b>	HIPE Guideline VI

## Admitting Consultant

Variable	Admitting Consultant
<b>Definition</b>	The consultant who admits the patient. If there is no clear information on the chart on the identity of the admitting consultant, the code for the primary consultant is used. Each consultant has a unique number/code assigned by the ESRI, which may not be used for any other consultant. The unique number assigned by the ESRI is encrypted to a unique alphanumeric code when HIPE data are exported from the hospitals. The encrypted values are stored on the HIPE National File and it is not possible to ascertain the identity of individual consultants from any of the consultant fields in the national file.
<b>Definition source</b>	ESRI HIPE Unit
<b>Source</b>	Hospital PAS
<b>Collected since</b>	1994
<b>Collected/Derived</b>	Collected
<b>Code Set</b>	
<b>Data Entry Guideline</b>	Where the entire case is handled by one consultant his/her code number need be entered only opposite the principal diagnosis. If more than one consultant is involved in a case the relevant consultant number will be placed opposite the relevant diagnosis/procedures.
<b>Variable Name Portal</b>	ADMCONS
Access	ADMCON
SPSS	ADMCON
HIPE-PAS interchange	CONSULT
<b>Data Type</b>	Integer
<b>Field Size</b>	4
<b>Populated in National File</b>	Y - encrypted
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
<b>Reported by</b>	Hospital
<b>Reported for</b>	All cases reported to HIPE.
<b>Order in Instruction Manual</b>	22b
<b>Irish Coding Standard</b>	

**Admitting Ward**

<b>Variable</b>	<b>Admitting Ward</b>
<b>Definition</b>	The ward to which the patient is formally admitted, based on the midnight census on the day of admission.
<b>Definition source</b>	Hospital
<b>Source</b>	Hospital PAS
<b>Collected since</b>	1996-2006 optional; 2007 mandatory
<b>Collected/Derived</b>	Collected
<b>Code Set</b>	
<b>Data Entry Guideline</b>	
<b>Variable Name Portal</b>	ADMWARD
Access	A_WARD
SPSS	A_WARD
HIPE-PAS interchange	A_WARD
<b>Data Type</b>	Alphanumeric
<b>Field Size</b>	6
<b>Populated in National File</b>	Y
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
<b>Reported by</b>	Hospital
<b>Reported for</b>	All cases reported to HIPE.
<b>Order in Instruction Manual</b>	24
<b>Irish Coding Standard</b>	HIPE Guideline II



**Age**

<b>Variable</b>	<b>Age</b>
<b>Definition</b>	The patient's age in years at admission. Calculated at hospital level.
<b>Definition source</b>	
<b>Source</b>	ADMISSION - DOB
<b>Collected since</b>	pre-1990
<b>Collected/Derived</b>	Derived
<b>Code Set</b>	
<b>Data Entry Guideline</b>	
<b>Variable Name Portal</b>	AGE
Access	AGE
SPSS	AGE
HIPE-PAS interchange	
<b>Data Type</b>	Integer
<b>Field Size</b>	3
<b>Populated in National File</b>	Y
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
<b>Reported by</b>	n/a
<b>Reported for</b>	All cases reported to HIPE.
<b>Order in Instruction Manual</b>	8
<b>Irish Coding Standard</b>	

**Age In Weeks**

<b>Variable</b>	<b>Age In Weeks</b>
<b>Definition</b>	Age in Weeks where patient's age is less than 1 year. Calculated at hospital level.
<b>Definition source</b>	ESRI HIPE Unit
<b>Source</b>	ADMISSION - DOB where AGE < 1
<b>Collected since</b>	2010
<b>Collected/Derived</b>	Derived
<b>Code Set</b>	
<b>Data Entry Guideline</b>	
<b>Variable Name Portal</b>	AgeInWeeks
Access	AgeWeeks
SPSS	AgeWeeks
HIPE-PAS interchange	
<b>Data Type</b>	Integer
<b>Field Size</b>	2
<b>Populated in National File</b>	Y
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
<b>Reported by</b>	n/a
<b>Reported for</b>	All cases where age is less than 1 year.
<b>Order in Instruction Manual</b>	
<b>Irish Coding Standard</b>	

**Area of Residence**

<b>Variable</b>	<b>Area of Residence</b>
<b>Definition</b>	The place the patient would normally reside. Foreign nationals resident in Ireland should have a code assigned for their Irish place of residence. Foreign visitors on short stay should be coded to their country of residence.
<b>Definition source</b>	ESRI HIPE Unit
<b>Source</b>	chart
<b>Collected since</b>	pre-1990
<b>Collected/Derived</b>	Collected
<b>Code Set</b>	<a href="#">RESID</a>
<b>Data Entry Guideline</b>	
<b>Variable Name Portal</b>	RESID
Access	RESID
SPSS	RESID
HIPE-PAS interchange	RESID
<b>Data Type</b>	Integer
<b>Field Size</b>	4
<b>Populated in National File</b>	Y
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
<b>Reported by</b>	Hospital
<b>Reported for</b>	All cases reported to HIPE.
<b>Order in Instruction Manual</b>	14
<b>Irish Coding Standard</b>	

## Australian Refined - Diagnostic Related Group

<b>Variable</b>	<b>Australian Refined- Diagnostic Related Group</b>
<b>Definition</b>	The DRG scheme enables the disaggregation of patients into homogeneous groups, which are expected to undergo similar treatment processes and incur similar levels of resource use. The data required for DRG assignment include principal and additional diagnoses, procedures performed, age, sex, and discharge status.
<b>Definition source</b>	Grouper Version 6.0
<b>Source</b>	Grouping Programme
<b>Collected since</b>	2005 using Grouper Version 5.1, 2009 onwards Version 6.0
<b>Collected/Derived</b>	Derived
<b>Code Set</b>	
<b>Data Entry Guideline</b>	
<b>Variable Name Portal</b>	DRG
Access	ARDRG
SPSS	ARDRG
HIPE-PAS interchange	
<b>Data Type</b>	Alphanumeric
<b>Field Size</b>	5
<b>Populated in National File</b>	Y
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
<b>Reported by</b>	
<b>Reported for</b>	All cases reported to HIPE
<b>Order in Instruction Manual</b>	
<b>Irish Coding Standard</b>	

## Consultant Specialties

Variable	Consultant Specialties
<b>Definition</b>	A specialty code is assigned to the record on the basis of the specialty assignment of the consultant associated with the principal diagnosis. The specialty of the consultant is the specialty in which s/he is formally recognised and contracted to work. A consultant may be formally recognised and contracted to work in more than one specialty; in these cases one specialty is recognised as the main one.
<b>Definition source</b>	DoH
<b>Source</b>	Hospital PAS
<b>Collected since</b>	1994
<b>Collected/Derived</b>	Collected
<b>Code Set</b>	<a href="#">Specialty</a>
<b>Data Entry Guideline</b>	Specialty is assigned locally at the hospital from the DoH list. A consultant may be assigned to more than one specialty .
<b>Variable Name Portal</b>	SPECIALTY
Access	SPECIAL
SPSS	SPECIAL
HIPE-PAS interchange	SPECIAL
<b>Data Type</b>	Integer
<b>Field Size</b>	4
<b>Populated in National File</b>	Y
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
<b>Reported by</b>	Hospital
<b>Reported for</b>	All cases reported to HIPE.
<b>Order in Instruction Manual</b>	22
<b>Irish Coding Standard</b>	

**Date of Birth**

<b>Variable</b>	<b>Date of Birth</b>
<b>Definition</b>	Patient's date of birth. At national level only month and year of birth are available with day of birth set to 15.
<b>Definition source Source</b>	ESRI HIPE Unit Hospital PAS
<b>Collected since</b>	pre-1990
<b>Collected/Derived Code Set</b>	Collected
<b>Data Entry Guideline</b>	At least year of birth is required. If Day/Month are unknown, enter as 00/00/YY. Day, month will be derived to 01, and the variable UNSURE is populated.
<b>Variable Name Portal</b>	DOB
Access	DOB
SPSS	DOB
HIPE-PAS interchange	SDOB
<b>Data Type</b>	Date
<b>Field Size</b>	8
<b>Populated in National File</b>	Y (month and year only)
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
<b>Reported by</b>	Hospital
<b>Reported for</b>	All cases reported to HIPE.
<b>Order in Instruction Manual</b>	8
<b>Irish Coding Standard</b>	

**Date of Discharge**

<b>Variable</b>	<b>Date of Discharge</b>
<b>Definition</b>	The date on which the patient is discharged from hospital following an episode of care. If the patient dies during the episode of care the date of death is the date of discharge
<b>Definition source</b>	ESRI HIPE Unit
<b>Source</b>	Hospital PAS
<b>Collected since</b>	pre-1990
<b>Collected/Derived</b>	Collected
<b>Code Set</b>	
<b>Data Entry Guideline</b>	DD/MM/YYYY must be greater than or equal to ADMISSION date
<b>Variable Name Portal</b>	DISDATE
Access	DISCHARGE
SPSS	DISCHARGE
HIPE-PAS interchange	SDDIS
<b>Data Type</b>	Date
<b>Field Size</b>	8
<b>Populated in National File</b>	Y
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
<b>Reported by</b>	Hospital
<b>Reported for</b>	All cases reported to HIPE.
<b>Order in Instruction Manual</b>	6
<b>Irish Coding Standard</b>	

**Date of Principal Procedure**

<b>Variable</b>	<b>Date of Principal Procedure</b>
<b>Definition</b>	Date the Principal Procedure was performed
<b>Definition source</b>	ESRI HIPE Unit
<b>Source</b>	Chart
<b>Collected since</b>	Name change 2011 - migration to Portal. Previously called THEATRE
<b>Collected/Derived</b>	Collected
<b>Code Set</b>	
<b>Data Entry Guideline</b>	Greater than or equal to ADMISSION date and less than or equal to DISCHARGE date. Mandatory where PROC1 is completed.
<b>Variable Name Portal</b>	PROCDATE1
Access	THEATRE
SPSS	PROCDATE1
HIPE-PAS interchange	
<b>Data Type</b>	Date
<b>Field Size</b>	8
<b>Populated in National File</b>	y
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
<b>Reported by</b>	Hospital
<b>Reported for</b>	All cases where a procedure was performed.
<b>Order in Instruction Manual</b>	23
<b>Irish Coding Standard</b>	ICS002x



**Date of procedure sequenced 2nd**

<b>Variable</b>	<b>Date of procedure sequenced 2nd</b>
<b>Definition</b>	Date of procedure sequenced 2nd.
<b>Definition source</b>	ESRI HIPE Unit
<b>Source</b>	Chart
<b>Collected since</b>	2011 - migration to Portal
<b>Collected/Derived</b>	Collected
<b>Code Set</b>	
<b>Data Entry Guideline</b>	Greater than or equal to ADMISSION date and less than or equal to DISCHARGE date.
<b>Variable Name Portal</b>	PROCDATE2
Access	PROCDATE2
SPSS	PROCDATE2
HIPE-PAS interchange	
<b>Data Type</b>	Date
<b>Field Size</b>	8
<b>Populated in National File</b>	Y
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
<b>Reported by</b>	Hospital
<b>Reported for</b>	All cases where an additional procedure was performed.
<b>Order in Instruction Manual</b>	23
<b>Irish Coding Standard</b>	ICS002x

**Date of procedure sequenced 3rd**

<b>Variable</b>	<b>Date of procedure sequenced 3rd</b>
<b>Definition</b>	Date of procedure sequenced 3rd.
<b>Definition source</b>	ESRI HIPE Unit
<b>Source</b>	Chart
<b>Collected since</b>	2011 - migration to Portal
<b>Collected/Derived</b>	Collected
<b>Code Set</b>	
<b>Data Entry Guideline</b>	Greater than or equal to ADMISSION date and less than or equal to DISCHARGE date.
<b>Variable Name Portal</b>	PROCDATE3
Access	PROCDATE3
SPSS	PROCDATE3
HIPE-PAS interchange	
<b>Data Type</b>	Date
<b>Field Size</b>	8
<b>Populated in National File</b>	Y
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
<b>Reported by</b>	Hospital
<b>Reported for</b>	All cases where a 2 <sup>nd</sup> additional procedure was performed.
<b>Order in Instruction Manual</b>	23
<b>Irish Coding Standard</b>	ICS002x

**Date of procedure sequenced 4th**

<b>Variable</b>	<b>Date of procedure sequenced 4th</b>
<b>Definition</b>	Date of procedure sequenced 4th.
<b>Definition source</b>	ESRI HIPE Unit
<b>Source</b>	Chart
<b>Collected since</b>	2011 - migration to Portal
<b>Collected/Derived</b>	Collected
<b>Code Set</b>	
<b>Data Entry Guideline</b>	Greater than or equal to ADMISSION date and less than or equal to DISCHARGE date.
<b>Variable Name Portal</b>	PROCDATE4
Access	PROCDATE4
SPSS	PROCDATE4
HIPE-PAS interchange	
<b>Data Type</b>	Date
<b>Field Size</b>	8
<b>Populated in National File</b>	Y
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
<b>Reported by</b>	Hospital
<b>Reported for</b>	All cases where a 3 <sup>rd</sup> additional procedure was performed.
<b>Order in Instruction Manual</b>	23
<b>Irish Coding Standard</b>	ICS002x

**Date of procedure sequenced 5th**

<b>Variable</b>	<b>Date of procedure sequenced 5th</b>
<b>Definition</b>	Date of procedure sequenced 5th.
<b>Definition source</b>	ESRI HIPE Unit
<b>Source</b>	Chart
<b>Collected since</b>	2011 - migration to Portal
<b>Collected/Derived</b>	Collected
<b>Code Set</b>	
<b>Data Entry Guideline</b>	Greater than or equal to ADMISSION date and less than or equal to DISCHARGE date.
<b>Variable Name Portal</b>	PROCDATE5
Access	PROCDATE5
SPSS	PROCDATE5
HIPE-PAS interchange	
<b>Data Type</b>	Date
<b>Field Size</b>	8
<b>Populated in National File</b>	Y
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
<b>Reported by</b>	Hospital
<b>Reported for</b>	All cases where a 4 <sup>th</sup> additional procedure was performed.
<b>Order in Instruction Manual</b>	23
<b>Irish Coding Standard</b>	ICS002x

**Date of procedure sequenced 6th**

<b>Variable</b>	<b>Date of procedure sequenced 6th</b>
<b>Definition</b>	Date of procedure sequenced 6th.
<b>Definition source</b>	ESRI HIPE Unit
<b>Source</b>	Chart
<b>Collected since</b>	2011 - migration to Portal
<b>Collected/Derived</b>	Collected
<b>Code Set</b>	
<b>Data Entry Guideline</b>	Greater than or equal to ADMISSION date and less than or equal to DISCHARGE date.
<b>Variable Name Portal</b>	PROCDATE6
Access	PROCDATE6
SPSS	PROCDATE6
HIPE-PAS interchange	
<b>Data Type</b>	Date
<b>Field Size</b>	8
<b>Populated in National File</b>	Y
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
<b>Reported by</b>	Hospital
<b>Reported for</b>	All cases where a 5 <sup>th</sup> additional procedure was performed.
<b>Order in Instruction Manual</b>	23
<b>Irish Coding Standard</b>	ICS002x

**Date of procedure sequenced 7th**

<b>Variable</b>	<b>Date of procedure sequenced 7th</b>
<b>Definition</b>	Date of procedure sequenced 7th.
<b>Definition source</b>	ESRI HIPE Unit
<b>Source</b>	Chart
<b>Collected since</b>	2011 - migration to Portal
<b>Collected/Derived</b>	Collected
<b>Code Set</b>	
<b>Data Entry Guideline</b>	Greater than or equal to ADMISSION date and less than or equal to DISCHARGE date.
<b>Variable Name Portal</b>	PROCDATE7
Access	PROCDATE7
SPSS	PROCDATE7
HIPE-PAS interchange	
<b>Data Type</b>	Date
<b>Field Size</b>	8
<b>Populated in National File</b>	Y
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
<b>Reported by</b>	Hospital
<b>Reported for</b>	All cases where a 6 <sup>th</sup> additional procedure was performed.
<b>Order in Instruction Manual</b>	23
<b>Irish Coding Standard</b>	ICS002x

**Date of procedure sequenced 8th**

<b>Variable</b>	<b>Date of procedure sequenced 8th</b>
<b>Definition</b>	Date of procedure sequenced 8th.
<b>Definition source</b>	ESRI HIPE Unit
<b>Source</b>	Chart
<b>Collected since</b>	2011 - migration to Portal
<b>Collected/Derived</b>	Collected
<b>Code Set</b>	
<b>Data Entry Guideline</b>	Greater than or equal to ADMISSION date and less than or equal to DISCHARGE date.
<b>Variable Name Portal</b>	PROCDATE8
Access	PROCDATE8
SPSS	PROCDATE8
HIPE-PAS interchange	
<b>Data Type</b>	Date
<b>Field Size</b>	8
<b>Populated in National File</b>	Y
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
<b>Reported by</b>	Hospital
<b>Reported for</b>	All cases where a 7 <sup>th</sup> additional procedure was performed.
<b>Order in Instruction Manual</b>	23
<b>Irish Coding Standard</b>	ICS002x

**Date of procedure sequenced 9th**

<b>Variable</b>	<b>Date of procedure sequenced 9th</b>
<b>Definition</b>	Date of procedure sequenced 9th.
<b>Definition source</b>	ESRI HIPE Unit
<b>Source</b>	Chart
<b>Collected since</b>	2011 - migration to Portal
<b>Collected/Derived</b>	Collected
<b>Code Set</b>	
<b>Data Entry Guideline</b>	Greater than or equal to ADMISSION date and less than or equal to DISCHARGE date.
<b>Variable Name Portal</b>	PROCDATE9
Access	PROCDATE9
SPSS	PROCDATE9
HIPE-PAS interchange	
<b>Data Type</b>	Date
<b>Field Size</b>	8
<b>Populated in National File</b>	Y
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
<b>Reported by</b>	Hospital
<b>Reported for</b>	All cases where an 8 <sup>th</sup> additional procedure was performed.
<b>Order in Instruction Manual</b>	23
<b>Irish Coding Standard</b>	ICS002x



**Date of procedure sequenced 10th**

<b>Variable</b>	<b>Date of procedure sequenced 10th</b>
<b>Definition</b>	Date of procedure sequenced 10th.
<b>Definition source</b>	ESRI HIPE Unit
<b>Source</b>	Chart
<b>Collected since</b>	2011 - migration to Portal
<b>Collected/Derived</b>	Collected
<b>Code Set</b>	
<b>Data Entry Guideline</b>	Greater than or equal to ADMISSION date and less than or equal to DISCHARGE date.
<b>Variable Name Portal</b>	PROCDATE10
Access	PROCDATE10
SPSS	PROCDATE10
HIPE-PAS interchange	
<b>Data Type</b>	Date
<b>Field Size</b>	8
<b>Populated in National File</b>	Y
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
<b>Reported by</b>	Hospital
<b>Reported for</b>	All cases where a 9 <sup>th</sup> additional procedure was performed.
<b>Order in Instruction Manual</b>	23
<b>Irish Coding Standard</b>	ICS002x

**Date of procedure sequenced 11th**

<b>Variable</b>	<b>Date of procedure sequenced 11th</b>
<b>Definition</b>	Date of procedure sequenced 11th.
<b>Definition source</b>	ESRI HIPE Unit
<b>Source</b>	Chart
<b>Collected since</b>	2011 - migration to Portal
<b>Collected/Derived</b>	Collected
<b>Code Set</b>	
<b>Data Entry Guideline</b>	Greater than or equal to ADMISSION date and less than or equal to DISCHARGE date.
<b>Variable Name Portal</b>	PROCDATE11
Access	PROCDATE11
SPSS	PROCDATE11
HIPE-PAS interchange	
<b>Data Type</b>	Date
<b>Field Size</b>	8
<b>Populated in National File</b>	Y
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
<b>Reported by</b>	Hospital
<b>Reported for</b>	All cases where a 10th additional procedure was performed.
<b>Order in Instruction Manual</b>	23
<b>Irish Coding Standard</b>	ICS002x

**Date of procedure sequenced 12th**

<b>Variable</b>	<b>Date of procedure sequenced 12th</b>
<b>Definition</b>	Date of procedure sequenced 12th.
<b>Definition source</b>	ESRI HIPE Unit
<b>Source</b>	Chart
<b>Collected since</b>	2011 - migration to Portal
<b>Collected/Derived</b>	Collected
<b>Code Set</b>	
<b>Data Entry Guideline</b>	Greater than or equal to ADMISSION date and less than or equal to DISCHARGE date.
<b>Variable Name Portal</b>	PROCDATE12
Access	PROCDATE12
SPSS	PROCDATE12
HIPE-PAS interchange	
<b>Data Type</b>	Date
<b>Field Size</b>	8
<b>Populated in National File</b>	Y
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
<b>Reported by</b>	Hospital
<b>Reported for</b>	All cases where an 11 <sup>th</sup> additional procedure was performed.
<b>Order in Instruction Manual</b>	23
<b>Irish Coding Standard</b>	ICS002x

**Date of procedure sequenced 13th**

<b>Variable</b>	<b>Date of procedure sequenced 13th</b>
<b>Definition</b>	Date of procedure sequenced 13th.
<b>Definition source</b>	ESRI HIPE Unit
<b>Source</b>	Chart
<b>Collected since</b>	2011 - migration to Portal
<b>Collected/Derived</b>	Collected
<b>Code Set</b>	
<b>Data Entry Guideline</b>	Greater than or equal to ADMISSION date and less than or equal to DISCHARGE date.
<b>Variable Name Portal</b>	PROCDATE13
Access	PROCDATE13
SPSS	PROCDATE13
HIPE-PAS interchange	
<b>Data Type</b>	Date
<b>Field Size</b>	8
<b>Populated in National File</b>	Y
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
<b>Reported by</b>	Hospital
<b>Reported for</b>	All cases where a 12 <sup>th</sup> additional procedure was performed.
<b>Order in Instruction Manual</b>	23
<b>Irish Coding Standard</b>	ICS002x

**Date of procedure sequenced 14th**

<b>Variable</b>	<b>Date of procedure sequenced 14th</b>
<b>Definition</b>	Date of procedure sequenced 14th.
<b>Definition source</b>	ESRI HIPE Unit
<b>Source</b>	Chart
<b>Collected since</b>	2011 - migration to Portal
<b>Collected/Derived</b>	Collected
<b>Code Set</b>	
<b>Data Entry Guideline</b>	Greater than or equal to ADMISSION date and less than or equal to DISCHARGE date.
<b>Variable Name Portal</b>	PROCDATE14
Access	PROCDATE14
SPSS	PROCDATE14
HIPE-PAS interchange	
<b>Data Type</b>	Date
<b>Field Size</b>	8
<b>Populated in National File</b>	Y
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
<b>Reported by</b>	Hospital
<b>Reported for</b>	All cases where a 13 <sup>th</sup> additional procedure was performed.
<b>Order in Instruction Manual</b>	23
<b>Irish Coding Standard</b>	ICS002x

**Date of procedure sequenced 15th**

<b>Variable</b>	<b>Date of procedure sequenced 15th</b>
<b>Definition</b>	Date of procedure sequenced 15th.
<b>Definition source</b>	ESRI HIPE Unit
<b>Source</b>	Chart
<b>Collected since</b>	2011 - migration to Portal
<b>Collected/Derived</b>	Collected
<b>Code Set</b>	
<b>Data Entry Guideline</b>	Greater than or equal to ADMISSION date and less than or equal to DISCHARGE date.
<b>Variable Name Portal</b>	PROCDATE15
Access	PROCDATE15
SPSS	PROCDATE15
HIPE-PAS interchange	
<b>Data Type</b>	Date
<b>Field Size</b>	8
<b>Populated in National File</b>	Y
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
<b>Reported by</b>	Hospital
<b>Reported for</b>	All cases where a 14 <sup>th</sup> additional procedure was performed.
<b>Order in Instruction Manual</b>	23
<b>Irish Coding Standard</b>	ICS002x

**Date of procedure sequenced 16th**

<b>Variable</b>	<b>Date of procedure sequenced 16th</b>
<b>Definition</b>	Date of procedure sequenced 16th.
<b>Definition source</b>	ESRI HIPE Unit
<b>Source</b>	Chart
<b>Collected since</b>	2011 - migration to Portal
<b>Collected/Derived</b>	Collected
<b>Code Set</b>	
<b>Data Entry Guideline</b>	Greater than or equal to ADMISSION date and less than or equal to DISCHARGE date.
<b>Variable Name Portal</b>	PROCDATE16
Access	PROCDATE16
SPSS	PROCDATE16
HIPE-PAS interchange	
<b>Data Type</b>	Date
<b>Field Size</b>	8
<b>Populated in National File</b>	Y
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
<b>Reported by</b>	Hospital
<b>Reported for</b>	All cases where a 15 <sup>th</sup> additional procedure was performed.
<b>Order in Instruction Manual</b>	23
<b>Irish Coding Standard</b>	ICS002x

**Date of procedure sequenced 17th**

<b>Variable</b>	<b>Date of procedure sequenced 17th</b>
<b>Definition</b>	Date of procedure sequenced 17th.
<b>Definition source</b>	ESRI HIPE Unit
<b>Source</b>	Chart
<b>Collected since</b>	2011 - migration to Portal
<b>Collected/Derived</b>	Collected
<b>Code Set</b>	
<b>Data Entry Guideline</b>	Greater than or equal to ADMISSION date and less than or equal to DISCHARGE date.
<b>Variable Name Portal</b>	PROCDATE17
Access	PROCDATE17
SPSS	PROCDATE17
HIPE-PAS interchange	
<b>Data Type</b>	Date
<b>Field Size</b>	8
<b>Populated in National File</b>	Y
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
<b>Reported by</b>	Hospital
<b>Reported for</b>	All cases where a 16 <sup>th</sup> additional procedure was performed.
<b>Order in Instruction Manual</b>	23
<b>Irish Coding Standard</b>	ICS002x



**Date of procedure sequenced 18th**

<b>Variable</b>	<b>Date of procedure sequenced 18th</b>
<b>Definition</b>	Date of procedure sequenced 18th.
<b>Definition source</b>	ESRI HIPE Unit
<b>Source</b>	Chart
<b>Collected since</b>	2011 - migration to Portal
<b>Collected/Derived</b>	Collected
<b>Code Set</b>	
<b>Data Entry Guideline</b>	Greater than or equal to ADMISSION date and less than or equal to DISCHARGE date.
<b>Variable Name Portal</b>	PROCDATE18
Access	PROCDATE18
SPSS	PROCDATE18
HIPE-PAS interchange	
<b>Data Type</b>	Date
<b>Field Size</b>	8
<b>Populated in National File</b>	Y
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
<b>Reported by</b>	Hospital
<b>Reported for</b>	All cases where a 17 <sup>th</sup> additional procedure was performed.
<b>Order in Instruction Manual</b>	23
<b>Irish Coding Standard</b>	ICS002x

**Date of procedure sequenced 19th**

<b>Variable</b>	<b>Date of procedure sequenced 19th</b>
<b>Definition</b>	Date of procedure sequenced 19th.
<b>Definition source</b>	ESRI HIPE Unit
<b>Source</b>	Chart
<b>Collected since</b>	2011 - migration to Portal
<b>Collected/Derived</b>	Collected
<b>Code Set</b>	
<b>Data Entry Guideline</b>	Greater than or equal to ADMISSION date and less than or equal to DISCHARGE date.
<b>Variable Name Portal</b>	PROCDATE19
Access	PROCDATE19
SPSS	PROCDATE19
HIPE-PAS interchange	
<b>Data Type</b>	Date
<b>Field Size</b>	8
<b>Populated in National File</b>	Y
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
<b>Reported by</b>	Hospital
<b>Reported for</b>	All cases where an 18 <sup>th</sup> additional procedure was performed.
<b>Order in Instruction Manual</b>	23
<b>Irish Coding Standard</b>	ICS002x

**Date of procedure sequenced 20th**

<b>Variable</b>	<b>Date of procedure sequenced 20th</b>
<b>Definition</b>	Date of procedure sequenced 20th.
<b>Definition source</b>	ESRI HIPE Unit
<b>Source</b>	Chart
<b>Collected since</b>	2011 - migration to Portal
<b>Collected/Derived</b>	Collected
<b>Code Set</b>	
<b>Data Entry Guideline</b>	Greater than or equal to ADMISSION date and less than or equal to DISCHARGE date.
<b>Variable Name Portal</b>	PROCDATE20
Access	PROCDATE20
SPSS	PROCDATE20
HIPE-PAS interchange	
<b>Data Type</b>	Date
<b>Field Size</b>	8
<b>Populated in National File</b>	Y
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
<b>Reported by</b>	Hospital
<b>Reported for</b>	All cases where a 19 <sup>th</sup> additional procedure was performed.
<b>Order in Instruction Manual</b>	23
<b>Irish Coding Standard</b>	ICS002x

**Date of Transfer to Pre-Discharge Unit/Rehab**

<b>Variable</b>	<b>Date of Transfer to Pre-Discharge Unit/Rehab</b>
<b>Definition</b>	Date when a patient is transferred to a registered Pre-Discharge Unit/Rehab within the hospital prior to discharge.
<b>Definition source Source</b>	ESRI HIPE Unit Chart
<b>Collected since</b>	2004
<b>Collected/Derived Code Set</b>	Collected
<b>Data Entry Guideline</b>	Date must be greater than ADMISSION date & less than DISCHARGE date. Hospitals must register the pre-Discharge Unit/Rehab with the National Casemix Programme, HSE.
<b>Variable Name Portal</b>	PDUTRANSDATE
Access	TRPDU
SPSS	TRPDU
HIPE-PAS interchange	TRPDU
<b>Data Type</b>	Date
<b>Field Size</b>	8
<b>Populated in National File</b>	Y
<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>	
<b>Reported by</b>	Hospital
<b>Reported for</b>	Optional
<b>Order in Instruction Manual</b>	
<b>Irish Coding Standard</b>	

**Day Case indicator**

<b>Variable</b>	<b>Day Case indicator</b>
<b>Definition</b>	Day Case
<b>Definition source</b>	DoH
<b>Source</b>	Hospital PAS
<b>Collected since</b>	2000
<b>Collected/Derived</b>	Collected
<b>Code Set</b>	<a href="#">DAYCASE</a>
<b>Data Entry Guideline</b>	A day case is a patient who is admitted to hospital on an elective basis for care and/or treatment which does not require use of a hospital bed overnight and who is discharged as scheduled. If Daycase is indicated, Day Ward Indicator/Identifier must be completed.
<b>Variable Name Portal</b>	ISDAYCASE
Access	DAYCASE
SPSS	DAYCASE
HIPE-PAS interchange	DAYCASE
<b>Data Type</b>	Integer
<b>Field Size</b>	1
<b>Populated in National File</b>	Y
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
<b>Reported by</b>	Hospital
<b>Reported for</b>	All cases reported to HIPE.
<b>Order in Instruction Manual</b>	16
<b>Irish Coding Standard</b>	

**Day Ward Identifier**

<b>Variable</b>	<b>Day Ward Identifier</b>
<b>Definition</b>	Name of pre-registered Day Ward - to identify the day place where the patient was treated.
<b>Definition source</b>	ESRI HIPE Unit
<b>Source</b>	Hospital PAS
<b>Collected since</b>	2005
<b>Collected/Derived</b>	Collected
<b>Code Set</b>	
<b>Data Entry Guideline</b>	Dedicated Day Wards must be registered with the National Casemix Programme.
<b>Variable Name Portal</b>	DAYWARD
Access	WARDLOC
SPSS	WARDLOC
HIPE-PAS interchange	WARDLOC
<b>Data Type</b>	Alphanumeric
<b>Field Size</b>	6
<b>Populated in National File</b>	Y
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
<b>Reported by</b>	Hospital
<b>Reported for</b>	All cases where WARDIND = 1
<b>Order in Instruction Manual</b>	18
<b>Irish Coding Standard</b>	

**Day Ward Indicator**

<b>Variable</b>	<b>Day Ward Indicator</b>
<b>Definition</b>	Indicates if a day case patient was admitted to a dedicated Day Ward.
<b>Definition source</b>	ESRI HIPE Unit
<b>Source</b>	Hospital PAS
<b>Collected since</b>	2004
<b>Collected/Derived</b>	Collected
<b>Code Set</b>	<a href="#">WARDIND</a>
<b>Data Entry Guideline</b>	Dedicated Day Wards must be registered with the National Casemix Programme. WARDIND = 0 if patient is marked as a day case but the episode was not admitted to a dedicated Day Ward, WARDIND = 1 if patient is marked as a day case and the episode was admitted to a dedicated Day Ward, WARDIND = 2 if the patient is marked as a day case and the setting of the episode is unknown
<b>Variable Name Portal</b>	WASINDAYWARD
Access	WARDIND
SPSS	WARDIND
HIPE-PAS interchange	WARDIND
<b>Data Type</b>	Integer
<b>Field Size</b>	1
<b>Populated in National File</b>	Y
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
<b>Reported by</b>	Hospital
<b>Reported for</b>	All cases where DAYCASE = 1
<b>Order in Instruction Manual</b>	17
<b>Irish Coding Standard</b>	HIPE Guideline V

**Discharge Code**

<b>Variable</b>	<b>Discharge Code</b>
<b>Definition</b>	Identifies the discharge destination
<b>Definition source</b>	ESRI HIPE Unit
<b>Source</b>	Hospital PAS
<b>Collected since</b>	2002
<b>Collected/Derived</b>	Collected
<b>Code Set</b>	<a href="#">DISC_CODE</a>
<b>Data Entry Guideline</b>	
<b>Variable Name Portal</b>	DISCHARGECODE
Access	DISC_CODE
SPSS	DISC_CODE
HIPE-PAS interchange	DISC_CODE
<b>Data Type</b>	Integer
<b>Field Size</b>	2
<b>Populated in National File</b>	Y
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
<b>Reported by</b>	Hospital
<b>Reported for</b>	All cases reported to HIPE.
<b>Order in Instruction Manual</b>	7
<b>Irish Coding Standard</b>	



**Discharge Consultant**

<b>Variable</b>	<b>Discharge Consultant</b>
<b>Definition</b>	The consultant who discharges the patient at the end of the episode. Each consultant has a unique number/code assigned by the ESRI, which may not be used for any other consultant. The unique number assigned by the ESRI is encrypted to a unique Alphanumeric code when HIPE data are exported from the hospitals. The encrypted values are stored on the HIPE National File and it is not possible to ascertain the identity of individual consultants from any of the consultant fields in the national file.
<b>Definition source</b>	ESRI HIPE Unit
<b>Source</b>	Hospital PAS
<b>Collected since</b>	1996 – 2001 optional; 2002 - mandatory
<b>Collected/Derived</b>	Collected
<b>Code Set</b>	
<b>Data Entry Guideline</b>	Where the entire case is handled by one consultant his/her code number need be entered only opposite the principal diagnosis. If more than one consultant is involved in a case the relevant consultant number will be placed opposite the relevant diagnosis/procedures
<b>Variable Name Portal</b>	DISCONS
Access	DISCON
SPSS	DISCON
HIPE-PAS interchange	D_CONSULT
<b>Data Type</b>	Integer
<b>Field Size</b>	4
<b>Populated in National File</b>	Y - encrypted
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
<b>Reported by</b>	Hospital
<b>Reported for</b>	All cases reported to HIPE.
<b>Order in Instruction Manual</b>	22c
<b>Irish Coding Standard</b>	

**Discharge Status**

<b>Variable</b>	<b>Discharge Status</b>
<b>Definition</b>	Public/Private Status of Patient on Discharge
<b>Definition source</b>	ESRI HIPE Unit
<b>Source</b>	Hospital PAS
<b>Collected since</b>	1999
<b>Collected/Derived</b>	Collected
<b>Code Set</b>	<a href="#">DIS_STATUS</a>
<b>Data Entry Guideline</b>	Refers to whether the patient saw the consultant publicly or privately. It does not relate to the type of bed occupied nor is it an indicator of possession of private health insurance.
<b>Variable Name Portal</b>	DISSTATUS
Access	DIS_STATUS
SPSS	DIS_STATUS
HIPE-PAS interchange	DIS_STATUS
<b>Data Type</b>	Integer
<b>Field Size</b>	1
<b>Populated in National File</b>	Y
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
<b>Reported by</b>	Hospital
<b>Reported for</b>	All cases reported to HIPE.
<b>Order in Instruction Manual</b>	15
<b>Irish Coding Standard</b>	

**Discharge Ward**

<b>Variable</b>	<b>Discharge Ward</b>
<b>Definition</b>	The ward occupied prior to discharge
<b>Definition source</b>	Hospital
<b>Source</b>	Hospital PAS
<b>Collected since</b>	1996- 2006 optional; 2007 mandatory
<b>Collected/Derived</b>	Collected
<b>Code Set</b>	
<b>Data Entry Guideline</b>	
<b>Variable Name Portal</b>	DISWARD
Access	D_WARD
SPSS	D_WARD
HIPE-PAS interchange	D_WARD
<b>Data Type</b>	Alphanumeric
<b>Field Size</b>	6
<b>Populated in National File</b>	Y
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
<b>Reported by</b>	Hospital
<b>Reported for</b>	All cases reported to HIPE.
<b>Order in Instruction Manual</b>	24
<b>Irish Coding Standard</b>	HIPE Guideline II

**Episode Number**

<b>Variable</b>	<b>Episode Number</b>
<b>Definition</b>	PAS or HIS episode identifier. Definition varies by hospital and may not be completed by all hospitals.
<b>Definition source</b>	Hospital
<b>Source</b>	Hospital PAS
<b>Collected since</b>	2000 locally, 2010 national level
<b>Collected/Derived</b>	Collected
<b>Code Set</b>	
<b>Data Entry Guideline</b>	
<b>Variable Name Portal</b>	EPISODENUMBER
Access	EPISODE
SPSS	EPISODE
HIPE-PAS interchange	EP_NUM
<b>Data Type</b>	Alphanumeric
<b>Field Size</b>	8
<b>Populated in National File</b>	Y
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
<b>Reported by</b>	Hospital
<b>Reported for</b>	All cases downloaded from a PAS or HIS system.
<b>Order in Instruction Manual</b>	
<b>Irish Coding Standard</b>	

**Health Insurer**

<b>Variable</b>	<b>Health Insurer</b>
<b>Definition</b>	Name of Health Insurer
<b>Definition source</b>	Casemix Technical Group
<b>Source</b>	PAS
<b>Collected since</b>	2011 - migration to Portal
<b>Collected/Derived</b>	Collected
<b>Code Set</b>	<a href="#">HealthInsurer</a>
<b>Data Entry Guideline</b>	
<b>Variable Name Portal</b>	HealthInsurer
Access	HealthInsurer
SPSS	HealthInsurer
HIPE-PAS interchange	HealthInsurer
<b>Data Type</b>	Char
<b>Field Size</b>	2
<b>Populated in National File</b>	Y
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
<b>Reported by</b>	Hospital
<b>Reported for</b>	All cases where DIS_STATUS = 2 (private)
<b>Order in Instruction Manual</b>	15
<b>Irish Coding Standard</b>	

**Hospital Acquired Diagnosis 2**

<b>Variable</b>	<b>Hospital Acquired Diagnosis 2</b>
<b>Definition</b>	Flag: diagnosis acquired during the patient's episode of care that was not present on admission, 2nd diagnosis.
<b>Definition source</b>	ESRI HIPE Unit
<b>Source</b>	Chart
<b>Collected since</b>	2011 - migration to Portal
<b>Collected/Derived</b>	Collected
<b>Code Set</b>	1= Hospital Acquired Diagnosis, otherwise null
<b>Data Entry Guideline</b>	
<b>Variable Name Portal</b>	HADx2
Access	HADx2
SPSS	HADx2
HIPE-PAS interchange	
<b>Data Type</b>	Integer
<b>Field Size</b>	1
<b>Populated in National File</b>	Y
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
<b>Reported by</b>	Hospital
<b>Reported for</b>	Optional for all additional diagnoses.
<b>Order in Instruction Manual</b>	
<b>Irish Coding Standard</b>	ICS 0048

### Hospital Acquired Diagnosis 3

Variable	Hospital Acquired Diagnosis 3
<b>Definition</b>	Flag: diagnosis acquired during the patient's episode of care that was not present on admission, 3 <sup>rd</sup> diagnosis.
<b>Definition source</b>	ESRI HIPE Unit
<b>Source</b>	Chart
<b>Collected since</b>	2011 - migration to Portal
<b>Collected/Derived</b>	Collected
<b>Code Set</b>	1= Hospital Acquired Diagnosis, otherwise null
<b>Data Entry Guideline</b>	
<b>Variable Name Portal</b>	HADx3
Access	HADx3
SPSS	HADx3
HIPE-PAS interchange	
<b>Data Type</b>	Integer
<b>Field Size</b>	1
<b>Populated in National File</b>	Y
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
<b>Reported by</b>	Hospital
<b>Reported for</b>	Optional for all additional diagnoses.
<b>Order in Instruction Manual</b>	
<b>Irish Coding Standard</b>	ICS 0048

**Hospital Acquired Diagnosis 4**

<b>Variable</b>	<b>Hospital Acquired Diagnosis 4</b>
<b>Definition</b>	Flag: diagnosis acquired during the patient's episode of care that was not present on admission, 4th diagnosis.
<b>Definition source</b>	ESRI HIPE Unit
<b>Source</b>	Chart
<b>Collected since</b>	2011 - migration to Portal
<b>Collected/Derived</b>	Collected
<b>Code Set</b>	1= Hospital Acquired Diagnosis, otherwise null
<b>Data Entry Guideline</b>	
<b>Variable Name Portal</b>	HADx4
Access	HADx4
SPSS	HADx4
HIPE-PAS interchange	
<b>Data Type</b>	Integer
<b>Field Size</b>	1
<b>Populated in National File</b>	Y
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
<b>Reported by</b>	Hospital
<b>Reported for</b>	Optional for all additional diagnoses.
<b>Order in Instruction Manual</b>	
<b>Irish Coding Standard</b>	ICS 0048



## Hospital Acquired Diagnosis 5

Variable	Hospital Acquired Diagnosis 5
<b>Definition</b>	Flag: diagnosis acquired during the patient's episode of care that was not present on admission, 5th diagnosis.
<b>Definition source</b>	ESRI HIPE Unit
<b>Source</b>	Chart
<b>Collected since</b>	2011 - migration to Portal
<b>Collected/Derived</b>	Collected
<b>Code Set</b>	1= Hospital Acquired Diagnosis, otherwise null
<b>Data Entry Guideline</b>	
<b>Variable Name Portal</b>	HADx5
Access	HADx5
SPSS	HADx5
HIPE-PAS interchange	
<b>Data Type</b>	Integer
<b>Field Size</b>	1
<b>Populated in National File</b>	Y
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
<b>Reported by</b>	Hospital
<b>Reported for</b>	Optional for all additional diagnoses.
<b>Order in Instruction Manual</b>	
<b>Irish Coding Standard</b>	ICS 0048

**Hospital Acquired Diagnosis 6**

<b>Variable</b>	<b>Hospital Acquired Diagnosis 6</b>
<b>Definition</b>	Flag: diagnosis acquired during the patient's episode of care that was not present on admission, 6th diagnosis.
<b>Definition source</b>	ESRI HIPE Unit
<b>Source</b>	Chart
<b>Collected since</b>	2011 - migration to Portal
<b>Collected/Derived</b>	Collected
<b>Code Set</b>	1= Hospital Acquired Diagnosis, otherwise null
<b>Data Entry Guideline</b>	
<b>Variable Name Portal</b>	HADx6
Access	HADx6
SPSS	HADx6
HIPE-PAS interchange	
<b>Data Type</b>	Integer
<b>Field Size</b>	1
<b>Populated in National File</b>	Y
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
<b>Reported by</b>	Hospital
<b>Reported for</b>	Optional for all additional diagnoses.
<b>Order in Instruction Manual</b>	
<b>Irish Coding Standard</b>	ICS 0048

## Hospital Acquired Diagnosis 7

Variable	Hospital Acquired Diagnosis 7
<b>Definition</b>	Flag: diagnosis acquired during the patient's episode of care that was not present on admission, 7th diagnosis.
<b>Definition source</b>	ESRI HIPE Unit
<b>Source</b>	Chart
<b>Collected since</b>	2011 - migration to Portal
<b>Collected/Derived</b>	Collected
<b>Code Set</b>	1= Hospital Acquired Diagnosis, otherwise null
<b>Data Entry Guideline</b>	
<b>Variable Name Portal</b>	HADx7
Access	HADx7
SPSS	HADx7
HIPE-PAS interchange	
<b>Data Type</b>	Integer
<b>Field Size</b>	1
<b>Populated in National File</b>	Y
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
<b>Reported by</b>	Hospital
<b>Reported for</b>	Optional for all additional diagnoses.
<b>Order in Instruction Manual</b>	
<b>Irish Coding Standard</b>	ICS 0048

**Hospital Acquired Diagnosis 8**

<b>Variable</b>	<b>Hospital Acquired Diagnosis 8</b>
<b>Definition</b>	Flag: diagnosis acquired during the patient's episode of care that was not present on admission, 8th diagnosis.
<b>Definition source</b>	ESRI HIPE Unit
<b>Source</b>	Chart
<b>Collected since</b>	2011 - migration to Portal
<b>Collected/Derived</b>	Collected
<b>Code Set</b>	1= Hospital Acquired Diagnosis, otherwise null
<b>Data Entry Guideline</b>	
<b>Variable Name Portal</b>	HADx8
Access	HADx8
SPSS	HADx8
HIPE-PAS interchange	
<b>Data Type</b>	Integer
<b>Field Size</b>	1
<b>Populated in National File</b>	Y
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
<b>Reported by</b>	Hospital
<b>Reported for</b>	Optional for all additional diagnoses.
<b>Order in Instruction Manual</b>	
<b>Irish Coding Standard</b>	ICS 0048

## Hospital Acquired Diagnosis 9

Variable	Hospital Acquired Diagnosis 9
<b>Definition</b>	Flag: diagnosis acquired during the patient's episode of care that was not present on admission, 9th diagnosis.
<b>Definition source</b>	ESRI HIPE Unit
<b>Source</b>	Chart
<b>Collected since</b>	2011 - migration to Portal
<b>Collected/Derived</b>	Collected
<b>Code Set</b>	1= Hospital Acquired Diagnosis, otherwise null
<b>Data Entry Guideline</b>	
<b>Variable Name Portal</b>	HADx9
Access	HADx9
SPSS	HADx9
HIPE-PAS interchange	
<b>Data Type</b>	Integer
<b>Field Size</b>	1
<b>Populated in National File</b>	Y
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
<b>Reported by</b>	Hospital
<b>Reported for</b>	Optional for all additional diagnoses.
<b>Order in Instruction Manual</b>	
<b>Irish Coding Standard</b>	ICS 0048

**Hospital Acquired Diagnosis 10**

<b>Variable</b>	<b>Hospital Acquired Diagnosis 10</b>
<b>Definition</b>	Flag: diagnosis acquired during the patient's episode of care that was not present on admission, 10th diagnosis.
<b>Definition source</b>	ESRI HIPE Unit
<b>Source</b>	Chart
<b>Collected since</b>	2011 - migration to Portal
<b>Collected/Derived</b>	Collected
<b>Code Set</b>	1= Hospital Acquired Diagnosis, otherwise null
<b>Data Entry Guideline</b>	
<b>Variable Name Portal</b>	HADx10
Access	HADx10
SPSS	HADx10
HIPE-PAS interchange	
<b>Data Type</b>	Integer
<b>Field Size</b>	1
<b>Populated in National File</b>	Y
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
<b>Reported by</b>	Hospital
<b>Reported for</b>	Optional for all additional diagnoses.
<b>Order in Instruction Manual</b>	
<b>Irish Coding Standard</b>	ICS 0048

**Hospital Acquired Diagnosis 11**

<b>Variable</b>	<b>Hospital Acquired Diagnosis 11</b>
<b>Definition</b>	Flag: diagnosis acquired during the patient's episode of care that was not present on admission, 11th diagnosis.
<b>Definition source</b>	ESRI HIPE Unit
<b>Source</b>	Chart
<b>Collected since</b>	2011 - migration to Portal
<b>Collected/Derived</b>	Collected
<b>Code Set</b>	1= Hospital Acquired Diagnosis, otherwise null
<b>Data Entry Guideline</b>	
<b>Variable Name Portal</b>	HADx11
Access	HADx11
SPSS	HADx11
HIPE-PAS interchange	
<b>Data Type</b>	Integer
<b>Field Size</b>	1
<b>Populated in National File</b>	Y
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
<b>Reported by</b>	Hospital
<b>Reported for</b>	Optional for all additional diagnoses.
<b>Order in Instruction Manual</b>	
<b>Irish Coding Standard</b>	ICS 0048

**Hospital Acquired Diagnosis 12**

<b>Variable</b>	<b>Hospital Acquired Diagnosis 12</b>
<b>Definition</b>	Flag: diagnosis acquired during the patient's episode of care that was not present on admission, 12th diagnosis.
<b>Definition source</b>	ESRI HIPE Unit
<b>Source</b>	Chart
<b>Collected since</b>	2011 - migration to Portal
<b>Collected/Derived</b>	Collected
<b>Code Set</b>	1= Hospital Acquired Diagnosis, otherwise null
<b>Data Entry Guideline</b>	
<b>Variable Name Portal</b>	HADx12
Access	HADx12
SPSS	HADx12
HIPE-PAS interchange	
<b>Data Type</b>	Integer
<b>Field Size</b>	1
<b>Populated in National File</b>	Y
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
<b>Reported by</b>	Hospital
<b>Reported for</b>	Optional for all additional diagnoses.
<b>Order in Instruction Manual</b>	
<b>Irish Coding Standard</b>	ICS 0048



**Hospital Acquired Diagnosis 13**

<b>Variable</b>	<b>Hospital Acquired Diagnosis 13</b>
<b>Definition</b>	Flag: diagnosis acquired during the patient's episode of care that was not present on admission, 13th diagnosis.
<b>Definition source</b>	ESRI HIPE Unit
<b>Source</b>	Chart
<b>Collected since</b>	2011 - migration to Portal
<b>Collected/Derived</b>	Collected
<b>Code Set</b>	1= Hospital Acquired Diagnosis, otherwise null
<b>Data Entry Guideline</b>	
<b>Variable Name Portal</b>	HADx13
Access	HADx13
SPSS	HADx13
HIPE-PAS interchange	
<b>Data Type</b>	Integer
<b>Field Size</b>	1
<b>Populated in National File</b>	Y
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
<b>Reported by</b>	Hospital
<b>Reported for</b>	Optional for all additional diagnoses.
<b>Order in Instruction Manual</b>	
<b>Irish Coding Standard</b>	ICS 0048

**Hospital Acquired Diagnosis 14**

<b>Variable</b>	<b>Hospital Acquired Diagnosis 14</b>
<b>Definition</b>	Flag: diagnosis acquired during the patient's episode of care that was not present on admission, 14th diagnosis.
<b>Definition source</b>	ESRI HIPE Unit
<b>Source</b>	Chart
<b>Collected since</b>	2011 - migration to Portal
<b>Collected/Derived</b>	Collected
<b>Code Set</b>	1= Hospital Acquired Diagnosis, otherwise null
<b>Data Entry Guideline</b>	
<b>Variable Name Portal</b>	HADx14
Access	HADx14
SPSS	HADx14
HIPE-PAS interchange	
<b>Data Type</b>	Integer
<b>Field Size</b>	1
<b>Populated in National File</b>	Y
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
<b>Reported by</b>	Hospital
<b>Reported for</b>	Optional for all additional diagnoses.
<b>Order in Instruction Manual</b>	
<b>Irish Coding Standard</b>	ICS 0048

**Hospital Acquired Diagnosis 15**

<b>Variable</b>	<b>Hospital Acquired Diagnosis 15</b>
<b>Definition</b>	Flag: diagnosis acquired during the patient's episode of care that was not present on admission, 15th diagnosis.
<b>Definition source</b>	ESRI HIPE Unit
<b>Source</b>	Chart
<b>Collected since</b>	2011 - migration to Portal
<b>Collected/Derived</b>	Collected
<b>Code Set</b>	1= Hospital Acquired Diagnosis, otherwise null
<b>Data Entry Guideline</b>	
<b>Variable Name Portal</b>	HADx15
Access	HADx15
SPSS	HADx15
HIPE-PAS interchange	
<b>Data Type</b>	Integer
<b>Field Size</b>	1
<b>Populated in National File</b>	Y
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
<b>Reported by</b>	Hospital
<b>Reported for</b>	Optional for all additional diagnoses.
<b>Order in Instruction Manual</b>	
<b>Irish Coding Standard</b>	ICS 0048

**Hospital Acquired Diagnosis 16**

<b>Variable</b>	<b>Hospital Acquired Diagnosis 16</b>
<b>Definition</b>	Flag: diagnosis acquired during the patient's episode of care that was not present on admission, 16th diagnosis.
<b>Definition source</b>	ESRI HIPE Unit
<b>Source</b>	Chart
<b>Collected since</b>	2011 - migration to Portal
<b>Collected/Derived</b>	Collected
<b>Code Set</b>	1= Hospital Acquired Diagnosis, otherwise null
<b>Data Entry Guideline</b>	
<b>Variable Name Portal</b>	HADx16
Access	HADx16
SPSS	HADx16
HIPE-PAS interchange	
<b>Data Type</b>	Integer
<b>Field Size</b>	1
<b>Populated in National File</b>	Y
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
<b>Reported by</b>	Hospital
<b>Reported for</b>	Optional for all additional diagnoses.
<b>Order in Instruction Manual</b>	
<b>Irish Coding Standard</b>	ICS 0048

**Hospital Acquired Diagnosis 17**

<b>Variable</b>	<b>Hospital Acquired Diagnosis 17</b>
<b>Definition</b>	Flag: diagnosis acquired during the patient's episode of care that was not present on admission, 17th diagnosis.
<b>Definition source</b>	ESRI HIPE Unit
<b>Source</b>	Chart
<b>Collected since</b>	2011 - migration to Portal
<b>Collected/Derived</b>	Collected
<b>Code Set</b>	1= Hospital Acquired Diagnosis, otherwise null
<b>Data Entry Guideline</b>	
<b>Variable Name Portal</b>	HADx17
Access	HADx17
SPSS	HADx17
HIPE-PAS interchange	
<b>Data Type</b>	Integer
<b>Field Size</b>	1
<b>Populated in National File</b>	Y
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
<b>Reported by</b>	Hospital
<b>Reported for</b>	Optional for all additional diagnoses.
<b>Order in Instruction Manual</b>	
<b>Irish Coding Standard</b>	ICS 0048

**Hospital Acquired Diagnosis 18**

<b>Variable</b>	<b>Hospital Acquired Diagnosis 18</b>
<b>Definition</b>	Flag: diagnosis acquired during the patient's episode of care that was not present on admission, 18th diagnosis.
<b>Definition source</b>	ESRI HIPE Unit
<b>Source</b>	Chart
<b>Collected since</b>	2011 - migration to Portal
<b>Collected/Derived</b>	Collected
<b>Code Set</b>	1= Hospital Acquired Diagnosis, otherwise null
<b>Data Entry Guideline</b>	
<b>Variable Name Portal</b>	HADx18
Access	HADx18
SPSS	HADx18
HIPE-PAS interchange	
<b>Data Type</b>	Integer
<b>Field Size</b>	1
<b>Populated in National File</b>	Y
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
<b>Reported by</b>	Hospital
<b>Reported for</b>	Optional for all additional diagnoses.
<b>Order in Instruction Manual</b>	
<b>Irish Coding Standard</b>	ICS 0048

**Hospital Acquired Diagnosis 19**

<b>Variable</b>	<b>Hospital Acquired Diagnosis 19</b>
<b>Definition</b>	Flag: diagnosis acquired during the patient's episode of care that was not present on admission, 19th diagnosis.
<b>Definition source</b>	ESRI HIPE Unit
<b>Source</b>	Chart
<b>Collected since</b>	2011 - migration to Portal
<b>Collected/Derived</b>	Collected
<b>Code Set</b>	1= Hospital Acquired Diagnosis, otherwise null
<b>Data Entry Guideline</b>	
<b>Variable Name Portal</b>	HADx19
Access	HADx19
SPSS	HADx19
HIPE-PAS interchange	
<b>Data Type</b>	Integer
<b>Field Size</b>	1
<b>Populated in National File</b>	Y
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
<b>Reported by</b>	Hospital
<b>Reported for</b>	Optional for all additional diagnoses.
<b>Order in Instruction Manual</b>	
<b>Irish Coding Standard</b>	ICS 0048

**Hospital Acquired Diagnosis 20**

<b>Variable</b>	<b>Hospital Acquired Diagnosis 20</b>
<b>Definition</b>	Flag: diagnosis acquired during the patient's episode of care that was not present on admission, 20th diagnosis.
<b>Definition source</b>	ESRI HIPE Unit
<b>Source</b>	Chart
<b>Collected since</b>	2011 - migration to Portal
<b>Collected/Derived</b>	Collected
<b>Code Set</b>	1= Hospital Acquired Diagnosis, otherwise null
<b>Data Entry Guideline</b>	
<b>Variable Name Portal</b>	HADx20
Access	HADx20
SPSS	HADx20
HIPE-PAS interchange	
<b>Data Type</b>	Integer
<b>Field Size</b>	1
<b>Populated in National File</b>	Y
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
<b>Reported by</b>	Hospital
<b>Reported for</b>	Optional for all additional diagnoses.
<b>Order in Instruction Manual</b>	
<b>Irish Coding Standard</b>	ICS 0048



**Hospital Acquired Diagnosis 21**

<b>Variable</b>	<b>Hospital Acquired Diagnosis 21</b>
<b>Definition</b>	Flag: diagnosis acquired during the patient's episode of care that was not present on admission, 21st diagnosis.
<b>Definition source</b>	ESRI HIPE Unit
<b>Source</b>	Chart
<b>Collected since</b>	2011 - migration to Portal
<b>Collected/Derived</b>	Collected
<b>Code Set</b>	1= Hospital Acquired Diagnosis, otherwise null
<b>Data Entry Guideline</b>	
<b>Variable Name Portal</b>	HADx21
Access	HADx21
SPSS	HADx21
HIPE-PAS interchange	
<b>Data Type</b>	Integer
<b>Field Size</b>	1
<b>Populated in National File</b>	Y
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
<b>Reported by</b>	Hospital
<b>Reported for</b>	Optional for all additional diagnoses.
<b>Order in Instruction Manual</b>	
<b>Irish Coding Standard</b>	ICS 0048

**Hospital Acquired Diagnosis 22**

<b>Variable</b>	<b>Hospital Acquired Diagnosis 22</b>
<b>Definition</b>	Flag: diagnosis acquired during the patient's episode of care that was not present on admission, 22nd diagnosis.
<b>Definition source</b>	ESRI HIPE Unit
<b>Source</b>	Chart
<b>Collected since</b>	2011 - migration to Portal
<b>Collected/Derived</b>	Collected
<b>Code Set</b>	1= Hospital Acquired Diagnosis, otherwise null
<b>Data Entry Guideline</b>	
<b>Variable Name Portal</b>	HADx22
Access	HADx22
SPSS	HADx22
HIPE-PAS interchange	
<b>Data Type</b>	Integer
<b>Field Size</b>	1
<b>Populated in National File</b>	Y
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
<b>Reported by</b>	Hospital
<b>Reported for</b>	Optional for all additional diagnoses.
<b>Order in Instruction Manual</b>	
<b>Irish Coding Standard</b>	ICS 0048

**Hospital Acquired Diagnosis 23**

<b>Variable</b>	<b>Hospital Acquired Diagnosis 23</b>
<b>Definition</b>	Flag: diagnosis acquired during the patient's episode of care that was not present on admission, 23rd diagnosis.
<b>Definition source</b>	ESRI HIPE Unit
<b>Source</b>	Chart
<b>Collected since</b>	2011 - migration to Portal
<b>Collected/Derived</b>	Collected
<b>Code Set</b>	1= Hospital Acquired Diagnosis, otherwise null
<b>Data Entry Guideline</b>	
<b>Variable Name Portal</b>	HADx23
Access	HADx23
SPSS	HADx23
HIPE-PAS interchange	
<b>Data Type</b>	Integer
<b>Field Size</b>	1
<b>Populated in National File</b>	Y
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
<b>Reported by</b>	Hospital
<b>Reported for</b>	Optional for all additional diagnoses.
<b>Order in Instruction Manual</b>	
<b>Irish Coding Standard</b>	ICS 0048

**Hospital Acquired Diagnosis 24**

<b>Variable</b>	<b>Hospital Acquired Diagnosis 24</b>
<b>Definition</b>	Flag: diagnosis acquired during the patient's episode of care that was not present on admission, 24th diagnosis.
<b>Definition source</b>	ESRI HIPE Unit
<b>Source</b>	Chart
<b>Collected since</b>	2011 - migration to Portal
<b>Collected/Derived</b>	Collected
<b>Code Set</b>	1= Hospital Acquired Diagnosis, otherwise null
<b>Data Entry Guideline</b>	
<b>Variable Name Portal</b>	HADx24
Access	HADx24
SPSS	HADx24
HIPE-PAS interchange	
<b>Data Type</b>	Integer
<b>Field Size</b>	1
<b>Populated in National File</b>	Y
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
<b>Reported by</b>	Hospital
<b>Reported for</b>	Optional for all additional diagnoses.
<b>Order in Instruction Manual</b>	
<b>Irish Coding Standard</b>	ICS 0048

**Hospital Acquired Diagnosis 25**

<b>Variable</b>	<b>Hospital Acquired Diagnosis 25</b>
<b>Definition</b>	Flag: diagnosis acquired during the patient's episode of care that was not present on admission, 25th diagnosis.
<b>Definition source</b>	ESRI HIPE Unit
<b>Source</b>	Chart
<b>Collected since</b>	2011 - migration to Portal
<b>Collected/Derived</b>	Collected
<b>Code Set</b>	1= Hospital Acquired Diagnosis, otherwise null
<b>Data Entry Guideline</b>	
<b>Variable Name Portal</b>	HADx25
Access	HADx25
SPSS	HADx25
HIPE-PAS interchange	
<b>Data Type</b>	Integer
<b>Field Size</b>	1
<b>Populated in National File</b>	Y
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
<b>Reported by</b>	Hospital
<b>Reported for</b>	Optional for all additional diagnoses.
<b>Order in Instruction Manual</b>	
<b>Irish Coding Standard</b>	ICS 0048

**Hospital Acquired Diagnosis 26**

<b>Variable</b>	<b>Hospital Acquired Diagnosis 26</b>
<b>Definition</b>	Flag: diagnosis acquired during the patient's episode of care that was not present on admission, 26th diagnosis.
<b>Definition source</b>	ESRI HIPE Unit
<b>Source</b>	Chart
<b>Collected since</b>	2011 - migration to Portal
<b>Collected/Derived</b>	Collected
<b>Code Set</b>	1= Hospital Acquired Diagnosis, otherwise null
<b>Data Entry Guideline</b>	
<b>Variable Name Portal</b>	HADx26
Access	HADx26
SPSS	HADx26
HIPE-PAS interchange	
<b>Data Type</b>	Integer
<b>Field Size</b>	1
<b>Populated in National File</b>	Y
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
<b>Reported by</b>	Hospital
<b>Reported for</b>	Optional for all additional diagnoses.
<b>Order in Instruction Manual</b>	
<b>Irish Coding Standard</b>	ICS 0048

**Hospital Acquired Diagnosis 27**

<b>Variable</b>	<b>Hospital Acquired Diagnosis 27</b>
<b>Definition</b>	Flag: diagnosis acquired during the patient's episode of care that was not present on admission, 27th diagnosis.
<b>Definition source</b>	ESRI HIPE Unit
<b>Source</b>	Chart
<b>Collected since</b>	2011 - migration to Portal
<b>Collected/Derived</b>	Collected
<b>Code Set</b>	1= Hospital Acquired Diagnosis, otherwise null
<b>Data Entry Guideline</b>	
<b>Variable Name Portal</b>	HADx27
Access	HADx27
SPSS	HADx27
HIPE-PAS interchange	
<b>Data Type</b>	Integer
<b>Field Size</b>	1
<b>Populated in National File</b>	Y
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
<b>Reported by</b>	Hospital
<b>Reported for</b>	Optional for all additional diagnoses.
<b>Order in Instruction Manual</b>	
<b>Irish Coding Standard</b>	ICS 0048

**Hospital Acquired Diagnosis 28**

<b>Variable</b>	<b>Hospital Acquired Diagnosis 28</b>
<b>Definition</b>	Flag: diagnosis acquired during the patient's episode of care that was not present on admission, 28th diagnosis.
<b>Definition source</b>	ESRI HIPE Unit
<b>Source</b>	Chart
<b>Collected since</b>	2011 - migration to Portal
<b>Collected/Derived</b>	Collected
<b>Code Set</b>	1= Hospital Acquired Diagnosis, otherwise null
<b>Data Entry Guideline</b>	
<b>Variable Name Portal</b>	HADx28
Access	HADx28
SPSS	HADx28
HIPE-PAS interchange	
<b>Data Type</b>	Integer
<b>Field Size</b>	1
<b>Populated in National File</b>	Y
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
<b>Reported by</b>	Hospital
<b>Reported for</b>	Optional for all additional diagnoses.
<b>Order in Instruction Manual</b>	
<b>Irish Coding Standard</b>	ICS 0048



**Hospital Acquired Diagnosis 29**

<b>Variable</b>	<b>Hospital Acquired Diagnosis 29</b>
<b>Definition</b>	Flag: diagnosis acquired during the patient's episode of care that was not present on admission, 29th diagnosis.
<b>Definition source</b>	ESRI HIPE Unit
<b>Source</b>	Chart
<b>Collected since</b>	2011 - migration to Portal
<b>Collected/Derived</b>	Collected
<b>Code Set</b>	1= Hospital Acquired Diagnosis, otherwise null
<b>Data Entry Guideline</b>	
<b>Variable Name Portal</b>	HADx29
Access	HADx29
SPSS	HADx29
HIPE-PAS interchange	
<b>Data Type</b>	Integer
<b>Field Size</b>	1
<b>Populated in National File</b>	Y
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
<b>Reported by</b>	Hospital
<b>Reported for</b>	Optional for all additional diagnoses.
<b>Order in Instruction Manual</b>	
<b>Irish Coding Standard</b>	ICS 0048

**Hospital Acquired Diagnosis 30**

<b>Variable</b>	<b>Hospital Acquired Diagnosis 30</b>
<b>Definition</b>	Flag: diagnosis acquired during the patient's episode of care that was not present on admission, 30th diagnosis.
<b>Definition source</b>	ESRI HIPE Unit
<b>Source</b>	Chart
<b>Collected since</b>	2011 - migration to Portal
<b>Collected/Derived</b>	Collected
<b>Code Set</b>	1= Hospital Acquired Diagnosis, otherwise null
<b>Data Entry Guideline</b>	
<b>Variable Name Portal</b>	HADx30
Access	HADx30
SPSS	HADx30
HIPE-PAS interchange	
<b>Data Type</b>	Integer
<b>Field Size</b>	1
<b>Populated in National File</b>	Y
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
<b>Reported by</b>	Hospital
<b>Reported for</b>	Optional for all additional diagnoses.
<b>Order in Instruction Manual</b>	
<b>Irish Coding Standard</b>	ICS 0048

**Hospital Number**

<b>Variable</b>	<b>Hospital Number</b>
<b>Definition</b>	Unique numeric identifier assigned to each hospital by HIPE for operational purposes.
<b>Definition source</b>	ESRI HIPE Unit
<b>Source</b>	Assigned by ESRI HIPE unit
<b>Collected since</b>	pre-1990
<b>Collected/Derived</b>	Collected
<b>Code Set</b>	<a href="#">Hospital Codes</a>
<b>Data Entry Guideline</b>	The 3-digit number is allocated to the hospital by the ESRI for HIPE purposes and is automatically assigned by the HIPE software. This code number differs from the 4-digit DoH hospital codes which are used for transfers to and from hospitals
<b>Variable Name Portal</b>	HOSPITAL
Access	HOSPITAL
SPSS	HOSPITAL
HIPE-PAS interchange	
<b>Data Type</b>	Alphanumeric
<b>Field Size</b>	3
<b>Populated in National File</b>	Y
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
<b>Reported by</b>	Hospital
<b>Reported for</b>	All cases reported to HIPE.
<b>Order in Instruction Manual</b>	1
<b>Irish Coding Standard</b>	

**Intensive Care Consultant 1**

<b>Variable</b>	<b>Intensive Care Consultant 1</b>
<b>Definition</b>	Intensive Care Consultant/Consultant Intensivist. Consultants involved in a case but who do not record a diagnosis or procedure may be captured here. ICU Consultant 1
<b>Definition source</b>	ESRI HIPE Unit
<b>Source</b>	Chart
<b>Collected since</b>	01 JAN 2012 – previously all 10 ICU consultants collected together in ICUCON
<b>Collected/Derived</b>	Collected
<b>Code Set</b>	
<b>Data Entry Guideline</b>	
<b>Variable Name Portal</b>	ICUCONS1
Access	ICUCONS1
SPSS	ICUCONS1
HIPE-PAS interchange	
<b>Data Type</b>	Alphanumeric
<b>Field Size</b>	4
<b>Populated in National File</b>	Y - encrypted
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
<b>Reported by</b>	Hospital
<b>Reported for</b>	Optional for all cases where ITUDAYS greater than or equal to 0
<b>Order in Instruction Manual</b>	22e
<b>Irish Coding Standard</b>	

**Intensive Care Consultant 2**

<b>Variable</b>	<b>Intensive Care Consultant 1</b>
<b>Definition</b>	Intensive Care Consultant/Consultant Intensivist. Consultants involved in a case but who do not record a diagnosis or procedure may be captured here. ICU Consultant 2
<b>Definition source Source</b>	ESRI HIPE Unit Chart
<b>Collected since</b>	01 JAN 2012 – previously all 10 ICU consultants collected together in ICUCON
<b>Collected/Derived Code Set Data Entry Guideline</b>	Collected
<b>Variable Name Portal</b>	ICUCONS2
Access	ICUCONS2
SPSS	ICUCONS2
HIPE-PAS interchange	
<b>Data Type</b>	Alphanumeric
<b>Field Size</b>	4
<b>Populated in National File</b>	Y - encrypted
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
<b>Reported by Reported for</b>	Hospital Optional for all cases where ITUDAYS greater than or equal to 0
<b>Order in Instruction Manual</b>	22e
<b>Irish Coding Standard</b>	

**Intensive Care Consultant 3**

<b>Variable</b>	<b>Intensive Care Consultant 3</b>
<b>Definition</b>	Intensive Care Consultant/Consultant Intensivist. Consultants involved in a case but who do not record a diagnosis or procedure may be captured here. ICU Consultant 3
<b>Definition source Source</b>	ESRI HIPE Unit Chart
<b>Collected since</b>	01 JAN 2012 – previously all 10 ICU consultants collected together in ICUCON
<b>Collected/Derived Code Set Data Entry Guideline</b>	Collected
<b>Variable Name Portal</b>	ICUCONS3
Access	ICUCONS3
SPSS	ICUCONS3
HIPE-PAS interchange	
<b>Data Type</b>	Alphanumeric
<b>Field Size</b>	4
<b>Populated in National File</b>	Y - encrypted
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
<b>Reported by</b>	Hospital
<b>Reported for</b>	Optional for all cases where ITUDAYS greater than or equal to 0
<b>Order in Instruction Manual</b>	22e
<b>Irish Coding Standard</b>	

**Intensive Care Consultant 4**

<b>Variable</b>	<b>Intensive Care Consultant 4</b>
<b>Definition</b>	Intensive Care Consultant/Consultant Intensivist. Consultants involved in a case but who do not record a diagnosis or procedure may be captured here. ICU Consultant 4
<b>Definition source Source</b>	ESRI HIPE Unit Chart
<b>Collected since</b>	01 JAN 2012 – previously all 10 ICU consultants collected together in ICUCON
<b>Collected/Derived Code Set Data Entry Guideline</b>	Collected
<b>Variable Name Portal</b>	ICUCONS4
Access	ICUCONS4
SPSS	ICUCONS4
HIPE-PAS interchange	
<b>Data Type</b>	Alphanumeric
<b>Field Size</b>	4
<b>Populated in National File</b>	Y - encrypted
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
<b>Reported by</b>	Hospital
<b>Reported for</b>	Optional for all cases where ITUDAYS greater than or equal to 0
<b>Order in Instruction Manual</b>	22e
<b>Irish Coding Standard</b>	

**Intensive Care Consultant 5**

<b>Variable</b>	<b>Intensive Care Consultant 5</b>
<b>Definition</b>	Intensive Care Consultant/Consultant Intensivist. Consultants involved in a case but who do not record a diagnosis or procedure may be captured here. ICU Consultant 5
<b>Definition source Source</b>	ESRI HIPE Unit Chart
<b>Collected since</b>	01 JAN 2012 – previously all 10 ICU consultants collected together in ICUCON
<b>Collected/Derived Code Set Data Entry Guideline</b>	Collected
<b>Variable Name Portal</b>	ICUCONS5
Access	ICUCONS5
SPSS	ICUCONS5
HIPE-PAS interchange	
<b>Data Type</b>	Alphanumeric
<b>Field Size</b>	4
<b>Populated in National File</b>	Y - encrypted
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
<b>Reported by</b>	Hospital
<b>Reported for</b>	Optional for all cases where ITUDAYS greater than or equal to 0
<b>Order in Instruction Manual</b>	22e
<b>Irish Coding Standard</b>	



**Intensive Care Consultant 6**

<b>Variable</b>	<b>Intensive Care Consultant 6</b>
<b>Definition</b>	Intensive Care Consultant/Consultant Intensivist. Consultants involved in a case but who do not record a diagnosis or procedure may be captured here. ICU Consultant 6
<b>Definition source Source</b>	ESRI HIPE Unit Chart
<b>Collected since</b>	01 JAN 2012 – previously all 10 ICU consultants collected together in ICUCON
<b>Collected/Derived Code Set Data Entry Guideline</b>	Collected
<b>Variable Name Portal</b>	ICUCONS6
Access	ICUCONS6
SPSS	ICUCONS6
HIPE-PAS interchange	
<b>Data Type</b>	Alphanumeric
<b>Field Size</b>	4
<b>Populated in National File</b>	Y - encrypted
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
<b>Reported by</b>	Hospital
<b>Reported for</b>	Optional for all cases where ITUDAYS greater than or equal to 0
<b>Order in Instruction Manual</b>	22e
<b>Irish Coding Standard</b>	

**Intensive Care Consultant 7**

<b>Variable</b>	<b>Intensive Care Consultant 7</b>
<b>Definition</b>	Intensive Care Consultant/Consultant Intensivist. Consultants involved in a case but who do not record a diagnosis or procedure may be captured here. ICU Consultant 7
<b>Definition source Source</b>	ESRI HIPE Unit Chart
<b>Collected since</b>	01 JAN 2012 – previously all 10 ICU consultants collected together in ICUCON
<b>Collected/Derived Code Set Data Entry Guideline</b>	Collected
<b>Variable Name Portal</b>	ICUCONS7
Access	ICUCONS7
SPSS	ICUCONS7
HIPE-PAS interchange	
<b>Data Type</b>	Alphanumeric
<b>Field Size</b>	4
<b>Populated in National File</b>	Y - encrypted
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
<b>Reported by</b>	Hospital
<b>Reported for</b>	Optional for all cases where ITUDAYS greater than or equal to 0
<b>Order in Instruction Manual</b>	22e
<b>Irish Coding Standard</b>	

**Intensive Care Consultant 8**

<b>Variable</b>	<b>Intensive Care Consultant 8</b>
<b>Definition</b>	Intensive Care Consultant/Consultant Intensivist. Consultants involved in a case but who do not record a diagnosis or procedure may be captured here. ICU Consultant 8
<b>Definition source Source</b>	ESRI HIPE Unit Chart
<b>Collected since</b>	01 JAN 2012 – previously all 10 ICU consultants collected together in ICUCON
<b>Collected/Derived Code Set Data Entry Guideline</b>	Collected
<b>Variable Name Portal</b>	ICUCONS8
Access	ICUCONS8
SPSS	ICUCONS8
HIPE-PAS interchange	
<b>Data Type</b>	Alphanumeric
<b>Field Size</b>	4
<b>Populated in National File</b>	Y - encrypted
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
<b>Reported by</b>	Hospital
<b>Reported for</b>	Optional for all cases where ITUDAYS greater than or equal to 0
<b>Order in Instruction Manual</b>	22e
<b>Irish Coding Standard</b>	

**Intensive Care Consultant 9**

<b>Variable</b>	<b>Intensive Care Consultant 9</b>
<b>Definition</b>	Intensive Care Consultant/Consultant Intensivist. Consultants involved in a case but who do not record a diagnosis or procedure may be captured here. ICU Consultant 9
<b>Definition source Source</b>	ESRI HIPE Unit Chart
<b>Collected since</b>	01 JAN 2012 – previously all 10 ICU consultants collected together in ICUCON
<b>Collected/Derived Code Set Data Entry Guideline</b>	Collected
<b>Variable Name Portal</b>	ICUCONS9
Access	ICUCONS9
SPSS	ICUCONS9
HIPE-PAS interchange	
<b>Data Type</b>	Alphanumeric
<b>Field Size</b>	4
<b>Populated in National File</b>	Y - encrypted
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
<b>Reported by</b>	Hospital
<b>Reported for</b>	Optional for all cases where ITUDAYS greater than or equal to 0
<b>Order in Instruction Manual</b>	22e
<b>Irish Coding Standard</b>	

**Intensive Care Consultant 10**

<b>Variable</b>	<b>Intensive Care Consultant 10</b>
<b>Definition</b>	Intensive Care Consultant/Consultant Intensivist. Consultants involved in a case but who do not record a diagnosis or procedure may be captured here. ICU Consultant 10
<b>Definition source Source</b>	ESRI HIPE Unit Chart
<b>Collected since</b>	01 JAN 2012 – previously all 10 ICU consultants collected together in ICUCON
<b>Collected/Derived Code Set Data Entry Guideline</b>	Collected
<b>Variable Name Portal</b>	ICUCONS10
Access	ICUCONS10
SPSS	ICUCONS10
HIPE-PAS interchange	
<b>Data Type</b>	Alphanumeric
<b>Field Size</b>	4
<b>Populated in National File</b>	Y - encrypted
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
<b>Reported by</b>	Hospital
<b>Reported for</b>	Optional for all cases where ITUDAYS greater than or equal to 0
<b>Order in Instruction Manual</b>	22e
<b>Irish Coding Standard</b>	

**Major Diagnostic Category**

<b>Variable</b>	<b>Major Diagnostic Category (MDC)</b>
<b>Definition</b>	The MDC is a category generally based on a single body system or aetiology that is associated with a particular medical specialty. However, records assigned to MDCs 01, 15, 18 and 21 may have principal diagnoses associated with other categories. In AR-DRG Version 6.0, there are 23 MDCs. <a href="http://www.health.gov.au/internet/main/publishing.nsf/Content/health-casemix-glossary1.htm">http://www.health.gov.au/internet/main/publishing.nsf/Content/health-casemix-glossary1.htm</a>
<b>Definition source</b>	Grouper Version 6.0
<b>Source</b>	Grouping Programme
<b>Collected since</b>	2005 using Grouper 5.1, 2009 using Grouper 6.0
<b>Collected/Derived</b>	Derived
<b>Code Set</b>	
<b>Data Entry Guideline</b>	
<b>Variable Name Portal</b>	MDC
Access	MDC
SPSS	MDC
HIPE-PAS interchange	
<b>Data Type</b>	Alphanumeric
<b>Field Size</b>	2
<b>Populated in National File</b>	Y
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
<b>Reported by</b>	
<b>Reported for</b>	All cases reported to HIPE
<b>Order in Instruction Manual</b>	
<b>Irish Coding Standard</b>	

**Marital/Civil Status**

<b>Variable</b>	<b>Marital/Civil Status</b>
<b>Definition</b>	Current marital/civil status of the patient.
<b>Definition source</b>	ESRI HIPE Unit
<b>Source</b>	Hospital PAS
<b>Collected since</b>	Pre-1990, updated in 2001 and updated 2012 following Civil Partnership and Certain Rights and Obligations of Cohabitants Act 2010.
<b>Collected/Derived</b>	Collected
<b>Code Set</b>	<a href="#">MARR</a>
<b>Data Entry Guideline</b>	
<b>Variable Name Portal</b>	MARRSTATUS
Access	MARR
SPSS	MARR
HIPE-PAS interchange	MARR
<b>Data Type</b>	Integer
<b>Field Size</b>	1
<b>Populated in National File</b>	Y
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
<b>Reported by</b>	Hospital
<b>Reported for</b>	All cases reported to HIPE.
<b>Order in Instruction Manual</b>	11
<b>Irish Coding Standard</b>	

**Medical Card**

<b>Variable</b>	<b>Medical Card</b>
<b>Definition</b>	Medical Card Indicator
<b>Definition source</b>	ESRI HIPE Unit
<b>Source</b>	Hospital PAS
<b>Collected since</b>	1994
<b>Collected/Derived</b>	Collected
<b>Code Set</b>	<a href="#">MCARD</a>
<b>Data Entry Guideline</b>	Medical Card Indicator
<b>Variable Name Portal</b>	HASMEDCARD
Access	MEDICAL
SPSS	MEDICAL
HIPE-PAS interchange	MED_CARD
<b>Data Type</b>	Integer
<b>Field Size</b>	1
<b>Populated in National File</b>	Y
<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>	
<b>Reported by</b>	Hospital
<b>Reported for</b>	All cases reported to HIPE.
<b>Order in Instruction Manual</b>	12
<b>Irish Coding Standard</b>	



**Medical Card Number**

<b>Variable</b>	<b>Medical Card Number</b>
<b>Definition</b>	General Medical Services Patient Number/Medical Card Number
<b>Definition source</b>	DoH
<b>Source</b>	Hospital PAS
<b>Collected since</b>	1999 to 2007 optional; 2008 mandatory where medical=1. From Oct 2010 this not populated in national file
<b>Collected/Derived</b>	Collected
<b>Code Set</b>	
<b>Data Entry Guideline</b>	"NA" may be entered if the specific medical card number is unknown but it is known that the patient has a medical card.
<b>Variable Name Portal</b>	MCN
Access	MCN
SPSS	MCN
HIPE-PAS interchange	MCN
<b>Data Type</b>	Alphanumeric
<b>Field Size</b>	8
<b>Populated in National File</b>	N
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
<b>Reported by</b>	Hospital
<b>Reported for</b>	All cases where Medical Card = 1, Yes
<b>Order in Instruction Manual</b>	13
<b>Irish Coding Standard</b>	

**Medical Record Number**

<b>Variable</b>	<b>Medical Record Number</b>
<b>Definition</b>	Unique identifier assigned by hospital to this patient within this hospital but not necessarily unique to this patient encounter. All encounters relating to a particular patient in the same hospital should be recorded under the same MRN, but this is not always possible.
<b>Definition source</b>	Hospital
<b>Source</b>	Hospital PAS
<b>Collected since</b>	pre-1990
<b>Collected/Derived</b>	Collected
<b>Code Set</b>	
<b>Data Entry Guideline</b>	Determined by the hospital, if number of digits is less than 7, place leading zeros before the Chart Number. Up to 2 Alphanumeric digits allowed, place these before the chart number and in the first position. Chart numbers that are keyed as 6-digits are stored with # in the first position on the National File
<b>Variable Name Portal</b>	MRN
Access	MRN
SPSS	MRN
HIPE-PAS interchange	MRN
<b>Data Type</b>	Alphanumeric
<b>Field Size</b>	7
<b>Populated in National File</b>	Y
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
<b>Reported by</b>	Hospital
<b>Reported for</b>	All cases reported to HIPE.
<b>Order in Instruction Manual</b>	2
<b>Irish Coding Standard</b>	

## Mode of Emergency Admission

Variable	Mode of Emergency Admission
<b>Definition</b>	Indicates where the patient was treated prior to being admitted into the hospital as an emergency in-patient or when the patient was treated only in a registered Medical Assessment Unit (MAU). MAU must be registered with DoH.
<b>Definition source</b>	ESRI HIPE Unit
<b>Source</b>	Hospital PAS
<b>Collected since</b>	2004
<b>Collected/Derived</b>	Collected
<b>Code Set</b>	<a href="#">EMADM</a>
<b>Data Entry Guideline</b>	Use code = 2 where Patient is admitted as In-Patient through the MAU. Use code =5 if the patient is admitted to the MAU and discharged from there on the same day.
<b>Variable Name Portal</b>	EMADM
Access	EMADM
SPSS	EMADM
HIPE-PAS interchange	EMADM
<b>Data Type</b>	Integer
<b>Field Size</b>	1
<b>Populated in National File</b>	Y
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
<b>Reported by</b>	Hospital
<b>Reported for</b>	All cases reported to HIPE where Admission Type is 4 (Emergency), 5 (Emergency Readmission), or 7 (New born).
<b>Order in Instruction Manual</b>	4
<b>Irish Coding Standard</b>	

**NHO flag**

<b>Variable</b>	<b>NHO flag</b>
<b>Definition</b>	National Hospital Office Flag
<b>Definition source</b>	ESRI HIPE Unit
<b>Source</b>	Derived
<b>Collected since</b>	2009
<b>Collected/Derived</b>	Derived
<b>Code Set</b>	<a href="#">Hospital Codes</a>
<b>Data Entry Guideline</b>	
<b>Variable Name Portal</b>	NHO
Access	NHO
SPSS	NHO
HIPE-PAS interchange	
<b>Data Type</b>	Integer
<b>Field Size</b>	1
<b>Populated in National File</b>	Y
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
<b>Reported by</b>	
<b>Reported for</b>	All cases reported to HIPE.
<b>Order in Instruction Manual</b>	
<b>Irish Coding Standard</b>	

## Non Acute Length of Stay: Temporary Leave Days

<b>Variable</b>	<b>Non Acute Length of Stay: Temporary Leave Days</b>
<b>Definition</b>	Number of days a patient did not spend in hospital during an episode.
<b>Definition source</b>	DoH
<b>Source</b>	Chart
<b>Collected since</b>	2007
<b>Collected/Derived Code Set</b>	Collected
<b>Data Entry Guideline</b>	<p>A patient is temporarily discharged when: the patient is allowed to leave the hospital for a short number of days; their bed in hospital remains for their use and is not available for another patient; the patient returns after the specified amount of time to continue their ongoing care. Temporary Leave Days do NOT apply in the following situations:</p> <ol style="list-style-type: none"> <li>1) patient is considered clinically discharged but continues to reside in a bed prior to transfer elsewhere</li> <li>2) patient is temporarily sent to another hospital for a day to undergo a particular procedure</li> <li>3) where the patient returns home during a day and returns to hospital before midnight</li> <li>4) where a patient returns home for more than 3 days and is then readmitted</li> </ol>
<b>Variable Name Portal</b>	TLDAYS
Access	NALOS
SPSS	NALOS
HIPE-PAS interchange	NONACUTE
<b>Data Type</b>	Integer
<b>Field Size</b>	3
<b>Populated in National File</b>	Y
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
<b>Reported by</b>	Hospital
<b>Reported for</b>	All cases reported to HIPE where a patient is temporarily discharged.
<b>Order in Instruction Manual</b>	25
<b>Irish Coding Standard</b>	HIPE Guideline I

## Number of Days in Intensive Care Environment

Variable	Number of Days in Intensive Care Environment
<b>Definition</b>	This identifies the number of days, or part thereof, the patient spent in an intensive care environment e.g. ICU/ITU/CCU/HDU/NITU etc.
<b>Definition source</b>	ESRI HIPE Unit
<b>Source</b>	Hospital PAS
<b>Collected since</b>	1996 - 2001 optional; 2002 – 2010 mandatory. 2011 - definition revised from "based on midnight census" to "can be based on midnight census"
<b>Collected/Derived</b>	Collected
<b>Code Set</b>	
<b>Data Entry Guideline</b>	The midnight census can be used to determine the number of days spent in these environments. If the patient spends less than 1 day in these environments and is not present at the time of the midnight census, a stay of less than one day can optionally be recorded as '1' day. Where part of day is spent in ICU the allocation of public/private/semi-private days can be adjusted accordingly.
<b>Variable Name Portal</b>	ITUDAYS
Access	ITU_DAYS
SPSS	ITU_DAYS
HIPE-PAS interchange	ITU_DAYS
<b>Data Type</b>	Integer
<b>Field Size</b>	1
<b>Populated in National File</b>	Y
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
<b>Reported by</b>	Hospital
<b>Reported for</b>	All cases reported to HIPE.
<b>Order in Instruction Manual</b>	19
<b>Irish Coding Standard</b>	

**Oncology Day Ward Flag**

<b>Variable</b>	<b>Oncology Day Ward Flag</b>
<b>Definition</b>	Oncology Ward Repeat Status
<b>Definition source</b>	ESRI HIPE Unit
<b>Source</b>	Chart
<b>Collected since</b>	2010
<b>Collected/Derived</b>	Collected
<b>Code Set</b>	<a href="#">RepeatStatus</a>
<b>Data Entry Guideline</b>	Stores the value of the oncology ward repeat status
<b>Variable Name Portal</b>	RepeatStatus
Access	RepeatStatus
SPSS	RepeatStatus
HIPE-PAS interchange	
<b>Data Type</b>	Integer
<b>Field Size</b>	1
<b>Populated in National File</b>	Y
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
<b>Reported by</b>	Hospital
<b>Reported for</b>	All cases reported to HIPE.
<b>Order in Instruction Manual</b>	18
<b>Irish Coding Standard</b>	ICS 20X0

**Parity: Live births**

<b>Variable</b>	<b>Parity: Live births</b>
<b>Definition</b>	Number of previous live births
<b>Definition source</b>	ESRI HIPE Unit
<b>Source</b>	Chart
<b>Collected since</b>	2011 - migration to Portal
<b>Collected/Derived</b>	Collected
<b>Code Set</b>	
<b>Data Entry Guideline</b>	Current pregnancy is not included. If information is not available please enter NA.
<b>Variable Name Portal</b>	LiveBirths
Access	LiveBirths
SPSS	LiveBirths
HIPE-PAS interchange	
<b>Data Type</b>	Char
<b>Field Size</b>	2
<b>Populated in National File</b>	Y
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
<b>Reported by</b>	Hospital
<b>Reported for</b>	Mandatory where admission type = 6 (maternity), optional for other female patients.
<b>Order in Instruction Manual</b>	26
<b>Irish Coding Standard</b>	HIPE Guideline VII



**Parity: Still births**

<b>Variable</b>	<b>Parity: Still births</b>
<b>Definition</b>	Number of previous still births
<b>Definition source</b>	ESRI HIPE Unit
<b>Source</b>	Chart
<b>Collected since</b>	2011 - migration to Portal
<b>Collected/Derived</b>	Collected
<b>Code Set</b>	
<b>Data Entry Guideline</b>	Current pregnancy is not included. If information is not available please enter NA.
<b>Variable Name Portal</b>	Stillbirths
Access	Stillbirths
SPSS	StillBirths
HIPE-PAS interchange	
<b>Data Type</b>	Char
<b>Field Size</b>	2
<b>Populated in National File</b>	Y
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
<b>Reported by</b>	Hospital
<b>Reported for</b>	Mandatory where admission type = 6 (maternity), optional for other female patients.
<b>Order in Instruction Manual</b>	26
<b>Irish Coding Standard</b>	HIPE Guideline VII

**Patient's Name**

<b>Variable</b>	<b>Patient's Name</b>
<b>Definition</b>	The patient's name
<b>Definition source</b>	Hospital
<b>Source</b>	Hospital PAS
<b>Collected since</b>	Pre 1990
<b>Collected/Derived</b>	Collected
<b>Code Set</b>	
<b>Data Entry Guideline</b>	
<b>Variable Name Portal</b>	FULLNAME
Access	NAMEVAL
SPSS	NAMEVAL
HIPE-PAS interchange	NAME
<b>Data Type</b>	Alphanumeric
<b>Field Size</b>	15
<b>Populated in National File</b>	N
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
<b>Reported by</b>	Hospital
<b>Reported for</b>	All cases reported to HIPE.
<b>Order in Instruction Manual</b>	
<b>Irish Coding Standard</b>	

**Primary Consultant**

<b>Variable</b>	<b>Primary Consultant</b>
<b>Definition</b>	The primary consultant of a case is the consultant who has overall responsibility for the case.
<b>Definition source</b>	ESRI HIPE Unit
<b>Source</b>	Hospital PAS
<b>Collected since</b>	01 September 2008
<b>Collected/Derived</b>	Collected
<b>Code Set</b>	
<b>Data Entry Guideline</b>	Where the entire case is handled by one consultant his/her code number need be entered only opposite the principal diagnosis. If more than one consultant is involved in a case the relevant consultant number will be placed opposite the relevant diagnosis/procedures
<b>Variable Name Portal</b>	PrimaryCons
Access	PRICON
SPSS	PRICON
HIPE-PAS interchange	PRICON
<b>Data Type</b>	Alphanumeric
<b>Field Size</b>	4
<b>Populated in National File</b>	Y - encrypted
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
<b>Reported by</b>	Hospital
<b>Reported for</b>	All cases reported to HIPE.
<b>Order in Instruction Manual</b>	22a
<b>Irish Coding Standard</b>	

**Principal Diagnosis**

<b>Variable</b>	<b>Principal Diagnosis</b>
<b>Definition</b>	The diagnosis established after study to be chiefly responsible for occasioning the episode of admitted patient care.
<b>Definition source Source</b>	6th ed ICD-10-AM/ACHI/ACS/ICS Chart
<b>Collected since</b>	pre-1990. name Name change 2011 from DIAG to DIAG1
<b>Collected/Derived Code Set Data Entry Guideline</b>	Collected 6th ed ICD-10-AM/ACHI/ACS/ICS
<b>Variable Name Portal</b>	DIAG1
Access	DIAG
SPSS	DIAG1
HIPE-PAS interchange	
<b>Data Type</b>	Alphanumeric
<b>Field Size</b>	5
<b>Populated in National File</b>	y
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
<b>Reported by</b>	Hospital
<b>Reported for</b>	All cases reported to HIPE.
<b>Order in Instruction Manual</b>	
<b>Irish Coding Standard</b>	

**Principal Diagnosis Consultant**

<b>Variable</b>	<b>Principal Diagnosis Consultant</b>
<b>Definition</b>	Consultant responsible for the principal diagnosis.
<b>Definition source</b>	ESRI- HIPE unit
<b>Source</b>	Chart
<b>Collected since</b>	pre-1990. name Name change 2011 formally DCON
<b>Collected/Derived</b>	Collected
<b>Code Set</b>	
<b>Data Entry Guideline</b>	
<b>Variable Name Portal</b>	DIAGCONS1
Access	DCON
SPSS	DCON
HIPE-PAS interchange	
<b>Data Type</b>	Alphanumeric
<b>Field Size</b>	4
<b>Populated in National File</b>	y - encrypted
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
<b>Reported by</b>	Hospital
<b>Reported for</b>	All cases reported to HIPE.
<b>Order in Instruction Manual</b>	22
<b>Irish Coding Standard</b>	

## Principal Procedure

Variable	Principal Procedure
<b>Definition</b>	The principal procedure is the procedure performed for treatment of the principal diagnosis or a diagnostic/exploratory procedure related to the principal diagnosis. A procedure is defined as a clinical intervention that is surgical in nature, carries a procedural risk and/or carries an anaesthetic risk and/or requires specialised training and/or requires special facilities or equipment only available in an acute care setting.
<b>Definition source</b>	6th ed ICD-10-AM/ACHI/ACS/ICS
<b>Source</b>	Chart
<b>Collected since</b>	Pre-1990. Name change 2011 formally PROC .
<b>Collected/Derived</b>	Collected
<b>Code Set</b>	6th ed ICD-10-AM/ACHI/ACS/ICS
<b>Data Entry Guideline</b>	The order of procedures is determined by the following hierarchy: procedure performed for treatment of principal diagnosis, procedure performed for treatment of an additional diagnosis, diagnostic/exploratory procedure related to principal diagnosis, diagnostic procedure related to additional diagnosis
<b>Variable Name Portal</b>	PROC1
Access	PROC
SPSS	PROC1
HIPE-PAS interchange	
<b>Data Type</b>	Integer
<b>Field Size</b>	7
<b>Populated in National File</b>	Y
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
<b>Reported by</b>	Hospital
<b>Reported for</b>	All cases where a procedure was performed.
<b>Order in Instruction Manual</b>	
<b>Irish Coding Standard</b>	

**Principal Procedure Anaesthetist**

<b>Variable</b>	<b>Principal Procedure Anaesthetist</b>
<b>Definition</b>	Consultant anaesthetist responsible for anaesthetics in principal procedure
<b>Definition source</b>	ESRI HIPE Unit
<b>Source</b>	Chart
<b>Collected since</b>	01 Sep 2008. Name change 2011 formally P1ANA
<b>Collected/Derived</b>	Collected
<b>Code Set</b>	
<b>Data Entry Guideline</b>	
<b>Variable Name Portal</b>	ANACONS1
Access	P1ANA
SPSS	ANACONS1
HIPE-PAS interchange	
<b>Data Type</b>	Alphanumeric
<b>Field Size</b>	4
<b>Populated in National File</b>	Y - encrypted
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
<b>Reported by</b>	Hospital
<b>Reported for</b>	All cases where the procedure is performed with anaesthetic.
<b>Order in Instruction Manual</b>	22d
<b>Irish Coding Standard</b>	

## Principal Procedure Consultant

Variable	Principal Procedure Consultant
<b>Definition</b>	Consultant responsible for principal procedure
<b>Definition source</b>	ESRI HIPE Unit
<b>Source</b>	Chart
<b>Collected since</b>	pre-1990. Name change 2011 formally PCON
<b>Collected/Derived</b>	Collected
<b>Code Set</b>	
<b>Data Entry Guideline</b>	
<b>Variable Name Portal</b>	PROCCONS1
Access	PCON
SPSS	PROCCONS1
HIPE-PAS interchange	
<b>Data Type</b>	Alphanumeric
<b>Field Size</b>	4
<b>Populated in National File</b>	Y - encrypted
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
<b>Reported by</b>	Hospital
<b>Reported for</b>	All cases where a procedure was performed.
<b>Order in Instruction Manual</b>	
<b>Irish Coding Standard</b>	



**Private Bed**

<b>Variable</b>	<b>Private Bed</b>
<b>Definition</b>	Number of days patient spent in a private bed
<b>Definition source</b>	ESRI HIPE Unit
<b>Source</b>	Hospital PAS
<b>Collected since</b>	2002
<b>Collected/Derived</b>	Collected
<b>Code Set</b>	
<b>Data Entry Guideline</b>	
<b>Variable Name Portal</b>	PRIVDAYS
Access	PRIV_DAYS
SPSS	PRIV_DAYS
HIPE-PAS interchange	PRIV_DAYS
<b>Data Type</b>	Integer
<b>Field Size</b>	3
<b>Populated in National File</b>	Y
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
<b>Reported by</b>	Hospital
<b>Reported for</b>	All cases reported to HIPE.
<b>Order in Instruction Manual</b>	20
<b>Irish Coding Standard</b>	

**Public Bed**

<b>Variable</b>	<b>Public Bed</b>
<b>Definition</b>	Number of days patient spent in a public bed
<b>Definition source</b>	ESRI HIPE Unit
<b>Source</b>	Hospital PAS
<b>Collected since</b>	2002 - optional; 2008 mandatory
<b>Collected/Derived</b>	Collected
<b>Code Set</b>	
<b>Data Entry Guideline</b>	
<b>Variable Name Portal</b>	PUBDAYS
Access	PUB_DAYS
SPSS	PUB_DAYS
HIPE-PAS interchange	PUB_DAYS
<b>Data Type</b>	Integer
<b>Field Size</b>	3
<b>Populated in National File</b>	Y
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
<b>Reported by</b>	Hospital
<b>Reported for</b>	All cases reported to HIPE.
<b>Order in Instruction Manual</b>	21
<b>Irish Coding Standard</b>	

**Semi Private Bed**

<b>Variable</b>	<b>Semi Private Bed</b>
<b>Definition</b>	Number of days patient spent in a semi private bed
<b>Definition source</b>	ESRI HIPE Unit
<b>Source</b>	Hospital PAS
<b>Collected since</b>	2011 - migration to Portal
<b>Collected/Derived</b>	Collected
<b>Code Set</b>	
<b>Data Entry Guideline</b>	
<b>Variable Name Portal</b>	SEMIPRIVDAYS
Access	SPRIVDAYS
SPSS	SPRIVDAYS
HIPE-PAS interchange	SPRIVDAYS
<b>Data Type</b>	Integer
<b>Field Size</b>	3
<b>Populated in National File</b>	Y
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
<b>Reported by</b>	Hospital
<b>Reported for</b>	All cases reported to HIPE.
<b>Order in Instruction Manual</b>	20
<b>Irish Coding Standard</b>	

**Sex**

<b>Variable</b>	<b>Sex</b>
<b>Definition</b>	The sex of the patient
<b>Definition source</b>	ESRI HIPE Unit
<b>Source</b>	Hospital PAS
<b>Collected since</b>	pre-1990
<b>Collected/Derived</b>	Collected
<b>Code Set</b>	<a href="#">SEX</a>
<b>Data Entry Guideline</b>	
<b>Variable Name Portal</b>	SEX
Access	SEX
SPSS	SEX
HIPE-PAS interchange	SEX
<b>Data Type</b>	Integer
<b>Field Size</b>	1
<b>Populated in National File</b>	Y
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
<b>Reported by</b>	Hospital
<b>Reported for</b>	All cases reported to HIPE.
<b>Order in Instruction Manual</b>	10
<b>Irish Coding Standard</b>	

**Source of Admission**

<b>Variable</b>	<b>Source of Admission</b>
<b>Definition</b>	Describes where the patient was admitted from. It does not refer to where an emergency or accident occurred.
<b>Definition source</b>	ESRI HIPE Unit
<b>Source</b>	Hospital PAS
<b>Collected since</b>	2002
<b>Collected/Derived</b>	Collected
<b>Code Set</b>	<a href="#">ADMSOURCE</a>
<b>Data Entry Guideline</b>	
<b>Variable Name Portal</b>	ADMSOURCE
Access	ADMSOURCE
SPSS	ADMSOURCE
HIPE-PAS interchange	ADMSOURCE
<b>Data Type</b>	Integer
<b>Field Size</b>	1
<b>Populated in National File</b>	Y
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
<b>Reported by</b>	Hospital
<b>Reported for</b>	All cases reported to HIPE.
<b>Order in Instruction Manual</b>	5
<b>Irish Coding Standard</b>	

**Time of Admission**

<b>Variable</b>	<b>Time of Admission</b>
<b>Definition</b>	Time patient is admitted to ward.
<b>Definition source</b>	Casemix Technical Group
<b>Source</b>	Hospital PAS
<b>Collected since</b>	2012
<b>Collected/Derived</b>	Collected
<b>Code Set</b>	
<b>Data Entry Guideline</b>	
<b>Variable Name Portal</b>	ADMTIME
Access	ADMTIME
SPSS	ADMTIME
HIPE-PAS interchange	TADM
<b>Data Type</b>	Alphanumeric
<b>Field Size</b>	4
<b>Populated in National File</b>	Y
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
<b>Reported by</b>	Hospital
<b>Reported for</b>	All cases reported to HIPE.
<b>Order in Instruction Manual</b>	3a
<b>Irish Coding Standard</b>	

**Time of Discharge**

<b>Variable</b>	<b>Time of Discharge</b>
<b>Definition</b>	Time patient is discharged from hospital
<b>Definition source</b>	Casemix Technical Group
<b>Source</b>	Hospital PAS
<b>Collected since</b>	2012
<b>Collected/Derived</b>	Collected
<b>Code Set</b>	
<b>Data Entry Guideline</b>	
<b>Variable Name Portal</b>	DISTIME
Access	DISTIME
SPSS	DISTIME
HIPE-PAS interchange	TDIS
<b>Data Type</b>	Alphanumeric
<b>Field Size</b>	4
<b>Populated in National File</b>	Y
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
<b>Reported by</b>	Hospital
<b>Reported for</b>	All cases reported to HIPE.
<b>Order in Instruction Manual</b>	6a
<b>Irish Coding Standard</b>	

**Transfer Hospital: From**

<b>Variable</b>	<b>Transfer Hospital: From</b>
<b>Definition</b>	Hospital from which the patient was transferred
<b>Definition source</b>	DoH
<b>Source</b>	Hospital PAS
<b>Collected since</b>	1994
<b>Collected/Derived</b>	Collected
<b>Code Set</b>	<a href="#">Hospital Codes</a>
<b>Data Entry Guideline</b>	When ADMSOURCE is entered as 3, Portal directs to TRANSFER_I question
<b>Variable Name Portal</b>	TRANSFERINHOSP
Access	TRANSFER_I
SPSS	TRANSFER_I
HIPE-PAS interchange	TRANSFER_I
<b>Data Type</b>	Integer
<b>Field Size</b>	4
<b>Populated in National File</b>	Y
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
<b>Reported by</b>	Hospital
<b>Reported for</b>	All cases reported to HIPE where Source of admission = 3
<b>Order in Instruction Manual</b>	5
<b>Irish Coding Standard</b>	



**Transfer Hospital: To**

<b>Variable</b>	<b>Transfer Hospital: To</b>
<b>Definition</b>	Hospital to which the patient was transferred
<b>Definition source</b>	DoH
<b>Source</b>	Hospital PAS
<b>Collected since</b>	1994
<b>Collected/Derived</b>	Collected
<b>Code Set</b>	<a href="#">Hospital Codes</a>
<b>Data Entry Guideline</b>	When DISC_CODE is entered as 03 or 04, Portal directs to TRANSFER_O question
<b>Variable Name Portal</b>	TRANSFEROUTHOSP
Access	TRANSFER_O
SPSS	TRANSFER_O
HIPE-PAS interchange	TRANSFER_O
<b>Data Type</b>	Integer
<b>Field Size</b>	4
<b>Populated in National File</b>	Y
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
<b>Reported by</b>	Hospital
<b>Reported for</b>	All cases where Discharge code = 03 or 04
<b>Order in Instruction Manual</b>	7
<b>Irish Coding Standard</b>	

**Type of Admission**

<b>Variable</b>	<b>Type of Admission</b>
<b>Definition</b>	The category of admission relating to this episode of care, indicates the priority of the admission.
<b>Definition source</b>	ESRI HIPE Unit
<b>Source</b>	Hospital PAS
<b>Collected since</b>	2002; amended 2009
<b>Collected/Derived</b>	Collected
<b>Code Set</b>	<a href="#">ADMTYPE</a>
<b>Data Entry Guideline</b>	Elective MAU Admissions to registered MAUs will record an elective admission type. The admitting ward will record the MAU ward code and the discharge ward will be coded as appropriate.
<b>Variable Name Portal</b>	ADMTYPE
Access	ADMTYPE
SPSS	ADMTYPE
HIPE-PAS interchange	ADMTYPE
<b>Data Type</b>	Integer
<b>Field Size</b>	1
<b>Populated in National File</b>	Y
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
<b>Reported by</b>	Hospital
<b>Reported for</b>	All cases reported to HIPE.
<b>Order in Instruction Manual</b>	4
<b>Irish Coding Standard</b>	

**Waiting List Indicator**

<b>Variable</b>	<b>Waiting List Indicator</b>
<b>Definition</b>	Is the case funded by the National Treatment Purchase Fund, yes or no
<b>Definition source</b>	ESRI HIPE Unit
<b>Source</b>	Hospital PAS
<b>Collected since</b>	2004
<b>Collected/Derived</b>	Collected
<b>Code Set</b>	<a href="#">WLIST</a>
<b>Data Entry Guideline</b>	
<b>Variable Name Portal</b>	WLIST
Access	WLIST
SPSS	WLIST
HIPE-PAS interchange	WLIST
<b>Data Type</b>	Integer
<b>Field Size</b>	1
<b>Populated in National File</b>	Y
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
<b>Reported by</b>	Hospital
<b>Reported for</b>	All cases reported to HIPE where Admission Type is 1 (Elective) or 2 (Elective Readmission).
<b>Order in Instruction Manual</b>	4
<b>Irish Coding Standard</b>	

**1st Additional Diagnosis**

<b>Variable</b>	<b>1st Additional Diagnosis</b>
<b>Definition</b>	A condition or complaint either coexisting with the principal diagnosis or arising during the episode of admitted patient care. Interpreted as conditions that affect patient management.
<b>Definition source</b>	6th ed ICD-10-AM/ACHI/ACS/ICS
<b>Source</b>	Chart
<b>Collected since</b>	Pre 1990. Name change 2011 formally C2DIA
<b>Collected/Derived</b>	Collected
<b>Code Set</b>	6th ed ICD-10-AM/ACHI/ACS/ICS
<b>Data Entry Guideline</b>	
<b>Variable Name Portal</b>	DIAG2
Access	C2DIA
SPSS	DIAG2
HIPE-PAS interchange	
<b>Data Type</b>	Alphanumeric
<b>Field Size</b>	5
<b>Populated in National File</b>	Y
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
<b>Reported by</b>	Hospital
<b>Reported for</b>	All cases where at least an additional diagnosis was made.
<b>Order in Instruction Manual</b>	
<b>Irish Coding Standard</b>	

## 1st Additional Diagnosis Consultant

<b>Variable</b>	<b>1st Additional Diagnosis Consultant</b>
<b>Definition</b>	Consultant attending 1st additional diagnosis.
<b>Definition source</b>	ESRI HIPE Unit
<b>Source</b>	Chart
<b>Collected since</b>	1990. Name change 2011 formally C2CON
<b>Collected/Derived</b>	Collected
<b>Code Set</b>	
<b>Data Entry Guideline</b>	
<b>Variable Name Portal</b>	DIAGCONS2
Access	C2CON
SPSS	DIAGCONS2
HIPE-PAS interchange	
<b>Data Type</b>	Alphanumeric
<b>Field Size</b>	4
<b>Populated in National File</b>	Y - encrypted
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
<b>Reported by</b>	Hospital
<b>Reported for</b>	All cases where at least 1 additional diagnosis was made.
<b>Order in Instruction Manual</b>	
<b>Irish Coding Standard</b>	

**1st Additional Procedure**

<b>Variable</b>	<b>1st Additional Procedure</b>
<b>Definition</b>	Clinical intervention that is surgical in nature, carries a procedural risk and/or carries an anaesthetic risk and/or requires specialised training and/or requires special facilities or equipment only available in an acute care setting.
<b>Definition source</b>	6th ed ICD-10-AM/ACHI/ACS/ICS
<b>Source</b>	Chart
<b>Collected since</b>	1990. Name change 2011 formally P2PRO
<b>Collected/Derived</b>	Collected
<b>Code Set</b>	6th ed ICD-10-AM/ACHI/ACS/ICS
<b>Data Entry Guideline</b>	The order of procedures is determined by the following hierarchy: procedure performed for treatment of principal diagnosis, procedure performed for treatment of an additional diagnosis, diagnostic/exploratory procedure related to principal diagnosis, diagnostic procedure related to additional diagnosis
<b>Variable Name Portal</b>	PROC2
Access	P2PRO
SPSS	PROC2
HIPE-PAS interchange	
<b>Data Type</b>	Integer
<b>Field Size</b>	7
<b>Populated in National File</b>	Y
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
<b>Reported by</b>	Hospital
<b>Reported for</b>	All cases where at least one additional procedure was performed.
<b>Order in Instruction Manual</b>	
<b>Irish Coding Standard</b>	

**1st Additional Procedure Anaesthetist**

<b>Variable</b>	<b>1st Additional Procedure Anaesthetist</b>
<b>Definition</b>	Anaesthetist responsible for anaesthetics in 1st additional procedure.
<b>Definition source</b>	ESRI HIPE Unit
<b>Source</b>	Chart
<b>Collected since</b>	01 Sep 2008. Name change 2011 formally P2ANA
<b>Collected/Derived</b>	Collected
<b>Code Set</b>	
<b>Data Entry Guideline</b>	
<b>Variable Name Portal</b>	ANACONS2
Access	P2ANA
SPSS	ANACONS2
HIPE-PAS interchange	
<b>Data Type</b>	Alphanumeric
<b>Field Size</b>	4
<b>Populated in National File</b>	Y - encrypted
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
<b>Reported by</b>	Hospital
<b>Reported for</b>	All cases where the 1st additional procedure was performed with anaesthetic.
<b>Order in Instruction Manual</b>	22d
<b>Irish Coding Standard</b>	

**1st Additional Procedure Consultant**

<b>Variable</b>	<b>1st Additional Procedure Consultant</b>
<b>Definition</b>	Consultant responsible for 1st additional procedure
<b>Definition source</b>	ESRI HIPE Unit
<b>Source</b>	Chart
<b>Collected since</b>	1990. Name change 2011 formally P2CON
<b>Collected/Derived</b>	Collected
<b>Code Set</b>	
<b>Data Entry Guideline</b>	
<b>Variable Name Portal</b>	PROCCONS2
Access	P2CON
SPSS	PROCCONS2
HIPE-PAS interchange	
<b>Data Type</b>	Alphanumeric
<b>Field Size</b>	4
<b>Populated in National File</b>	Y - encrypted
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
<b>Reported by</b>	Hospital
<b>Reported for</b>	All cases where at least 1 additional procedure was performed.
<b>Order in Instruction Manual</b>	
<b>Irish Coding Standard</b>	



**2nd Additional Diagnosis**

<b>Variable</b>	<b>2nd Additional Diagnosis</b>
<b>Definition</b>	A condition or complaint either coexisting with the principal diagnosis or arising during the episode of admitted patient care. Interpreted as conditions that affect patient management.
<b>Definition source</b>	6th ed ICD-10-AM/ACHI/ACS/ICS
<b>Source</b>	Chart
<b>Collected since</b>	1990. Name change 2011 formally C3DIA
<b>Collected/Derived</b>	Collected
<b>Code Set</b>	6th ed ICD-10-AM/ACHI/ACS/ICS
<b>Data Entry Guideline</b>	
<b>Variable Name Portal</b>	DIAG3
Access	C3DIA
SPSS	DIAG3
HIPE-PAS interchange	
<b>Data Type</b>	Alphanumeric
<b>Field Size</b>	5
<b>Populated in National File</b>	Y
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
<b>Reported by</b>	Hospital
<b>Reported for</b>	All cases where a 2nd additional diagnosis was made.
<b>Order in Instruction Manual</b>	
<b>Irish Coding Standard</b>	

## 2nd Additional Diagnosis Consultant

<b>Variable</b>	<b>2nd Additional Diagnosis Consultant</b>
<b>Definition</b>	Consultant attending 2nd additional diagnosis
<b>Definition source</b>	ESRI HIPE Unit
<b>Source</b>	Chart
<b>Collected since</b>	1990. Name change 2011 formally C3CON
<b>Collected/Derived</b>	Collected
<b>Code Set</b>	
<b>Data Entry Guideline</b>	
<b>Variable Name Portal</b>	DIAGCONS3
Access	C3CON
SPSS	DIAGCONS3
HIPE-PAS interchange	
<b>Data Type</b>	Alphanumeric
<b>Field Size</b>	4
<b>Populated in National File</b>	Y - encrypted
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
<b>Reported by</b>	Hospital
<b>Reported for</b>	All cases where a 2nd additional diagnoses were made.
<b>Order in Instruction Manual</b>	
<b>Irish Coding Standard</b>	

**2nd Additional Procedure**

<b>Variable</b>	<b>2nd Additional Procedure</b>
<b>Definition</b>	Clinical intervention that is surgical in nature, carries a procedural risk and/or carries an anaesthetic risk and/or requires specialised training and/or requires special facilities or equipment only available in an acute care setting.
<b>Definition source</b>	6th ed ICD-10-AM/ACHI/ACS/ICS
<b>Source</b>	Chart
<b>Collected since</b>	1990. Name change 2011 formally P3PRO
<b>Collected/Derived</b>	Collected
<b>Code Set</b>	6th ed ICD-10-AM/ACHI/ACS/ICS
<b>Data Entry Guideline</b>	The order of procedures is determined by the following hierarchy: procedure performed for treatment of principal diagnosis, procedure performed for treatment of an additional diagnosis, diagnostic/exploratory procedure related to principal diagnosis, diagnostic procedure related to additional diagnosis
<b>Variable Name Portal</b>	PROC3
Access	P3PRO
SPSS	PROC3
HIPE-PAS interchange	
<b>Data Type</b>	Integer
<b>Field Size</b>	7
<b>Populated in National File</b>	Y
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
<b>Reported by</b>	Hospital
<b>Reported for</b>	All cases where a 2nd additional procedure was performed.
<b>Order in Instruction Manual</b>	
<b>Irish Coding Standard</b>	

## 2nd Additional Procedure Anaesthetist

<b>Variable</b>	<b>2nd Additional Procedure Anaesthetist</b>
<b>Definition</b>	Anaesthetist responsible for anaesthetics in 2nd additional procedure.
<b>Definition source</b>	ESRI HIPE Unit
<b>Source</b>	Chart
<b>Collected since</b>	01 Sep 2008. Name change 2011 formally P3ANA
<b>Collected/Derived</b>	Collected
<b>Code Set</b>	
<b>Data Entry Guideline</b>	
<b>Variable Name Portal</b>	ANACONS3
Access	P3ANA
SPSS	ANACONS3
HIPE-PAS interchange	
<b>Data Type</b>	Alphanumeric
<b>Field Size</b>	4
<b>Populated in National File</b>	Y - encrypted
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
<b>Reported by</b>	Hospital
<b>Reported for</b>	All cases where a 2nd additional procedures was performed with anaesthetic.
<b>Order in Instruction Manual</b>	22d
<b>Irish Coding Standard</b>	

## 2nd Additional Procedure Consultant

Variable	2nd Additional Procedure Consultant
<b>Definition</b>	Consultant responsible for 2nd additional procedure.
<b>Definition source</b>	ESRI HIPE Unit
<b>Source</b>	Chart
<b>Collected since</b>	1990. Name change 2011 formally P3CON
<b>Collected/Derived</b>	Collected
<b>Code Set</b>	
<b>Data Entry Guideline</b>	
<b>Variable Name Portal</b>	PROCCONS3
Access	P3CON
SPSS	PROCCONS3
HIPE-PAS interchange	
<b>Data Type</b>	Alphanumeric
<b>Field Size</b>	4
<b>Populated in National File</b>	Y - encrypted
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
<b>Reported by</b>	Hospital
<b>Reported for</b>	All cases where a 2nd additional procedures was performed.
<b>Order in Instruction Manual</b>	
<b>Irish Coding Standard</b>	

**3rd Additional Diagnosis**

<b>Variable</b>	<b>3rd Additional Diagnosis</b>
<b>Definition</b>	A condition or complaint either coexisting with the principal diagnosis or arising during the episode of admitted patient care. Interpreted as conditions that affect patient management.
<b>Definition source</b>	6th ed ICD-10-AM/ACHI/ACS/ICS
<b>Source</b>	Chart
<b>Collected since</b>	1990. Name change 2011 formally C4DIA
<b>Collected/Derived</b>	Collected
<b>Code Set</b>	6th ed ICD-10-AM/ACHI/ACS/ICS
<b>Data Entry Guideline</b>	
<b>Variable Name Portal</b>	DIAG4
Access	C4DIA
SPSS	DIAG4
HIPE-PAS interchange	
<b>Data Type</b>	Alphanumeric
<b>Field Size</b>	5
<b>Populated in National File</b>	Y
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
<b>Reported by</b>	Hospital
<b>Reported for</b>	All cases where a 3rd additional diagnosis was made.
<b>Order in Instruction Manual</b>	
<b>Irish Coding Standard</b>	

**3rd Additional Diagnosis Consultant**

<b>Variable</b>	<b>3rd Additional Diagnosis Consultant</b>
<b>Definition</b>	Consultant attending 3rd additional diagnosis.
<b>Definition source</b>	ESRI HIPE Unit
<b>Source</b>	Chart
<b>Collected since</b>	1990. Name change 2011 formally C4CON
<b>Collected/Derived</b>	Collected
<b>Code Set</b>	
<b>Data Entry Guideline</b>	
<b>Variable Name Portal</b>	DIAGCONS4
Access	C4CON
SPSS	DIAGCONS4
HIPE-PAS interchange	
<b>Data Type</b>	Alphanumeric
<b>Field Size</b>	4
<b>Populated in National File</b>	Y - encrypted
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
<b>Reported by</b>	Hospital
<b>Reported for</b>	All cases where a 3 <sup>rd</sup> additional diagnosis was made.
<b>Order in Instruction Manual</b>	
<b>Irish Coding Standard</b>	

**3rd Additional Procedure**

<b>Variable</b>	<b>3rd Additional Procedure</b>
<b>Definition</b>	Clinical intervention that is surgical in nature, carries a procedural risk and/or carries an anaesthetic risk and/or requires specialised training and/or requires special facilities or equipment only available in an acute care setting.
<b>Definition source</b>	6th ed ICD-10-AM/ACHI/ACS/ICS
<b>Source</b>	Chart
<b>Collected since</b>	1990. Name change 2011 formally P4PRO
<b>Collected/Derived</b>	Collected
<b>Code Set</b>	6th ed ICD-10-AM/ACHI/ACS/ICS
<b>Data Entry Guideline</b>	The order of procedures is determined by the following hierarchy: procedure performed for treatment of principal diagnosis, procedure performed for treatment of an additional diagnosis, diagnostic/exploratory procedure related to principal diagnosis, diagnostic procedure related to additional diagnosis.
<b>Variable Name Portal</b>	PROC4
Access	P4PRO
SPSS	PROC4
HIPE-PAS interchange	
<b>Data Type</b>	Integer
<b>Field Size</b>	6
<b>Populated in National File</b>	Y
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
<b>Reported by</b>	Hospital
<b>Reported for</b>	All cases where a 3rd additional procedure was performed.
<b>Order in Instruction Manual</b>	
<b>Irish Coding Standard</b>	



### 3rd Additional Procedure Anaesthetist

Variable	3rd Additional Procedure Anaesthetist
<b>Definition</b>	Anaesthetist responsible for 3rd additional procedure.
<b>Definition source</b>	ESRI HIPE Unit
<b>Source</b>	Chart
<b>Collected since</b>	1990. Name change 2011 formally P4ANA
<b>Collected/Derived</b>	Collected
<b>Code Set</b>	
<b>Data Entry Guideline</b>	
<b>Variable Name Portal</b>	ANACONS4
Access	P4ANA
SPSS	ANACONS4
HIPE-PAS interchange	
<b>Data Type</b>	Alphanumeric
<b>Field Size</b>	4
<b>Populated in National File</b>	Y - encrypted
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
<b>Reported by</b>	Hospital
<b>Reported for</b>	All cases where a 3rd additional procedure was performed with anaesthetic.
<b>Order in Instruction Manual</b>	22d
<b>Irish Coding Standard</b>	

### 3rd Additional Procedure Consultant

<b>Variable</b>	<b>3rd Additional Procedure Consultant</b>
<b>Definition</b>	Consultant responsible for 3rd additional procedure.
<b>Definition source</b>	ESRI HIPE Unit
<b>Source</b>	Chart
<b>Collected since</b>	1990. Name change 2011 formally P4CON
<b>Collected/Derived</b>	Collected
<b>Code Set</b>	
<b>Data Entry Guideline</b>	
<b>Variable Name Portal</b>	PROCCONS4
Access	P4CON
SPSS	PROCCONS4
HIPE-PAS interchange	
<b>Data Type</b>	Alphanumeric
<b>Field Size</b>	4
<b>Populated in National File</b>	Y - encrypted
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
<b>Reported by</b>	Hospital
<b>Reported for</b>	All cases where a 3rd additional procedures were performed.
<b>Order in Instruction Manual</b>	
<b>Irish Coding Standard</b>	

**4th Additional Diagnosis**

<b>Variable</b>	<b>4th Additional Diagnosis</b>
<b>Definition</b>	A condition or complaint either coexisting with the principal diagnosis or arising during the episode of admitted patient care. Interpreted as conditions that affect patient management.
<b>Definition source</b>	6th ed ICD-10-AM/ACHI/ACS/ICS
<b>Source</b>	Chart
<b>Collected since</b>	1990. Name change 2011 formally C5DIA
<b>Collected/Derived</b>	Collected
<b>Code Set</b>	6th ed ICD-10-AM/ACHI/ACS/ICS
<b>Data Entry Guideline</b>	
<b>Variable Name Portal</b>	DIAG5
Access	C5DIA
SPSS	DIAG5
HIPE-PAS interchange	
<b>Data Type</b>	Alphanumeric
<b>Field Size</b>	5
<b>Populated in National File</b>	Y
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
<b>Reported by</b>	Hospital
<b>Reported for</b>	All cases where a 4th additional diagnosis was made.
<b>Order in Instruction Manual</b>	
<b>Irish Coding Standard</b>	

**4th Additional Diagnosis Consultant**

<b>Variable</b>	<b>4th Additional Diagnosis Consultant</b>
<b>Definition</b>	Consultant attending 4th additional diagnosis.
<b>Definition source</b>	ESRI HIPE Unit
<b>Source</b>	Chart
<b>Collected since</b>	1990. Name change 2011 formally C5CON
<b>Collected/Derived</b>	Collected
<b>Code Set</b>	
<b>Data Entry Guideline</b>	
<b>Variable Name Portal</b>	DIAGCONS5
Access	C5CON
SPSS	DIAGCONS5
HIPE-PAS interchange	
<b>Data Type</b>	Alphanumeric
<b>Field Size</b>	4
<b>Populated in National File</b>	Y - encrypted
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
<b>Reported by</b>	Hospital
<b>Reported for</b>	All cases where a 4th additional diagnosis was made.
<b>Order in Instruction Manual</b>	
<b>Irish Coding Standard</b>	

**4th Additional Procedure**

<b>Variable</b>	<b>4th Additional Procedure</b>
<b>Definition</b>	Clinical intervention that is surgical in nature, carries a procedural risk and/or carries an anaesthetic risk and/or requires specialised training and/or requires special facilities or equipment only available in an acute care setting.
<b>Definition source</b>	6th ed ICD-10-AM/ACHI/ACS/ICS
<b>Source</b>	Chart
<b>Collected since</b>	2002. Name change 2011 formally P5PRO
<b>Collected/Derived</b>	Collected
<b>Code Set</b>	6th ed ICD-10-AM/ACHI/ACS/ICS
<b>Data Entry Guideline</b>	The order of procedures is determined by the following hierarchy: procedure performed for treatment of principal diagnosis, procedure performed for treatment of an additional diagnosis, diagnostic/exploratory procedure related to principal diagnosis, diagnostic procedure related to additional diagnosis.
<b>Variable Name Portal</b>	PROC5
Access	P5PRO
SPSS	PROC5
HIPE-PAS interchange	
<b>Data Type</b>	Integer
<b>Field Size</b>	7
<b>Populated in National File</b>	Y
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
<b>Reported by</b>	Hospital
<b>Reported for</b>	All cases where a 4th additional procedure was performed.
<b>Order in Instruction Manual</b>	
<b>Irish Coding Standard</b>	

## 4th Additional Procedure Anaesthetist

<b>Variable</b>	<b>4th Additional Procedure Anaesthetist</b>
<b>Definition</b>	Anaesthetist responsible for 4th additional procedure.
<b>Definition source</b>	ESRI HIPE Unit
<b>Source</b>	Chart
<b>Collected since</b>	01 Sep 2008. Name change 2011 formally P5ANA
<b>Collected/Derived</b>	Collected
<b>Code Set</b>	
<b>Data Entry Guideline</b>	
<b>Variable Name Portal</b>	ANACONS5
Access	P5ANA
SPSS	ANACONS5
HIPE-PAS interchange	
<b>Data Type</b>	Alphanumeric
<b>Field Size</b>	4
<b>Populated in National File</b>	Y - encrypted
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
<b>Reported by</b>	Hospital
<b>Reported for</b>	All cases where a 4th additional procedure was performed with anaesthetic.
<b>Order in Instruction Manual</b>	22d
<b>Irish Coding Standard</b>	

## 4th Additional Procedure Consultant

<b>Variable</b>	<b>4th Additional Procedure Consultant</b>
<b>Definition</b>	Consultant responsible for 4th additional procedure.
<b>Definition source</b>	ESRI HIPE Unit
<b>Source</b>	Chart
<b>Collected since</b>	2002. Name change 2011 formally P5CON
<b>Collected/Derived</b>	Collected
<b>Code Set</b>	
<b>Data Entry Guideline</b>	
<b>Variable Name Portal</b>	PROCCONS5
Access	P5CON
SPSS	PROCCONS5
HIPE-PAS interchange	
<b>Data Type</b>	Alphanumeric
<b>Field Size</b>	4
<b>Populated in National File</b>	Y - encrypted
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
<b>Reported by</b>	Hospital
<b>Reported for</b>	All cases where a 4th additional procedure was performed.
<b>Order in Instruction Manual</b>	
<b>Irish Coding Standard</b>	

**5th Additional Diagnosis**

<b>Variable</b>	<b>5th Additional Diagnosis</b>
<b>Definition</b>	A condition or complaint either coexisting with the principal diagnosis or arising during the episode of admitted patient care. Interpreted as conditions that affect patient management.
<b>Definition source</b>	6th ed ICD-10-AM/ACHI/ACS/ICS
<b>Source</b>	Chart
<b>Collected since</b>	1990. Name change 2011 formally C6DIA
<b>Collected/Derived</b>	Collected
<b>Code Set</b>	6th ed ICD-10-AM/ACHI/ACS/ICS
<b>Data Entry Guideline</b>	
<b>Variable Name Portal</b>	DIAG6
Access	C6DIA
SPSS	DIAG6
HIPE-PAS interchange	
<b>Data Type</b>	Alphanumeric
<b>Field Size</b>	5
<b>Populated in National File</b>	Y
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
<b>Reported by</b>	Hospital
<b>Reported for</b>	All cases where a 5th additional diagnosis was made.
<b>Order in Instruction Manual</b>	
<b>Irish Coding Standard</b>	



## 5th Additional Diagnosis Consultant

<b>Variable</b>	<b>5th Additional Diagnosis Consultant</b>
<b>Definition</b>	Consultant attending 5th additional diagnosis.
<b>Definition source</b>	ESRI HIPE Unit
<b>Source</b>	Chart
<b>Collected since</b>	1990. Name change 2011 formally C6CON
<b>Collected/Derived</b>	Collected
<b>Code Set</b>	
<b>Data Entry Guideline</b>	
<b>Variable Name Portal</b>	DIAGCONS6
Access	C6CON
SPSS	DIAGCONS6
HIPE-PAS interchange	
<b>Data Type</b>	Alphanumeric
<b>Field Size</b>	4
<b>Populated in National File</b>	Y - encrypted
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
<b>Reported by</b>	Hospital
<b>Reported for</b>	All cases where a 5th additional diagnosis was made.
<b>Order in Instruction Manual</b>	
<b>Irish Coding Standard</b>	

**5th Additional Procedure**

<b>Variable</b>	<b>5th Additional Procedure</b>
<b>Definition</b>	Clinical intervention that is surgical in nature, carries a procedural risk and/or carries an anaesthetic risk and/or requires specialised training and/or requires special facilities or equipment only available in an acute care setting.
<b>Definition source</b>	6th ed ICD-10-AM/ACHI/ACS/ICS
<b>Source</b>	Chart
<b>Collected since</b>	2002. Name change 2011 formally P6PRO
<b>Collected/Derived</b>	Collected
<b>Code Set</b>	6th ed ICD-10-AM/ACHI/ACS/ICS
<b>Data Entry Guideline</b>	The order of procedures is determined by the following hierarchy: procedure performed for treatment of principal diagnosis, procedure performed for treatment of an additional diagnosis, diagnostic/exploratory procedure related to principal diagnosis, diagnostic procedure related to additional diagnosis
<b>Variable Name Portal</b>	PROC6
Access	P6PRO
SPSS	PROC6
HIPE-PAS interchange	
<b>Data Type</b>	Integer
<b>Field Size</b>	7
<b>Populated in National File</b>	Y
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
<b>Reported by</b>	Hospital
<b>Reported for</b>	All cases where a 5th additional procedure was performed.
<b>Order in Instruction Manual</b>	
<b>Irish Coding Standard</b>	

## 5th Additional Procedure Anaesthetist

<b>Variable</b>	<b>5th Additional Procedure Anaesthetist</b>
<b>Definition</b>	Anaesthetist responsible for anaesthetics in 5th additional procedure.
<b>Definition source</b>	ESRI HIPE Unit
<b>Source</b>	Chart
<b>Collected since</b>	01 Sep 2008. Name change 2011 formally P6ANA
<b>Collected/Derived</b>	Collected
<b>Code Set</b>	
<b>Data Entry Guideline</b>	
<b>Variable Name Portal</b>	ANACONS6
Access	P6ANA
SPSS	ANACONS6
HIPE-PAS interchange	
<b>Data Type</b>	Alphanumeric
<b>Field Size</b>	4
<b>Populated in National File</b>	Y - encrypted
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
<b>Reported by</b>	Hospital
<b>Reported for</b>	All cases where a 5th additional procedure was performed with anaesthetic.
<b>Order in Instruction Manual</b>	22d
<b>Irish Coding Standard</b>	

## 5th Additional Procedure Consultant

<b>Variable</b>	<b>5th Additional Procedure Consultant</b>
<b>Definition</b>	Consultant responsible for 5th additional procedure.
<b>Definition source</b>	ESRI HIPE Unit
<b>Source</b>	Chart
<b>Collected since</b>	2002. Name change 2011 formally P6CON
<b>Collected/Derived</b>	Collected
<b>Code Set</b>	
<b>Data Entry Guideline</b>	
<b>Variable Name Portal</b>	PROCCONS6
Access	P6CON
SPSS	PROCCONS6
HIPE-PAS interchange	
<b>Data Type</b>	Alphanumeric
<b>Field Size</b>	4
<b>Populated in National File</b>	Y - encrypted
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
<b>Reported by</b>	Hospital
<b>Reported for</b>	All cases where a 5th additional procedure was performed.
<b>Order in Instruction Manual</b>	
<b>Irish Coding Standard</b>	

**6th Additional Diagnosis**

<b>Variable</b>	<b>6th Additional Diagnosis</b>
<b>Definition</b>	A condition or complaint either coexisting with the principal diagnosis or arising during the episode of admitted patient care. Interpreted as conditions that affect patient management.
<b>Definition source</b>	6th ed ICD-10-AM/ACHI/ACS/ICS
<b>Source</b>	Chart
<b>Collected since</b>	2002. Name change 2011 formally C7DIA
<b>Collected/Derived</b>	Collected
<b>Code Set</b>	6th ed ICD-10-AM/ACHI/ACS/ICS
<b>Data Entry Guideline</b>	
<b>Variable Name Portal</b>	DIAG7
Access	C7DIA
SPSS	DIAG7
HIPE-PAS interchange	
<b>Data Type</b>	Alphanumeric
<b>Field Size</b>	5
<b>Populated in National File</b>	Y
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
<b>Reported by</b>	Hospital
<b>Reported for</b>	All cases where a 6th additional diagnosis was made.
<b>Order in Instruction Manual</b>	
<b>Irish Coding Standard</b>	

**6th Additional Diagnosis Consultant**

<b>Variable</b>	<b>6th Additional Diagnosis Consultant</b>
<b>Definition</b>	Consultant attending 6th additional diagnosis.
<b>Definition source</b>	ESRI HIPE Unit
<b>Source</b>	Chart
<b>Collected since</b>	2002. Name change 2011 formally C7CON
<b>Collected/Derived</b>	Collected
<b>Code Set</b>	
<b>Data Entry Guideline</b>	
<b>Variable Name Portal</b>	DIAGCONS7
Access	C7CON
SPSS	DIAGCONS7
HIPE-PAS interchange	
<b>Data Type</b>	Alphanumeric
<b>Field Size</b>	4
<b>Populated in National File</b>	Y - encrypted
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
<b>Reported by</b>	Hospital
<b>Reported for</b>	All cases where a 6th additional diagnosis was made.
<b>Order in Instruction Manual</b>	
<b>Irish Coding Standard</b>	

**6th Additional Procedure**

<b>Variable</b>	<b>6th Additional Procedure</b>
<b>Definition</b>	Clinical intervention that is surgical in nature, carries a procedural risk and/or carries an anaesthetic risk and/or requires specialised training and/or requires special facilities or equipment only available in an acute care setting.
<b>Definition source</b>	6th ed ICD-10-AM/ACHI/ACS/ICS
<b>Source</b>	Chart
<b>Collected since</b>	2002. Name change 2011 formally P7PRO
<b>Collected/Derived</b>	Collected
<b>Code Set</b>	6th ed ICD-10-AM/ACHI/ACS/ICS
<b>Data Entry Guideline</b>	The order of procedures is determined by the following hierarchy: procedure performed for treatment of principal diagnosis, procedure performed for treatment of an additional diagnosis, diagnostic/exploratory procedure related to principal diagnosis, diagnostic procedure related to additional diagnosis.
<b>Variable Name Portal</b>	PROC7
Access	P7PRO
SPSS	PROC7
HIPE-PAS interchange	
<b>Data Type</b>	Integer
<b>Field Size</b>	7
<b>Populated in National File</b>	Y
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
<b>Reported by</b>	Hospital
<b>Reported for</b>	All cases where a 6th additional procedure was performed.
<b>Order in Instruction Manual</b>	
<b>Irish Coding Standard</b>	

## 6th Additional Procedure Anaesthetist

Variable	6th Additional Procedure Anaesthetist
<b>Definition</b>	Anaesthetist responsible for anaesthetics in 6th additional procedure.
<b>Definition source</b>	ESRI HIPE Unit
<b>Source</b>	Chart
<b>Collected since</b>	01 Sep 2008. Name change 2011 formally P7ANA
<b>Collected/Derived</b>	Collected
<b>Code Set</b>	
<b>Data Entry Guideline</b>	
<b>Variable Name Portal</b>	ANACONS7
Access	P7ANA
SPSS	ANACONS7
HIPE-PAS interchange	
<b>Data Type</b>	Alphanumeric
<b>Field Size</b>	4
<b>Populated in National File</b>	Y - encrypted
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
<b>Reported by</b>	Hospital
<b>Reported for</b>	All cases where a 6th additional procedure was performed with anaesthetic.
<b>Order in Instruction Manual</b>	22d
<b>Irish Coding Standard</b>	



## 6th Additional Procedure Consultant

<b>Variable</b>	<b>6th Additional Procedure Consultant</b>
<b>Definition</b>	Consultant responsible for 6th additional procedure.
<b>Definition source</b>	ESRI HIPE Unit
<b>Source</b>	Chart
<b>Collected since</b>	2002. Name change 2011 formally P7CON
<b>Collected/Derived</b>	Collected
<b>Code Set</b>	
<b>Data Entry Guideline</b>	
<b>Variable Name Portal</b>	PROCCONS7
Access	P7CON
SPSS	PROCCONS7
HIPE-PAS interchange	
<b>Data Type</b>	Alphanumeric
<b>Field Size</b>	4
<b>Populated in National File</b>	Y - encrypted
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
<b>Reported by</b>	Hospital
<b>Reported for</b>	All cases where a 6th additional procedure was performed.
<b>Order in Instruction Manual</b>	
<b>Irish Coding Standard</b>	

**7th Additional Diagnosis**

<b>Variable</b>	<b>7th Additional Diagnosis</b>
<b>Definition</b>	A condition or complaint either coexisting with the principal diagnosis or arising during the episode of admitted patient care. Interpreted as conditions that affect patient management.
<b>Definition source</b>	6th ed ICD-10-AM/ACHI/ACS/ICS
<b>Source</b>	Chart
<b>Collected since</b>	2002. Name change 2011 formally C8DIA
<b>Collected/Derived</b>	Collected
<b>Code Set</b>	6th ed ICD-10-AM/ACHI/ACS/ICS
<b>Data Entry Guideline</b>	
<b>Variable Name Portal</b>	DIAG8
Access	C8DIA
SPSS	DIAG8
HIPE-PAS interchange	
<b>Data Type</b>	Alphanumeric
<b>Field Size</b>	5
<b>Populated in National File</b>	Y
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
<b>Reported by</b>	Hospital
<b>Reported for</b>	All cases where a 7th additional diagnosis was made.
<b>Order in Instruction Manual</b>	
<b>Irish Coding Standard</b>	

**7th Additional Diagnosis Consultant**

<b>Variable</b>	<b>7th Additional Diagnosis Consultant</b>
<b>Definition</b>	Consultant attending 7th additional diagnosis.
<b>Definition source</b>	ESRI HIPE Unit
<b>Source</b>	Chart
<b>Collected since</b>	2002. Name change 2011 formally C8CON
<b>Collected/Derived</b>	Collected
<b>Code Set</b>	
<b>Data Entry Guideline</b>	
<b>Variable Name Portal</b>	DIAGCONS8
Access	C8CON
SPSS	DIAGCONS8
HIPE-PAS interchange	
<b>Data Type</b>	Alphanumeric
<b>Field Size</b>	4
<b>Populated in National File</b>	Y - encrypted
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
<b>Reported by</b>	Hospital
<b>Reported for</b>	All cases where a 7th additional diagnosis was made.
<b>Order in Instruction Manual</b>	
<b>Irish Coding Standard</b>	

**7th Additional Procedure**

<b>Variable</b>	<b>7th Additional Procedure</b>
<b>Definition</b>	Clinical intervention that is surgical in nature, carries a procedural risk and/or carries an anaesthetic risk and/or requires specialised training and/or requires special facilities or equipment only available in an acute care setting.
<b>Definition source</b>	6th ed ICD-10-AM/ACHI/ACS/ICS
<b>Source</b>	Chart
<b>Collected since</b>	2002. Name change 2011 formally P8PRO
<b>Collected/Derived</b>	Collected
<b>Code Set</b>	6th ed ICD-10-AM/ACHI/ACS/ICS
<b>Data Entry Guideline</b>	The order of procedures is determined by the following hierarchy: procedure performed for treatment of principal diagnosis, procedure performed for treatment of an additional diagnosis, diagnostic/exploratory procedure related to principal diagnosis, diagnostic procedure related to additional diagnosis.
<b>Variable Name Portal</b>	PROC8
Access	P8PRO
SPSS	PROC8
HIPE-PAS interchange	
<b>Data Type</b>	Integer
<b>Field Size</b>	7
<b>Populated in National File</b>	Y
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
<b>Reported by</b>	Hospital
<b>Reported for</b>	All cases where a 7th additional procedure was performed.
<b>Order in Instruction Manual</b>	
<b>Irish Coding Standard</b>	

## 7th Additional Procedure Anaesthetist

Variable	7th Additional Procedure Anaesthetist
<b>Definition</b>	Anaesthetist responsible for 7th additional procedure.
<b>Definition source</b>	ESRI HIPE Unit
<b>Source</b>	Chart
<b>Collected since</b>	01 Sep 2008. Name change 2011 formally P8ANA
<b>Collected/Derived</b>	Collected
<b>Code Set</b>	
<b>Data Entry Guideline</b>	
<b>Variable Name Portal</b>	ANACONS8
Access	P8ANA
SPSS	ANACONS8
HIPE-PAS interchange	
<b>Data Type</b>	Alphanumeric
<b>Field Size</b>	4
<b>Populated in National File</b>	Y - encrypted
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
<b>Reported by</b>	Hospital
<b>Reported for</b>	All cases where a 7th additional procedure was performed with anaesthetic.
<b>Order in Instruction Manual</b>	22d
<b>Irish Coding Standard</b>	

## 7th Additional Procedure Consultant

<b>Variable</b>	<b>7th Additional Procedure Consultant</b>
<b>Definition</b>	Consultant responsible for 7th additional procedure.
<b>Definition source</b>	ESRI HIPE Unit
<b>Source</b>	Chart
<b>Collected since</b>	2002. Name change 2011 formally P8CON
<b>Collected/Derived</b>	Collected
<b>Code Set</b>	
<b>Data Entry Guideline</b>	
<b>Variable Name Portal</b>	PROCCONS8
Access	P8CON
SPSS	PROCCONS8
HIPE-PAS interchange	
<b>Data Type</b>	Alphanumeric
<b>Field Size</b>	4
<b>Populated in National File</b>	Y - encrypted
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
<b>Reported by</b>	Hospital
<b>Reported for</b>	All cases where a 7th additional procedure was performed.
<b>Order in Instruction Manual</b>	
<b>Irish Coding Standard</b>	

**8th Additional Diagnosis**

<b>Variable</b>	<b>8th Additional Diagnosis</b>
<b>Definition</b>	A condition or complaint either coexisting with the principal diagnosis or arising during the episode of admitted patient care. Interpreted as conditions that affect patient management.
<b>Definition source</b>	6th ed ICD-10-AM/ACHI/ACS/ICS
<b>Source</b>	Chart
<b>Collected since</b>	2002. Name change 2011 formally C9DIA
<b>Collected/Derived</b>	Collected
<b>Code Set</b>	6th ed ICD-10-AM/ACHI/ACS/ICS
<b>Data Entry Guideline</b>	
<b>Variable Name Portal</b>	DIAG9
Access	C9DIA
SPSS	DIAG9
HIPE-PAS interchange	
<b>Data Type</b>	Alphanumeric
<b>Field Size</b>	5
<b>Populated in National File</b>	Y
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
<b>Reported by</b>	Hospital
<b>Reported for</b>	All cases where an 8th additional diagnosis was made.
<b>Order in Instruction Manual</b>	
<b>Irish Coding Standard</b>	

**8th Additional Diagnosis Consultant**

<b>Variable</b>	<b>8th Additional Diagnosis Consultant</b>
<b>Definition</b>	Consultant attending 8th additional diagnosis.
<b>Definition source</b>	ESRI HIPE Unit
<b>Source</b>	Chart
<b>Collected since</b>	2002. Name change 2011 formally C9CON
<b>Collected/Derived</b>	Collected
<b>Code Set</b>	
<b>Data Entry Guideline</b>	
<b>Variable Name Portal</b>	DIAGCONS9
Access	C9CON
SPSS	DIAGCONS9
HIPE-PAS interchange	
<b>Data Type</b>	Alphanumeric
<b>Field Size</b>	4
<b>Populated in National File</b>	Y - encrypted
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
<b>Reported by</b>	Hospital
<b>Reported for</b>	All cases where an 8th additional diagnosis was made.
<b>Order in Instruction Manual</b>	
<b>Irish Coding Standard</b>	



**8th Additional Procedure**

<b>Variable</b>	<b>8th Additional Procedure</b>
<b>Definition</b>	Clinical intervention that is surgical in nature, carries a procedural risk and/or carries an anaesthetic risk and/or requires specialised training and/or requires special facilities or equipment only available in an acute care setting.
<b>Definition source</b>	6th ed ICD-10-AM/ACHI/ACS/ICS
<b>Source</b>	Chart
<b>Collected since</b>	2002. Name change 2011 formally P9PRO
<b>Collected/Derived</b>	Collected
<b>Code Set</b>	6th ed ICD-10-AM/ACHI/ACS/ICS
<b>Data Entry Guideline</b>	The order of procedures is determined by the following hierarchy: procedure performed for treatment of principal diagnosis, procedure performed for treatment of an additional diagnosis, diagnostic/exploratory procedure related to principal diagnosis, diagnostic procedure related to additional diagnosis.
<b>Variable Name Portal</b>	PROC9
Access	P9PRO
SPSS	PROC9
HIPE-PAS interchange	
<b>Data Type</b>	Integer
<b>Field Size</b>	7
<b>Populated in National File</b>	Y
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
<b>Reported by</b>	Hospital
<b>Reported for</b>	All cases where an 8th additional procedure was performed.
<b>Order in Instruction Manual</b>	
<b>Irish Coding Standard</b>	

## 8th Additional Procedure Anaesthetist

<b>Variable</b>	<b>8th Additional Procedure Anaesthetist</b>
<b>Definition</b>	Anaesthetist responsible for anaesthetics in 8th additional procedure.
<b>Definition source</b>	ESRI HIPE Unit
<b>Source</b>	Chart
<b>Collected since</b>	01 Sep 2008. Name change formally P9ANA
<b>Collected/Derived</b>	Collected
<b>Code Set</b>	
<b>Data Entry Guideline</b>	
<b>Variable Name Portal</b>	ANACONS9
Access	P9ANA
SPSS	ANACONS9
HIPE-PAS interchange	
<b>Data Type</b>	Alphanumeric
<b>Field Size</b>	4
<b>Populated in National File</b>	Y - encrypted
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
<b>Reported by</b>	Hospital
<b>Reported for</b>	All cases where an 8th additional procedure was performed.
<b>Order in Instruction Manual</b>	22d
<b>Irish Coding Standard</b>	

**8th Additional Procedure Consultant**

<b>Variable</b>	<b>8th Additional Procedure Consultant</b>
<b>Definition</b>	Consultant responsible for 8th additional procedure.
<b>Definition source</b>	ESRI HIPE Unit
<b>Source</b>	Chart
<b>Collected since</b>	2002. Name change 2011 formally P9CON
<b>Collected/Derived</b>	Collected
<b>Code Set</b>	
<b>Data Entry Guideline</b>	
<b>Variable Name Portal</b>	PROCCONS9
Access	P9CON
SPSS	PROCCONS9
HIPE-PAS interchange	
<b>Data Type</b>	Alphanumeric
<b>Field Size</b>	4
<b>Populated in National File</b>	Y - encrypted
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
<b>Reported by</b>	Hospital
<b>Reported for</b>	All cases where an 8th additional procedure was performed.
<b>Order in Instruction Manual</b>	
<b>Irish Coding Standard</b>	

**9th Additional Diagnosis**

<b>Variable</b>	<b>9th Additional Diagnosis</b>
<b>Definition</b>	A condition or complaint either coexisting with the principal diagnosis or arising during the episode of admitted patient care. Interpreted as conditions that affect patient management.
<b>Definition source</b>	6th ed ICD-10-AM/ACHI/ACS/ICS
<b>Source</b>	Chart
<b>Collected since</b>	2002. Name change 2011 formally CADIA
<b>Collected/Derived</b>	Collected
<b>Code Set</b>	6th ed ICD-10-AM/ACHI/ACS/ICS
<b>Data Entry Guideline</b>	
<b>Variable Name Portal</b>	DIAG10
Access	CADIA
SPSS	DIAG10
HIPE-PAS interchange	
<b>Data Type</b>	Alphanumeric
<b>Field Size</b>	5
<b>Populated in National File</b>	Y
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
<b>Reported by</b>	Hospital
<b>Reported for</b>	All cases where a 9th additional diagnosis was made.
<b>Order in Instruction Manual</b>	
<b>Irish Coding Standard</b>	

## 9th Additional Diagnosis Consultant

Variable	9th Additional Diagnosis Consultant
<b>Definition</b>	Consultant attending 9th additional diagnosis.
<b>Definition source</b>	ESRI HIPE Unit
<b>Source</b>	Chart
<b>Collected since</b>	2002. Name change 2011 formally CACON
<b>Collected/Derived</b>	Collected
<b>Code Set</b>	
<b>Data Entry Guideline</b>	
<b>Variable Name Portal</b>	DIAGCONS10
Access	CACON
SPSS	DIAGCONS10
HIPE-PAS interchange	
<b>Data Type</b>	Alphanumeric
<b>Field Size</b>	4
<b>Populated in National File</b>	Y - encrypted
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
<b>Reported by</b>	Hospital
<b>Reported for</b>	All cases where a 9th additional diagnosis was made.
<b>Order in Instruction Manual</b>	
<b>Irish Coding Standard</b>	

**9th Additional Procedure**

<b>Variable</b>	<b>9th Additional Procedure</b>
<b>Definition</b>	Clinical intervention that is surgical in nature, carries a procedural risk and/or carries an anaesthetic risk and/or requires specialised training and/or requires special facilities or equipment only available in an acute care setting.
<b>Definition source</b>	6th ed ICD-10-AM/ACHI/ACS/ICS
<b>Source</b>	Chart
<b>Collected since</b>	2002. Name change 2011 formally PAPRO
<b>Collected/Derived</b>	Collected
<b>Code Set</b>	6th ed ICD-10-AM/ACHI/ACS/ICS
<b>Data Entry Guideline</b>	The order of procedures is determined by the following hierarchy: procedure performed for treatment of principal diagnosis, procedure performed for treatment of an additional diagnosis, diagnostic/exploratory procedure related to principal diagnosis, diagnostic procedure related to additional diagnosis.
<b>Variable Name Portal</b>	PROC10
Access	PAPRO
SPSS	PROC10
HIPE-PAS interchange	
<b>Data Type</b>	Integer
<b>Field Size</b>	7
<b>Populated in National File</b>	Y
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
<b>Reported by</b>	Hospital
<b>Reported for</b>	All cases where a 9th additional procedure was performed.
<b>Order in Instruction Manual</b>	
<b>Irish Coding Standard</b>	

## 9th Additional Procedure Anaesthetist

Variable	9th Additional Procedure Anaesthetist
<b>Definition</b>	Anaesthetist responsible for anaesthetics in 9th additional procedure.
<b>Definition source</b>	ESRI HIPE Unit
<b>Source</b>	Chart
<b>Collected since</b>	01 Sep 2008. Name change 2011 formally PAANA
<b>Collected/Derived</b>	Collected
<b>Code Set</b>	
<b>Data Entry Guideline</b>	
<b>Variable Name Portal</b>	ANACONS10
Access	PAANA
SPSS	ANACONS10
HIPE-PAS interchange	
<b>Data Type</b>	Alphanumeric
<b>Field Size</b>	4
<b>Populated in National File</b>	Y - encrypted
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
<b>Reported by</b>	Hospital
<b>Reported for</b>	All cases where a 9th additional procedure was performed.
<b>Order in Instruction Manual</b>	22d
<b>Irish Coding Standard</b>	

## 9th Additional Procedure Consultant

<b>Variable</b>	<b>9th Additional Procedure Consultant</b>
<b>Definition</b>	Consultant responsible for 9th additional procedure.
<b>Definition source</b>	ESRI HIPE Unit
<b>Source</b>	Chart
<b>Collected since</b>	2002. Name change 2011 formally PACON
<b>Collected/Derived</b>	Collected
<b>Code Set</b>	
<b>Data Entry Guideline</b>	
<b>Variable Name Portal</b>	PROCCONS10
Access	PACON
SPSS	PROCCONS10
HIPE-PAS interchange	
<b>Data Type</b>	Alphanumeric
<b>Field Size</b>	4
<b>Populated in National File</b>	Y - encrypted
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
<b>Reported by</b>	Hospital
<b>Reported for</b>	All cases where a 9th additional procedure was performed.
<b>Order in Instruction Manual</b>	
<b>Irish Coding Standard</b>	



**10th Additional Diagnosis**

<b>Variable</b>	<b>10th Additional Diagnosis</b>
<b>Definition</b>	A condition or complaint either coexisting with the principal diagnosis or arising during the episode of admitted patient care. Interpreted as conditions that affect patient management.
<b>Definition source</b>	6th ed ICD-10-AM/ACHI/ACS/ICS
<b>Source</b>	Chart
<b>Collected since</b>	2005. Name change 2011 formally CBDIA
<b>Collected/Derived</b>	Collected
<b>Code Set</b>	6th ed ICD-10-AM/ACHI/ACS/ICS
<b>Data Entry Guideline</b>	
<b>Variable Name Portal</b>	DIAG11
Access	CBDIA
SPSS	DIAG11
HIPE-PAS interchange	
<b>Data Type</b>	Alphanumeric
<b>Field Size</b>	5
<b>Populated in National File</b>	Y
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
<b>Reported by</b>	Hospital
<b>Reported for</b>	All cases where a 10th additional diagnosis was made.
<b>Order in Instruction Manual</b>	
<b>Irish Coding Standard</b>	

**10th Additional Diagnosis Consultant**

<b>Variable</b>	<b>10th Additional Diagnosis Consultant</b>
<b>Definition</b>	Consultant attending 10th additional diagnosis.
<b>Definition source</b>	ESRI HIPE Unit
<b>Source</b>	Chart
<b>Collected since</b>	2005. Name change 2011 formally CBCON
<b>Collected/Derived</b>	Collected
<b>Code Set</b>	
<b>Data Entry Guideline</b>	
<b>Variable Name Portal</b>	DIAGCONS11
Access	CBCON
SPSS	DIAGCONS11
HIPE-PAS interchange	
<b>Data Type</b>	Alphanumeric
<b>Field Size</b>	4
<b>Populated in National File</b>	Y - encrypted
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
<b>Reported by</b>	Hospital
<b>Reported for</b>	All cases where a 10th additional diagnosis was made.
<b>Order in Instruction Manual</b>	
<b>Irish Coding Standard</b>	

**10th Additional Procedure**

<b>Variable</b>	<b>10th Additional Procedure</b>
<b>Definition</b>	Clinical intervention that is surgical in nature, carries a procedural risk and/or carries an anaesthetic risk and/or requires specialised training and/or requires special facilities or equipment only available in an acute care setting.
<b>Definition source</b>	6th ed ICD-10-AM/ACHI/ACS/ICS
<b>Source</b>	Chart
<b>Collected since</b>	2005. Name change 2011 formally PBPRO
<b>Collected/Derived</b>	Collected
<b>Code Set</b>	6th ed ICD-10-AM/ACHI/ACS/ICS
<b>Data Entry Guideline</b>	The order of procedures is determined by the following hierarchy: procedure performed for treatment of principal diagnosis, procedure performed for treatment of an additional diagnosis, diagnostic/exploratory procedure related to principal diagnosis, diagnostic procedure related to additional diagnosis.
<b>Variable Name Portal</b>	PROC11
Access	PBPRO
SPSS	PROC11
HIPE-PAS interchange	
<b>Data Type</b>	Integer
<b>Field Size</b>	7
<b>Populated in National File</b>	Y
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
<b>Reported by</b>	Hospital
<b>Reported for</b>	All cases where a 10th additional procedure was performed.
<b>Order in Instruction Manual</b>	
<b>Irish Coding Standard</b>	

**10th Additional Procedure Anaesthetist**

<b>Variable</b>	<b>10th Additional Procedure Anaesthetist</b>
<b>Definition</b>	Anaesthetist responsible for anaesthetics in 10th additional procedure.
<b>Definition source</b>	ESRI HIPE Unit
<b>Source</b>	Chart
<b>Collected since</b>	01 Sep 2008. Name change 2011 formally PBANA
<b>Collected/Derived</b>	Collected
<b>Code Set</b>	
<b>Data Entry Guideline</b>	
<b>Variable Name Portal</b>	ANACONS11
Access	PBANA
SPSS	ANACONS11
HIPE-PAS interchange	
<b>Data Type</b>	Alphanumeric
<b>Field Size</b>	4
<b>Populated in National File</b>	Y - encrypted
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
<b>Reported by</b>	Hospital
<b>Reported for</b>	All cases where a 10th additional procedure was performed with anaesthetic.
<b>Order in Instruction Manual</b>	22d
<b>Irish Coding Standard</b>	

**10th Additional Procedure Consultant**

<b>Variable</b>	<b>10th Additional Procedure Consultant</b>
<b>Definition</b>	Consultant responsible for 10th additional procedure
<b>Definition source</b>	ESRI HIPE Unit
<b>Source</b>	Chart
<b>Collected since</b>	2005. Name change 2011 formally PBCON
<b>Collected/Derived</b>	Collected
<b>Code Set</b>	
<b>Data Entry Guideline</b>	
<b>Variable Name Portal</b>	PROCCONS11
Access	PBCON
SPSS	PROCCONS11
HIPE-PAS interchange	
<b>Data Type</b>	Alphanumeric
<b>Field Size</b>	4
<b>Populated in National File</b>	Y - encrypted
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
<b>Reported by</b>	Hospital
<b>Reported for</b>	All cases where a 10th additional procedure was performed.
<b>Order in Instruction Manual</b>	
<b>Irish Coding Standard</b>	

**11th Additional Diagnosis**

<b>Variable</b>	<b>11th Additional Diagnosis</b>
<b>Definition</b>	A condition or complaint either coexisting with the principal diagnosis or arising during the episode of admitted patient care. Interpreted as conditions that affect patient management.
<b>Definition source</b>	6th ed ICD-10-AM/ACHI/ACS/ICS
<b>Source</b>	Chart
<b>Collected since</b>	2005. Name change 2011 formally CCDIA
<b>Collected/Derived</b>	Collected
<b>Code Set</b>	6th ed ICD-10-AM/ACHI/ACS/ICS
<b>Data Entry Guideline</b>	
<b>Variable Name Portal</b>	DIAG12
Access	CCDIA
SPSS	DIAG12
HIPE-PAS interchange	
<b>Data Type</b>	Alphanumeric
<b>Field Size</b>	5
<b>Populated in National File</b>	Y
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
<b>Reported by</b>	Hospital
<b>Reported for</b>	All cases where an 11th additional diagnosis was made.
<b>Order in Instruction Manual</b>	
<b>Irish Coding Standard</b>	

**11th Additional Diagnosis Consultant**

<b>Variable</b>	<b>11th Additional Diagnosis Consultant</b>
<b>Definition</b>	Consultant attending 11th additional diagnosis.
<b>Definition source</b>	ESRI HIPE Unit
<b>Source</b>	Chart
<b>Collected since</b>	2005. Name change 2011 formally CCCON
<b>Collected/Derived</b>	Collected
<b>Code Set</b>	
<b>Data Entry Guideline</b>	
<b>Variable Name Portal</b>	DIAGCONS12
Access	CCCON
SPSS	DIAGCONS12
HIPE-PAS interchange	
<b>Data Type</b>	Alphanumeric
<b>Field Size</b>	4
<b>Populated in National File</b>	Y - encrypted
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
<b>Reported by</b>	Hospital
<b>Reported for</b>	All cases where an 11th additional diagnosis was made.
<b>Order in Instruction Manual</b>	
<b>Irish Coding Standard</b>	

**11th Additional Procedure**

<b>Variable</b>	<b>11th Additional Procedure</b>
<b>Definition</b>	Clinical intervention that is surgical in nature, carries a procedural risk and/or carries an anaesthetic risk and/or requires specialised training and/or requires special facilities or equipment only available in an acute care setting.
<b>Definition source</b>	6th ed ICD-10-AM/ACHI/ACS/ICS
<b>Source</b>	Chart
<b>Collected since</b>	2005. Name change 2011 formally PCPRO
<b>Collected/Derived</b>	Collected
<b>Code Set</b>	6th ed ICD-10-AM/ACHI/ACS/ICS
<b>Data Entry Guideline</b>	The order of procedures is determined by the following hierarchy: procedure performed for treatment of principal diagnosis, procedure performed for treatment of an additional diagnosis, diagnostic/exploratory procedure related to principal diagnosis, diagnostic procedure related to additional diagnosis.
<b>Variable Name Portal</b>	PROC12
Access	PCPRO
SPSS	PROC12
HIPE-PAS interchange	
<b>Data Type</b>	Integer
<b>Field Size</b>	7
<b>Populated in National File</b>	Y
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
<b>Reported by</b>	Hospital
<b>Reported for</b>	All cases where an 11th additional procedure was performed.
<b>Order in Instruction Manual</b>	
<b>Irish Coding Standard</b>	



**11th Additional Procedure Anaesthetist**

<b>Variable</b>	<b>11th Additional Procedure Anaesthetist</b>
<b>Definition</b>	Anaesthetist responsible for anaesthetics in 11th additional procedure.
<b>Definition source</b>	ESRI HIPE Unit
<b>Source</b>	Chart
<b>Collected since</b>	01 Sep 2008. Name change 2011 formally PCANA
<b>Collected/Derived</b>	Collected
<b>Code Set</b>	
<b>Data Entry Guideline</b>	
<b>Variable Name Portal</b>	ANACONS12
Access	PCANA
SPSS	ANACONS12
HIPE-PAS interchange	
<b>Data Type</b>	Alphanumeric
<b>Field Size</b>	4
<b>Populated in National File</b>	Y - encrypted
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
<b>Reported by</b>	Hospital
<b>Reported for</b>	All cases where an 11th additional procedure was performed.
<b>Order in Instruction Manual</b>	22d
<b>Irish Coding Standard</b>	

## 11th Additional Procedure Consultant

<b>Variable</b>	<b>11th Additional Procedure Consultant</b>
<b>Definition</b>	Consultant responsible for 11th additional procedure.
<b>Definition source</b>	ESRI HIPE Unit
<b>Source</b>	Chart
<b>Collected since</b>	2005. Name change 2011 formally PCCON
<b>Collected/Derived</b>	Collected
<b>Code Set</b>	
<b>Data Entry Guideline</b>	
<b>Variable Name Portal</b>	PROCCONS12
Access	PCCON
SPSS	PROCCONS12
HIPE-PAS interchange	
<b>Data Type</b>	Alphanumeric
<b>Field Size</b>	4
<b>Populated in National File</b>	Y - encrypted
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
<b>Reported by</b>	Hospital
<b>Reported for</b>	All cases where an 11th additional procedure was performed.
<b>Order in Instruction Manual</b>	
<b>Irish Coding Standard</b>	

**12th Additional Diagnosis**

<b>Variable</b>	<b>12th Additional Diagnosis</b>
<b>Definition</b>	A condition or complaint either coexisting with the principal diagnosis or arising during the episode of admitted patient care. Interpreted as conditions that affect patient management.
<b>Definition source</b>	6th ed ICD-10-AM/ACHI/ACS/ICS
<b>Source</b>	Chart
<b>Collected since</b>	2005. Name change 2011 formally CDDIA
<b>Collected/Derived</b>	Collected
<b>Code Set</b>	6th ed ICD-10-AM/ACHI/ACS/ICS
<b>Data Entry Guideline</b>	
<b>Variable Name Portal</b>	DIAG13
Access	CDDIA
SPSS	DIAG13
HIPE-PAS interchange	
<b>Data Type</b>	Alphanumeric
<b>Field Size</b>	5
<b>Populated in National File</b>	Y
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
<b>Reported by</b>	Hospital
<b>Reported for</b>	All cases where an 11th additional diagnosis was made.
<b>Order in Instruction Manual</b>	
<b>Irish Coding Standard</b>	

**12th Additional Diagnosis Consultant**

<b>Variable</b>	<b>12th Additional Diagnosis Consultant</b>
<b>Definition</b>	Consultant attending 12th additional diagnosis.
<b>Definition source</b>	ESRI HIPE Unit
<b>Source</b>	Chart
<b>Collected since</b>	2005. Name change 2011 formally CDCON
<b>Collected/Derived</b>	Collected
<b>Code Set</b>	
<b>Data Entry Guideline</b>	
<b>Variable Name Portal</b>	DIAGCONS13
Access	CDCON
SPSS	DIAGCONS13
HIPE-PAS interchange	
<b>Data Type</b>	Alphanumeric
<b>Field Size</b>	4
<b>Populated in National File</b>	Y - encrypted
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
<b>Reported by</b>	Hospital
<b>Reported for</b>	All cases where a 12th additional diagnosis was made.
<b>Order in Instruction Manual</b>	
<b>Irish Coding Standard</b>	

**12th Additional Procedure**

<b>Variable</b>	<b>12th Additional Procedure</b>
<b>Definition</b>	Clinical intervention that is surgical in nature, carries a procedural risk and/or carries an anaesthetic risk and/or requires specialised training and/or requires special facilities or equipment only available in an acute care setting.
<b>Definition source</b>	6th ed ICD-10-AM/ACHI/ACS/ICS
<b>Source</b>	Chart
<b>Collected since</b>	2005. Name change 2011 formally PDPRO
<b>Collected/Derived</b>	Collected
<b>Code Set</b>	6th ed ICD-10-AM/ACHI/ACS/ICS
<b>Data Entry Guideline</b>	The order of procedures is determined by the following hierarchy: procedure performed for treatment of principal diagnosis, procedure performed for treatment of an additional diagnosis, diagnostic/exploratory procedure related to principal diagnosis, diagnostic procedure related to additional diagnosis.
<b>Variable Name Portal</b>	PROC13
Access	PDPRO
SPSS	PROC13
HIPE-PAS interchange	
<b>Data Type</b>	Integer
<b>Field Size</b>	7
<b>Populated in National File</b>	Y
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
<b>Reported by</b>	Hospital
<b>Reported for</b>	All cases where a 12th additional procedure was performed.
<b>Order in Instruction Manual</b>	
<b>Irish Coding Standard</b>	

## 12th Additional Procedure Anaesthetist

<b>Variable</b>	<b>12th Additional Procedure Anaesthetist</b>
<b>Definition</b>	Anaesthetist responsible for anaesthetics in 12th additional procedure.
<b>Definition source</b>	ESRI HIPE Unit
<b>Source</b>	Chart
<b>Collected since</b>	01 Sep 2008. Name change 2011 formally PDANA
<b>Collected/Derived</b>	Collected
<b>Code Set</b>	
<b>Data Entry Guideline</b>	
<b>Variable Name Portal</b>	ANACONS13
Access	PDANA
SPSS	ANACONS13
HIPE-PAS interchange	
<b>Data Type</b>	Alphanumeric
<b>Field Size</b>	4
<b>Populated in National File</b>	Y - encrypted
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
<b>Reported by</b>	Hospital
<b>Reported for</b>	All cases where a 12th additional procedure was performed with anaesthetic.
<b>Order in Instruction Manual</b>	22d
<b>Irish Coding Standard</b>	

## 12th Additional Procedure Consultant

Variable	12th Additional Procedure Consultant
<b>Definition</b>	Consultant responsible for 12th additional procedure.
<b>Definition source</b>	ESRI HIPE Unit
<b>Source</b>	Chart
<b>Collected since</b>	2005. Name change 2011 formally PDCON
<b>Collected/Derived</b>	Collected
<b>Code Set</b>	
<b>Data Entry Guideline</b>	
<b>Variable Name Portal</b>	PROCCONS13
Access	PDCON
SPSS	PROCCONS13
HIPE-PAS interchange	
<b>Data Type</b>	Alphanumeric
<b>Field Size</b>	4
<b>Populated in National File</b>	Y - encrypted
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
<b>Reported by</b>	Hospital
<b>Reported for</b>	All cases where a 12th additional procedure was performed.
<b>Order in Instruction Manual</b>	
<b>Irish Coding Standard</b>	

**13th Additional Diagnosis**

<b>Variable</b>	<b>13th Additional Diagnosis</b>
<b>Definition</b>	A condition or complaint either coexisting with the principal diagnosis or arising during the episode of admitted patient care. Interpreted as conditions that affect patient management.
<b>Definition source</b>	6th ed ICD-10-AM/ACHI/ACS/ICS
<b>Source</b>	Chart
<b>Collected since</b>	2005. Name change 2011 formally CEDIA
<b>Collected/Derived</b>	Collected
<b>Code Set</b>	6th ed ICD-10-AM/ACHI/ACS/ICS
<b>Data Entry Guideline</b>	
<b>Variable Name Portal</b>	DIAG14
Access	CEDIA
SPSS	DIAG14
HIPE-PAS interchange	
<b>Data Type</b>	Alphanumeric
<b>Field Size</b>	5
<b>Populated in National File</b>	Y
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
<b>Reported by</b>	Hospital
<b>Reported for</b>	All cases where a 13th additional diagnosis was made.
<b>Order in Instruction Manual</b>	
<b>Irish Coding Standard</b>	



**13th Additional Diagnosis Consultant**

<b>Variable</b>	<b>13th Additional Diagnosis Consultant</b>
<b>Definition</b>	Consultant attending 13th additional diagnosis.
<b>Definition source</b>	ESRI HIPE Unit
<b>Source</b>	Chart
<b>Collected since</b>	2005. Name change 2011 formally CECON
<b>Collected/Derived</b>	Collected
<b>Code Set</b>	
<b>Data Entry Guideline</b>	
<b>Variable Name Portal</b>	DIAGCONS14
Access	CECON
SPSS	DIAGCONS14
HIPE-PAS interchange	
<b>Data Type</b>	Alphanumeric
<b>Field Size</b>	4
<b>Populated in National File</b>	Y - encrypted
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
<b>Reported by</b>	Hospital
<b>Reported for</b>	All cases where a 13th additional diagnosis was made.
<b>Order in Instruction Manual</b>	
<b>Irish Coding Standard</b>	

**13th Additional Procedure**

<b>Variable</b>	<b>13th Additional Procedure</b>
<b>Definition</b>	Clinical intervention that is surgical in nature, carries a procedural risk and/or carries an anaesthetic risk and/or requires specialised training and/or requires special facilities or equipment only available in an acute care setting.
<b>Definition source</b>	6th ed ICD-10-AM/ACHI/ACS/ICS
<b>Source</b>	Chart
<b>Collected since</b>	2005. Name change 2011 formally PEPRO
<b>Collected/Derived</b>	Collected
<b>Code Set</b>	6th ed ICD-10-AM/ACHI/ACS/ICS
<b>Data Entry Guideline</b>	The order of procedures is determined by the following hierarchy: procedure performed for treatment of principal diagnosis, procedure performed for treatment of an additional diagnosis, diagnostic/exploratory procedure related to principal diagnosis, diagnostic procedure related to additional diagnosis.
<b>Variable Name Portal</b>	PROC14
Access	PEPRO
SPSS	PROC14
HIPE-PAS interchange	
<b>Data Type</b>	Integer
<b>Field Size</b>	7
<b>Populated in National File</b>	Y
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
<b>Reported by</b>	Hospital
<b>Reported for</b>	All cases where a 13th additional procedure was performed.
<b>Order in Instruction Manual</b>	
<b>Irish Coding Standard</b>	

**13th Additional Procedure Anaesthetist**

<b>Variable</b>	<b>13th Additional Procedure Anaesthetist</b>
<b>Definition</b>	Anaesthetist responsible for anaesthetics in 13th additional procedure.
<b>Definition source</b>	ESRI HIPE Unit
<b>Source</b>	Chart
<b>Collected since</b>	01 Sep 2008. Name change 2011 formally PEANA
<b>Collected/Derived</b>	Collected
<b>Code Set</b>	
<b>Data Entry Guideline</b>	
<b>Variable Name Portal</b>	ANACONS14
Access	PEANA
SPSS	ANACONS14
HIPE-PAS interchange	
<b>Data Type</b>	Alphanumeric
<b>Field Size</b>	4
<b>Populated in National File</b>	Y - encrypted
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
<b>Reported by</b>	Hospital
<b>Reported for</b>	All cases where a 13th additional procedure was performed with anaesthetic.
<b>Order in Instruction Manual</b>	22d
<b>Irish Coding Standard</b>	

### 13th Additional Procedure Consultant

Variable	13th Additional Procedure Consultant
<b>Definition</b>	Consultant responsible for 13th additional procedure.
<b>Definition source</b>	ESRI HIPE Unit
<b>Source</b>	Chart
<b>Collected since</b>	2005. Name change 2011 formally PECON
<b>Collected/Derived</b>	Collected
<b>Code Set</b>	
<b>Data Entry Guideline</b>	
<b>Variable Name Portal</b>	PROCCONS14
Access	PECON
SPSS	PROCCONS14
HIPE-PAS interchange	
<b>Data Type</b>	Alphanumeric
<b>Field Size</b>	4
<b>Populated in National File</b>	Y - encrypted
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
<b>Reported by</b>	Hospital
<b>Reported for</b>	All cases where a 13th additional procedure was performed.
<b>Order in Instruction Manual</b>	
<b>Irish Coding Standard</b>	

**14th Additional Diagnosis**

<b>Variable</b>	<b>14th Additional Diagnosis</b>
<b>Definition</b>	A condition or complaint either coexisting with the principal diagnosis or arising during the episode of admitted patient care. Interpreted as conditions that affect patient management.
<b>Definition source</b>	6th ed ICD-10-AM/ACHI/ACS/ICS
<b>Source</b>	Chart
<b>Collected since</b>	2005. Name change 2011 formally CFDIA
<b>Collected/Derived</b>	Collected
<b>Code Set</b>	6th ed ICD-10-AM/ACHI/ACS/ICS
<b>Data Entry Guideline</b>	
<b>Variable Name Portal</b>	DIAG15
Access	CFDIA
SPSS	DIAG15
HIPE-PAS interchange	
<b>Data Type</b>	Alphanumeric
<b>Field Size</b>	5
<b>Populated in National File</b>	Y
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
<b>Reported by</b>	Hospital
<b>Reported for</b>	All cases where a 14th additional diagnosis was made.
<b>Order in Instruction Manual</b>	
<b>Irish Coding Standard</b>	

## 14th Additional Diagnosis Consultant

<b>Variable</b>	<b>14th Additional Diagnosis Consultant</b>
<b>Definition</b>	Consultant attending 14th additional diagnosis.
<b>Definition source</b>	ESRI HIPE Unit
<b>Source</b>	Chart
<b>Collected since</b>	2005. Name change 2011 formally CFCON
<b>Collected/Derived</b>	Collected
<b>Code Set</b>	
<b>Data Entry Guideline</b>	
<b>Variable Name Portal</b>	DIAGCONS15
Access	CFCON
SPSS	DIAGCONS15
HIPE-PAS interchange	
<b>Data Type</b>	Alphanumeric
<b>Field Size</b>	4
<b>Populated in National File</b>	Y - encrypted
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
<b>Reported by</b>	Hospital
<b>Reported for</b>	All cases where a 14th additional diagnosis was made.
<b>Order in Instruction Manual</b>	
<b>Irish Coding Standard</b>	

**14th Additional Procedure**

<b>Variable</b>	<b>14th Additional Procedure</b>
<b>Definition</b>	Clinical intervention that is surgical in nature, carries a procedural risk and/or carries an anaesthetic risk and/or requires specialised training and/or requires special facilities or equipment only available in an acute care setting.
<b>Definition source</b>	6th ed ICD-10-AM/ACHI/ACS/ICS
<b>Source</b>	Chart
<b>Collected since</b>	2005. Name change 2011 formally PFPRO
<b>Collected/Derived</b>	Collected
<b>Code Set</b>	6th ed ICD-10-AM/ACHI/ACS/ICS
<b>Data Entry Guideline</b>	The order of procedures is determined by the following hierarchy: procedure performed for treatment of principal diagnosis, procedure performed for treatment of an additional diagnosis, diagnostic/exploratory procedure related to principal diagnosis, diagnostic procedure related to additional diagnosis.
<b>Variable Name Portal</b>	PROC15
Access	PfPRO
SPSS	PROC15
HIPE-PAS interchange	
<b>Data Type</b>	Integer
<b>Field Size</b>	7
<b>Populated in National File</b>	Y
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
<b>Reported by</b>	Hospital
<b>Reported for</b>	All cases where a 14th additional procedure was performed.
<b>Order in Instruction Manual</b>	
<b>Irish Coding Standard</b>	

**14th Additional Procedure Anaesthetist**

<b>Variable</b>	<b>14th Additional Procedure Anaesthetist</b>
<b>Definition</b>	Anaesthetist responsible for anaesthetics in 14th additional procedure.
<b>Definition source</b>	ESRI HIPE Unit
<b>Source</b>	Chart
<b>Collected since</b>	01 Sep 2008. Name change 2011 formally PFANA
<b>Collected/Derived</b>	Collected
<b>Code Set</b>	
<b>Data Entry Guideline</b>	
<b>Variable Name Portal</b>	ANACONS15
Access	PFANA
SPSS	ANACONS15
HIPE-PAS interchange	
<b>Data Type</b>	Alphanumeric
<b>Field Size</b>	4
<b>Populated in National File</b>	Y - encrypted
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
<b>Reported by</b>	Hospital
<b>Reported for</b>	All cases where a 14th additional procedure was performed with anaesthetic.
<b>Order in Instruction Manual</b>	22d
<b>Irish Coding Standard</b>	



**14th Additional Procedure Consultant**

<b>Variable</b>	<b>14th Additional Procedure Consultant</b>
<b>Definition</b>	Consultant responsible for 14th additional procedure.
<b>Definition source</b>	ESRI HIPE Unit
<b>Source</b>	Chart
<b>Collected since</b>	2005. Name change 2011 formally PFCON
<b>Collected/Derived</b>	Collected
<b>Code Set</b>	
<b>Data Entry Guideline</b>	
<b>Variable Name Portal</b>	PROCCONS15
Access	PFCON
SPSS	PROCCONS15
HIPE-PAS interchange	
<b>Data Type</b>	Alphanumeric
<b>Field Size</b>	4
<b>Populated in National File</b>	Y - encrypted
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
<b>Reported by</b>	Hospital
<b>Reported for</b>	All cases where a 14th additional procedure was performed.
<b>Order in Instruction Manual</b>	
<b>Irish Coding Standard</b>	

**15th Additional Diagnosis**

<b>Variable</b>	<b>15th Additional Diagnosis</b>
<b>Definition</b>	A condition or complaint either coexisting with the principal diagnosis or arising during the episode of admitted patient care. Interpreted as conditions that affect patient management.
<b>Definition source</b>	6th ed ICD-10-AM/ACHI/ACS/ICS
<b>Source</b>	Chart
<b>Collected since</b>	2005. Name change 2011 formally CGDIA
<b>Collected/Derived</b>	Collected
<b>Code Set</b>	6th ed ICD-10-AM/ACHI/ACS/ICS
<b>Data Entry Guideline</b>	
<b>Variable Name Portal</b>	DIAG16
Access	CGDIA
SPSS	DIAG16
HIPE-PAS interchange	
<b>Data Type</b>	Alphanumeric
<b>Field Size</b>	5
<b>Populated in National File</b>	Y
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
<b>Reported by</b>	Hospital
<b>Reported for</b>	All cases where a 15th additional diagnosis made.
<b>Order in Instruction Manual</b>	
<b>Irish Coding Standard</b>	

**15th Additional Diagnosis Consultant**

<b>Variable</b>	<b>15th Additional Diagnosis Consultant</b>
<b>Definition</b>	Consultant attending 15th additional diagnosis.
<b>Definition source</b>	ESRI HIPE Unit
<b>Source</b>	Chart
<b>Collected since</b>	2005. Name change 2011 formally CGCON
<b>Collected/Derived</b>	Collected
<b>Code Set</b>	
<b>Data Entry Guideline</b>	
<b>Variable Name Portal</b>	DIAGCONS16
Access	CGCON
SPSS	DIAGCONS16
HIPE-PAS interchange	
<b>Data Type</b>	Alphanumeric
<b>Field Size</b>	4
<b>Populated in National File</b>	Y - encrypted
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
<b>Reported by</b>	Hospital
<b>Reported for</b>	All cases where a 15th additional diagnosis made.
<b>Order in Instruction Manual</b>	
<b>Irish Coding Standard</b>	

**15th Additional Procedure**

<b>Variable</b>	<b>15th Additional Procedure</b>
<b>Definition</b>	Clinical intervention that is surgical in nature, carries a procedural risk and/or carries an anaesthetic risk and/or requires specialised training and/or requires special facilities or equipment only available in an acute care setting.
<b>Definition source</b>	6th ed ICD-10-AM/ACHI/ACS/ICS
<b>Source</b>	Chart
<b>Collected since</b>	2005. Name change 2011 formally PGPRO
<b>Collected/Derived</b>	Collected
<b>Code Set</b>	6th ed ICD-10-AM/ACHI/ACS/ICS
<b>Data Entry Guideline</b>	The order of procedures is determined by the following hierarchy: procedure performed for treatment of principal diagnosis, procedure performed for treatment of an additional diagnosis, diagnostic/exploratory procedure related to principal diagnosis, diagnostic procedure related to additional diagnosis.
<b>Variable Name Portal</b>	PROC16
Access	PGPRO
SPSS	PROC16
HIPE-PAS interchange	
<b>Data Type</b>	Integer
<b>Field Size</b>	7
<b>Populated in National File</b>	Y
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
<b>Reported by</b>	Hospital
<b>Reported for</b>	All cases where a 15th additional procedure was performed.
<b>Order in Instruction Manual</b>	
<b>Irish Coding Standard</b>	

**15th Additional Procedure Anaesthetist**

<b>Variable</b>	<b>15th Additional Procedure Anaesthetist</b>
<b>Definition</b>	Anaesthetist responsible for anaesthetics in 15th additional procedure.
<b>Definition source</b>	ESRI HIPE Unit
<b>Source</b>	Chart
<b>Collected since</b>	01 Sep 2008. Name change 2011 formally PGANA
<b>Collected/Derived</b>	Collected
<b>Code Set</b>	
<b>Data Entry Guideline</b>	
<b>Variable Name Portal</b>	ANACONS16
Access	PGANA
SPSS	ANACONS16
HIPE-PAS interchange	
<b>Data Type</b>	Alphanumeric
<b>Field Size</b>	4
<b>Populated in National File</b>	Y - encrypted
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
<b>Reported by</b>	Hospital
<b>Reported for</b>	All cases where a 15th additional procedure was performed with anaesthetic.
<b>Order in Instruction Manual</b>	22d
<b>Irish Coding Standard</b>	

**15th Additional Procedure Consultant**

<b>Variable</b>	<b>15th Additional Procedure Consultant</b>
<b>Definition</b>	Consultant responsible for 15th additional procedure.
<b>Definition source</b>	ESRI HIPE Unit
<b>Source</b>	Chart
<b>Collected since</b>	2005. Name change 2011 formally PGCON
<b>Collected/Derived</b>	Collected
<b>Code Set</b>	
<b>Data Entry Guideline</b>	
<b>Variable Name Portal</b>	PROCCONS16
Access	PGCON
SPSS	PROCCONS16
HIPE-PAS interchange	
<b>Data Type</b>	Alphanumeric
<b>Field Size</b>	4
<b>Populated in National File</b>	Y - encrypted
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
<b>Reported by</b>	Hospital
<b>Reported for</b>	All cases where a 15th additional procedure was performed.
<b>Order in Instruction Manual</b>	
<b>Irish Coding Standard</b>	

**16th Additional Diagnosis**

<b>Variable</b>	<b>16th Additional Diagnosis</b>
<b>Definition</b>	A condition or complaint either coexisting with the principal diagnosis or arising during the episode of admitted patient care. Interpreted as conditions that affect patient management.
<b>Definition source</b>	6th ed ICD-10-AM/ACHI/ACS/ICS
<b>Source</b>	Chart
<b>Collected since</b>	2005. Name change 2011 formally CHDIA
<b>Collected/Derived</b>	Collected
<b>Code Set</b>	6th ed ICD-10-AM/ACHI/ACS/ICS
<b>Data Entry Guideline</b>	
<b>Variable Name Portal</b>	DIAG17
Access	CHDIA
SPSS	DIAG17
HIPE-PAS interchange	
<b>Data Type</b>	Alphanumeric
<b>Field Size</b>	5
<b>Populated in National File</b>	Y
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
<b>Reported by</b>	Hospital
<b>Reported for</b>	All cases where a 16th additional diagnosis was made.
<b>Order in Instruction Manual</b>	
<b>Irish Coding Standard</b>	

**16th Additional Diagnosis Consultant**

<b>Variable</b>	<b>16th Additional Diagnosis Consultant</b>
<b>Definition</b>	Consultant attending 16th additional diagnosis.
<b>Definition source</b>	ESRI HIPE Unit
<b>Source</b>	Chart
<b>Collected since</b>	2005. Name change 2011 formally CHCON
<b>Collected/Derived</b>	Collected
<b>Code Set</b>	
<b>Data Entry Guideline</b>	
<b>Variable Name Portal</b>	DIAGCONS17
Access	CHCON
SPSS	DIAGCONS17
HIPE-PAS interchange	
<b>Data Type</b>	Alphanumeric
<b>Field Size</b>	4
<b>Populated in National File</b>	Y - encrypted
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
<b>Reported by</b>	Hospital
<b>Reported for</b>	All cases where a 16th additional diagnosis was made.
<b>Order in Instruction Manual</b>	
<b>Irish Coding Standard</b>	



**16th Additional Procedure**

<b>Variable</b>	<b>16th Additional Procedure</b>
<b>Definition</b>	Clinical intervention that is surgical in nature, carries a procedural risk and/or carries an anaesthetic risk and/or requires specialised training and/or requires special facilities or equipment only available in an acute care setting.
<b>Definition source</b>	6th ed ICD-10-AM/ACHI/ACS/ICS
<b>Source</b>	Chart
<b>Collected since</b>	2005. Name change 2011 formally PHPRO
<b>Collected/Derived</b>	Collected
<b>Code Set</b>	6th ed ICD-10-AM/ACHI/ACS/ICS
<b>Data Entry Guideline</b>	The order of procedures is determined by the following hierarchy: procedure performed for treatment of principal diagnosis, procedure performed for treatment of an additional diagnosis, diagnostic/exploratory procedure related to principal diagnosis, diagnostic procedure related to additional diagnosis.
<b>Variable Name Portal</b>	PROC17
Access	PHPRO
SPSS	PROC17
HIPE-PAS interchange	
<b>Data Type</b>	Integer
<b>Field Size</b>	7
<b>Populated in National File</b>	Y
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
<b>Reported by</b>	Hospital
<b>Reported for</b>	All cases where a 16th additional procedure was performed.
<b>Order in Instruction Manual</b>	
<b>Irish Coding Standard</b>	

**16th Additional Procedure Anaesthetist**

<b>Variable</b>	<b>16th Additional Procedure Anaesthetist</b>
<b>Definition</b>	Anaesthetist responsible for anaesthetics in 16th additional procedure.
<b>Definition source</b>	ESRI HIPE Unit
<b>Source</b>	Chart
<b>Collected since</b>	01 Sep 2008. Name change 2011 formally PHANA
<b>Collected/Derived</b>	Collected
<b>Code Set</b>	
<b>Data Entry Guideline</b>	
<b>Variable Name Portal</b>	ANACONS17
Access	PHANA
SPSS	ANACONS17
HIPE-PAS interchange	
<b>Data Type</b>	Alphanumeric
<b>Field Size</b>	4
<b>Populated in National File</b>	Y - encrypted
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
<b>Reported by</b>	Hospital
<b>Reported for</b>	All cases where a 16th additional procedure was performed with anaesthetic.
<b>Order in Instruction Manual</b>	22d
<b>Irish Coding Standard</b>	

**16th Additional Procedure Consultant**

<b>Variable</b>	<b>16th Additional Procedure Consultant</b>
<b>Definition</b>	Consultant responsible for 16th additional procedure.
<b>Definition source</b>	ESRI HIPE Unit
<b>Source</b>	Chart
<b>Collected since</b>	2005. Name change 2011 formally PHCON
<b>Collected/Derived</b>	Collected
<b>Code Set</b>	
<b>Data Entry Guideline</b>	
<b>Variable Name Portal</b>	PROCCONS17
Access	PHCON
SPSS	PROCCONS17
HIPE-PAS interchange	
<b>Data Type</b>	Alphanumeric
<b>Field Size</b>	4
<b>Populated in National File</b>	Y - encrypted
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
<b>Reported by</b>	Hospital
<b>Reported for</b>	All cases where a 16th additional procedure was performed.
<b>Order in Instruction Manual</b>	
<b>Irish Coding Standard</b>	

**17th Additional Diagnosis**

<b>Variable</b>	<b>17th Additional Diagnosis</b>
<b>Definition</b>	A condition or complaint either coexisting with the principal diagnosis or arising during the episode of admitted patient care. Interpreted as conditions that affect patient management.
<b>Definition source</b>	6th ed ICD-10-AM/ACHI/ACS/ICS
<b>Source</b>	Chart
<b>Collected since</b>	2005. Name change 2011 formally CIDIA
<b>Collected/Derived</b>	Collected
<b>Code Set</b>	6th ed ICD-10-AM/ACHI/ACS/ICS
<b>Data Entry Guideline</b>	
<b>Variable Name Portal</b>	DIAG18
Access	CIDIA
SPSS	DIAG18
HIPE-PAS interchange	
<b>Data Type</b>	Alphanumeric
<b>Field Size</b>	5
<b>Populated in National File</b>	Y
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
<b>Reported by</b>	Hospital
<b>Reported for</b>	All cases where a 17th additional diagnosis was made.
<b>Order in Instruction Manual</b>	
<b>Irish Coding Standard</b>	

**17th Additional Diagnosis Consultant**

<b>Variable</b>	<b>17th Additional Diagnosis Consultant</b>
<b>Definition</b>	Consultant attending 17th additional diagnosis.
<b>Definition source</b>	ESRI HIPE Unit
<b>Source</b>	Chart
<b>Collected since</b>	2005. Name change 2011 formally CICON
<b>Collected/Derived</b>	Collected
<b>Code Set</b>	
<b>Data Entry Guideline</b>	
<b>Variable Name Portal</b>	DIAGCONS18
Access	CICON
SPSS	DIAGCONS18
HIPE-PAS interchange	
<b>Data Type</b>	Alphanumeric
<b>Field Size</b>	4
<b>Populated in National File</b>	Y - encrypted
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
<b>Reported by</b>	Hospital
<b>Reported for</b>	All cases where a 17th additional diagnosis was made.
<b>Order in Instruction Manual</b>	
<b>Irish Coding Standard</b>	

**17th Additional Procedure**

<b>Variable</b>	<b>17th Additional Procedure</b>
<b>Definition</b>	Clinical intervention that is surgical in nature, carries a procedural risk and/or carries an anaesthetic risk and/or requires specialised training and/or requires special facilities or equipment only available in an acute care setting.
<b>Definition source</b>	6th ed ICD-10-AM/ACHI/ACS/ICS
<b>Source</b>	Chart
<b>Collected since</b>	2005. Name change 2011 formally PIPRO
<b>Collected/Derived</b>	Collected
<b>Code Set</b>	6th ed ICD-10-AM/ACHI/ACS/ICS
<b>Data Entry Guideline</b>	The order of procedures is determined by the following hierarchy: procedure performed for treatment of principal diagnosis, procedure performed for treatment of an additional diagnosis, diagnostic/exploratory procedure related to principal diagnosis, diagnostic procedure related to additional diagnosis.
<b>Variable Name Portal</b>	PROC18
Access	PIPPO
SPSS	PROC18
HIPE-PAS interchange	
<b>Data Type</b>	Integer
<b>Field Size</b>	7
<b>Populated in National File</b>	Y
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
<b>Reported by</b>	Hospital
<b>Reported for</b>	All cases where a 17th additional procedure was performed.
<b>Order in Instruction Manual</b>	
<b>Irish Coding Standard</b>	

**17th Additional Procedure Anaesthetist**

<b>Variable</b>	<b>17th Additional Procedure Anaesthetist</b>
<b>Definition</b>	Anaesthetist responsible for anaesthetics in 17th additional procedure.
<b>Definition source</b>	ESRI HIPE Unit
<b>Source</b>	Chart
<b>Collected since</b>	01 Sep 2008. Name change 2011 formally PIANA
<b>Collected/Derived</b>	Collected
<b>Code Set</b>	
<b>Data Entry Guideline</b>	
<b>Variable Name Portal</b>	ANACONS18
Access	PIANA
SPSS	ANACONS18
HIPE-PAS interchange	
<b>Data Type</b>	Alphanumeric
<b>Field Size</b>	4
<b>Populated in National File</b>	Y - encrypted
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
<b>Reported by</b>	Hospital
<b>Reported for</b>	All cases where a 17th additional procedure was performed with anaesthetic.
<b>Order in Instruction Manual</b>	22d
<b>Irish Coding Standard</b>	

**17th Additional Procedure Consultant**

<b>Variable</b>	<b>17th Additional Procedure Consultant</b>
<b>Definition</b>	Consultant responsible for 17th additional procedure.
<b>Definition source</b>	ESRI HIPE Unit
<b>Source</b>	Chart
<b>Collected since</b>	2005. Name change 2011 formally PIOCON
<b>Collected/Derived</b>	Collected
<b>Code Set</b>	
<b>Data Entry Guideline</b>	
<b>Variable Name Portal</b>	PROCCONS18
Access	PICON
SPSS	PROCCONS18
HIPE-PAS interchange	
<b>Data Type</b>	Alphanumeric
<b>Field Size</b>	4
<b>Populated in National File</b>	Y - encrypted
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
<b>Reported by</b>	Hospital
<b>Reported for</b>	All cases where a 17th additional procedure was performed.
<b>Order in Instruction Manual</b>	
<b>Irish Coding Standard</b>	



**18th Additional Diagnosis**

<b>Variable</b>	<b>18th Additional Diagnosis</b>
<b>Definition</b>	A condition or complaint either coexisting with the principal diagnosis or arising during the episode of admitted patient care. Interpreted as conditions that affect patient management.
<b>Definition source</b>	6th ed ICD-10-AM/ACHI/ACS/ICS
<b>Source</b>	Chart
<b>Collected since</b>	2005. Name change 2011 formally CJDIA
<b>Collected/Derived</b>	Collected
<b>Code Set</b>	6th ed ICD-10-AM/ACHI/ACS/ICS
<b>Data Entry Guideline</b>	
<b>Variable Name Portal</b>	DIAG19
Access	CJDIA
SPSS	DIAG19
HIPE-PAS interchange	
<b>Data Type</b>	Alphanumeric
<b>Field Size</b>	5
<b>Populated in National File</b>	Y
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
<b>Reported by</b>	Hospital
<b>Reported for</b>	All cases where an 18th additional diagnosis was made.
<b>Order in Instruction Manual</b>	
<b>Irish Coding Standard</b>	

**18th Additional Diagnosis Consultant**

<b>Variable</b>	<b>18th Additional Diagnosis Consultant</b>
<b>Definition</b>	Consultant attending 18th additional diagnosis.
<b>Definition source</b>	ESRI HIPE Unit
<b>Source</b>	Chart
<b>Collected since</b>	2005. Name change 2011 formally CJCON
<b>Collected/Derived</b>	Collected
<b>Code Set</b>	
<b>Data Entry Guideline</b>	
<b>Variable Name Portal</b>	DIAGCONS19
Access	CJCON
SPSS	DIAGCONS19
HIPE-PAS interchange	
<b>Data Type</b>	Alphanumeric
<b>Field Size</b>	4
<b>Populated in National File</b>	Y - encrypted
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
<b>Reported by</b>	Hospital
<b>Reported for</b>	All cases where an 18th additional diagnosis was made.
<b>Order in Instruction Manual</b>	
<b>Irish Coding Standard</b>	

**18th Additional Procedure**

<b>Variable</b>	<b>18th Additional Procedure</b>
<b>Definition</b>	Clinical intervention that is surgical in nature, carries a procedural risk and/or carries an anaesthetic risk and/or requires specialised training and/or requires special facilities or equipment only available in an acute care setting.
<b>Definition source</b>	6th ed ICD-10-AM/ACHI/ACS/ICS
<b>Source</b>	Chart
<b>Collected since</b>	2005. Name change 2011 formally PJPRO
<b>Collected/Derived</b>	Collected
<b>Code Set</b>	6th ed ICD-10-AM/ACHI/ACS/ICS
<b>Data Entry Guideline</b>	The order of procedures is determined by the following hierarchy: procedure performed for treatment of principal diagnosis, procedure performed for treatment of an additional diagnosis, diagnostic/exploratory procedure related to principal diagnosis, diagnostic procedure related to additional diagnosis.
<b>Variable Name Portal</b>	PROC19
Access	PJPRO
SPSS	PROC19
HIPE-PAS interchange	
<b>Data Type</b>	Integer
<b>Field Size</b>	7
<b>Populated in National File</b>	Y
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
<b>Reported by</b>	Hospital
<b>Reported for</b>	All cases where an 18th additional procedure was performed.
<b>Order in Instruction Manual</b>	
<b>Irish Coding Standard</b>	

**18th Additional Procedure Anaesthetist**

<b>Variable</b>	<b>18th Additional Procedure Anaesthetist</b>
<b>Definition</b>	Anaesthetist responsible for anaesthetics in 18th additional procedure.
<b>Definition source</b>	ESRI HIPE Unit
<b>Source</b>	Chart
<b>Collected since</b>	01 Sep 2008. Name change 2011 formally PJANA
<b>Collected/Derived</b>	Collected
<b>Code Set</b>	
<b>Data Entry Guideline</b>	
<b>Variable Name Portal</b>	ANACONS19
Access	PJANA
SPSS	ANACONS19
HIPE-PAS interchange	
<b>Data Type</b>	Alphanumeric
<b>Field Size</b>	4
<b>Populated in National File</b>	Y - encrypted
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
<b>Reported by</b>	Hospital
<b>Reported for</b>	All cases where an 18th additional procedure was performed with anaesthetic.
<b>Order in Instruction Manual</b>	22d
<b>Irish Coding Standard</b>	

**18th Additional Procedure Consultant**

<b>Variable</b>	<b>18th Additional Procedure Consultant</b>
<b>Definition</b>	Consultant responsible for 18th additional procedure.
<b>Definition source</b>	ESRI HIPE Unit
<b>Source</b>	Chart
<b>Collected since</b>	2005. Name change 2011 formally PJCON
<b>Collected/Derived</b>	Collected
<b>Code Set</b>	
<b>Data Entry Guideline</b>	
<b>Variable Name Portal</b>	PROCCONS19
Access	PJCON
SPSS	PROCCONS19
HIPE-PAS interchange	
<b>Data Type</b>	Alphanumeric
<b>Field Size</b>	4
<b>Populated in National File</b>	Y - encrypted
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
<b>Reported by</b>	Hospital
<b>Reported for</b>	All cases where an 18th additional procedure was performed.
<b>Order in Instruction Manual</b>	
<b>Irish Coding Standard</b>	

**19th Additional Diagnosis**

<b>Variable</b>	<b>19th Additional Diagnosis</b>
<b>Definition</b>	A condition or complaint either coexisting with the principal diagnosis or arising during the episode of admitted patient care. Interpreted as conditions that affect patient management.
<b>Definition source</b>	6th ed ICD-10-AM/ACHI/ACS/ICS
<b>Source</b>	Chart
<b>Collected since</b>	2005. Name change 2011 formally CKDIA
<b>Collected/Derived</b>	Collected
<b>Code Set</b>	6th ed ICD-10-AM/ACHI/ACS/ICS
<b>Data Entry Guideline</b>	
<b>Variable Name Portal</b>	DIAG20
Access	CKDIA
SPSS	DIAG20
HIPE-PAS interchange	
<b>Data Type</b>	Alphanumeric
<b>Field Size</b>	5
<b>Populated in National File</b>	Y
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
<b>Reported by</b>	Hospital
<b>Reported for</b>	All cases where a 19th additional diagnosis was made.
<b>Order in Instruction Manual</b>	
<b>Irish Coding Standard</b>	

**19th Additional Diagnosis Consultant**

<b>Variable</b>	<b>19th Additional Diagnosis Consultant</b>
<b>Definition</b>	Consultant attending 19th additional diagnosis.
<b>Definition source</b>	ESRI HIPE Unit
<b>Source</b>	Chart
<b>Collected since</b>	2005.Name change 2011 formally CKCON
<b>Collected/Derived</b>	Collected
<b>Code Set</b>	
<b>Data Entry Guideline</b>	
<b>Variable Name Portal</b>	DIAGCONS20
Access	CKCON
SPSS	DIAGCONS20
HIPE-PAS interchange	
<b>Data Type</b>	Alphanumeric
<b>Field Size</b>	4
<b>Populated in National File</b>	Y - encrypted
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
<b>Reported by</b>	Hospital
<b>Reported for</b>	All cases where a 19th additional diagnosis was made.
<b>Order in Instruction Manual</b>	
<b>Irish Coding Standard</b>	

**19th Additional Procedure**

<b>Variable</b>	<b>19th Additional Procedure</b>
<b>Definition</b>	Clinical intervention that is surgical in nature, carries a procedural risk and/or carries an anaesthetic risk and/or requires specialised training and/or requires special facilities or equipment only available in an acute care setting.
<b>Definition source</b>	6th ed ICD-10-AM/ACHI/ACS/ICS
<b>Source</b>	Chart
<b>Collected since</b>	2005. Name change 2011 formally PKPRO
<b>Collected/Derived</b>	Collected
<b>Code Set</b>	6th ed ICD-10-AM/ACHI/ACS/ICS
<b>Data Entry Guideline</b>	The order of procedures is determined by the following hierarchy: procedure performed for treatment of principal diagnosis, procedure performed for treatment of an additional diagnosis, diagnostic/exploratory procedure related to principal diagnosis, diagnostic procedure related to additional diagnosis.
<b>Variable Name Portal</b>	PROC20
Access	PKPRO
SPSS	PROC20
HIPE-PAS interchange	
<b>Data Type</b>	Integer
<b>Field Size</b>	7
<b>Populated in National File</b>	Y
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
<b>Reported by</b>	Hospital
<b>Reported for</b>	All cases where a 19th additional procedure was performed.
<b>Order in Instruction Manual</b>	
<b>Irish Coding Standard</b>	



**19th Additional Procedure Anaesthetist**

<b>Variable</b>	<b>19th Additional Procedure Anaesthetist</b>
<b>Definition</b>	Anaesthetist responsible for anaesthetics in 19th additional procedure.
<b>Definition source</b>	ESRI HIPE Unit
<b>Source</b>	Chart
<b>Collected since</b>	01 Sep 2008. Name change 2011 formally PKANA
<b>Collected/Derived</b>	Collected
<b>Code Set</b>	
<b>Data Entry Guideline</b>	
<b>Variable Name Portal</b>	ANACONS20
Access	PKANA
SPSS	ANACONS20
HIPE-PAS interchange	
<b>Data Type</b>	Alphanumeric
<b>Field Size</b>	4
<b>Populated in National File</b>	Y - encrypted
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
<b>Reported by</b>	Hospital
<b>Reported for</b>	All cases where a 19th additional procedure was performed with anaesthetic.
<b>Order in Instruction Manual</b>	22d
<b>Irish Coding Standard</b>	

**19th Additional Procedure Consultant**

<b>Variable</b>	<b>19th Additional Procedure Consultant</b>
<b>Definition</b>	Consultant responsible for 19th additional procedure
<b>Definition source</b>	ESRI HIPE Unit
<b>Source</b>	Chart
<b>Collected since</b>	2005. Name change 2011 formally PKCON
<b>Collected/Derived</b>	Collected
<b>Code Set</b>	
<b>Data Entry Guideline</b>	
<b>Variable Name Portal</b>	PROCCONS20
Access	PKCON
SPSS	PROCCONS20
HIPE-PAS interchange	
<b>Data Type</b>	Alphanumeric
<b>Field Size</b>	4
<b>Populated in National File</b>	Y - encrypted
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
<b>Reported by</b>	Hospital
<b>Reported for</b>	All cases where a 19th additional procedure was performed.
<b>Order in Instruction Manual</b>	
<b>Irish Coding Standard</b>	

**20th Additional Diagnosis**

<b>Variable</b>	<b>20th Additional Diagnosis</b>
<b>Definition</b>	A condition or complaint either coexisting with the principal diagnosis or arising during the episode of admitted patient care. Interpreted as conditions that affect patient management.
<b>Definition source</b>	6th ed ICD-10-AM/ACHI/ACS/ICS
<b>Source</b>	Chart
<b>Collected since</b>	2011 - migration to Portal
<b>Collected/Derived</b>	Collected
<b>Code Set</b>	6th ed ICD-10-AM/ACHI/ACS/ICS
<b>Data Entry Guideline</b>	
<b>Variable Name Portal</b>	DIAG21
Access	DIAG21
SPSS	DIAG21
HIPE-PAS interchange	
<b>Data Type</b>	Alphanumeric
<b>Field Size</b>	5
<b>Populated in National File</b>	Y
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
<b>Reported by</b>	Hospital
<b>Reported for</b>	All cases where a 20th additional diagnosis was made.
<b>Order in Instruction Manual</b>	
<b>Irish Coding Standard</b>	

**20th Additional Diagnosis Consultant**

<b>Variable</b>	<b>20th Additional Diagnosis Consultant</b>
<b>Definition</b>	Consultant attending 20th additional diagnosis.
<b>Definition source</b>	ESRI HIPE Unit
<b>Source</b>	Chart
<b>Collected since</b>	2011-migration to Portal
<b>Collected/Derived</b>	Collected
<b>Code Set</b>	
<b>Data Entry Guideline</b>	
<b>Variable Name Portal</b>	DIAGCONS21
Access	DIAGCONS21
SPSS	DIAGCONS21
HIPE-PAS interchange	
<b>Data Type</b>	Alphanumeric
<b>Field Size</b>	4
<b>Populated in National File</b>	Y - encrypted
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
<b>Reported by</b>	Hospital
<b>Reported for</b>	All cases where a 20th additional diagnosis was made.
<b>Order in Instruction Manual</b>	
<b>Irish Coding Standard</b>	

**21st Additional Diagnosis**

<b>Variable</b>	<b>21st Additional Diagnosis</b>
<b>Definition</b>	A condition or complaint either coexisting with the principal diagnosis or arising during the episode of admitted patient care. Interpreted as conditions that affect patient management.
<b>Definition source</b>	6th ed ICD-10-AM/ACHI/ACS/ICS
<b>Source</b>	Chart
<b>Collected since</b>	2011 - migration to Portal
<b>Collected/Derived</b>	Collected
<b>Code Set</b>	6th ed ICD-10-AM/ACHI/ACS/ICS
<b>Data Entry Guideline</b>	
<b>Variable Name Portal</b>	DIAG22
Access	DIAG22
SPSS	DIAG22
HIPE-PAS interchange	
<b>Data Type</b>	Alphanumeric
<b>Field Size</b>	5
<b>Populated in National File</b>	Y
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
<b>Reported by</b>	Hospital
<b>Reported for</b>	All cases where a 21st additional diagnosis was made.
<b>Order in Instruction Manual</b>	
<b>Irish Coding Standard</b>	

**21st Additional Diagnosis Consultant**

<b>Variable</b>	<b>21st Additional Diagnosis Consultant</b>
<b>Definition</b>	Consultant attending 21st additional diagnosis.
<b>Definition source</b>	ESRI HIPE Unit
<b>Source</b>	Chart
<b>Collected since</b>	2011-migration to Portal
<b>Collected/Derived</b>	Collected
<b>Code Set</b>	
<b>Data Entry Guideline</b>	
<b>Variable Name Portal</b>	DIAGCONS22
Access	DIAGCONS22
SPSS	DIAGCONS22
HIPE-PAS interchange	
<b>Data Type</b>	Alphanumeric
<b>Field Size</b>	4
<b>Populated in National File</b>	Y - encrypted
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
<b>Reported by</b>	Hospital
<b>Reported for</b>	All cases where a 21st additional diagnosis was made.
<b>Order in Instruction Manual</b>	
<b>Irish Coding Standard</b>	

**22nd Additional Diagnosis**

<b>Variable</b>	<b>22nd Additional Diagnosis</b>
<b>Definition</b>	A condition or complaint either coexisting with the principal diagnosis or arising during the episode of admitted patient care. Interpreted as conditions that affect patient management.
<b>Definition source</b>	6th ed ICD-10-AM/ACHI/ACS/ICS
<b>Source</b>	Chart
<b>Collected since</b>	2011 - migration to Portal
<b>Collected/Derived</b>	Collected
<b>Code Set</b>	6th ed ICD-10-AM/ACHI/ACS/ICS
<b>Data Entry Guideline</b>	
<b>Variable Name Portal</b>	DIAG23
Access	DIAG23
SPSS	DIAG23
HIPE-PAS interchange	
<b>Data Type</b>	Alphanumeric
<b>Field Size</b>	5
<b>Populated in National File</b>	Y
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
<b>Reported by</b>	Hospital
<b>Reported for</b>	All cases where a 22nd additional diagnosis was made.
<b>Order in Instruction Manual</b>	
<b>Irish Coding Standard</b>	

**22nd Additional Diagnosis Consultant**

<b>Variable</b>	<b>22nd Additional Diagnosis Consultant</b>
<b>Definition</b>	Consultant attending 22nd additional diagnosis.
<b>Definition source</b>	ESRI HIPE Unit
<b>Source</b>	Chart
<b>Collected since</b>	2011-migration to Portal
<b>Collected/Derived</b>	Collected
<b>Code Set</b>	
<b>Data Entry Guideline</b>	
<b>Variable Name Portal</b>	DIAGCONS23
Access	DIAGCONS23
SPSS	DIAGCONS23
HIPE-PAS interchange	
<b>Data Type</b>	Alphanumeric
<b>Field Size</b>	4
<b>Populated in National File</b>	Y - encrypted
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
<b>Reported by</b>	Hospital
<b>Reported for</b>	All cases where a 22nd additional diagnosis was made.
<b>Order in Instruction Manual</b>	
<b>Irish Coding Standard</b>	



**23rd Additional Diagnosis**

<b>Variable</b>	<b>23rd Additional Diagnosis</b>
<b>Definition</b>	A condition or complaint either coexisting with the principal diagnosis or arising during the episode of admitted patient care. Interpreted as conditions that affect patient management.
<b>Definition source</b>	6th ed ICD-10-AM/ACHI/ACS/ICS
<b>Source</b>	Chart
<b>Collected since</b>	2011 - migration to Portal
<b>Collected/Derived</b>	Collected
<b>Code Set</b>	6th ed ICD-10-AM/ACHI/ACS/ICS
<b>Data Entry Guideline</b>	
<b>Variable Name Portal</b>	DIAG24
Access	DIAG24
SPSS	DIAG24
HIPE-PAS interchange	
<b>Data Type</b>	Alphanumeric
<b>Field Size</b>	5
<b>Populated in National File</b>	Y
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
<b>Reported by</b>	Hospital
<b>Reported for</b>	All cases where a 23rd additional diagnosis was made.
<b>Order in Instruction Manual</b>	
<b>Irish Coding Standard</b>	

**23rd Additional Diagnosis Consultant**

<b>Variable</b>	<b>23rd Additional Diagnosis Consultant</b>
<b>Definition</b>	Consultant attending 23rd additional diagnosis.
<b>Definition source</b>	ESRI HIPE Unit
<b>Source</b>	Chart
<b>Collected since</b>	2011-migration to Portal
<b>Collected/Derived</b>	Collected
<b>Code Set</b>	
<b>Data Entry Guideline</b>	
<b>Variable Name Portal</b>	DIAGCONS24
Access	DIAGCONS24
SPSS	DIAGCONS24
HIPE-PAS interchange	
<b>Data Type</b>	Alphanumeric
<b>Field Size</b>	4
<b>Populated in National File</b>	Y - encrypted
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
<b>Reported by</b>	Hospital
<b>Reported for</b>	All cases where a 23rd additional diagnosis was made.
<b>Order in Instruction Manual</b>	
<b>Irish Coding Standard</b>	

**24th Additional Diagnosis**

<b>Variable</b>	<b>24th Additional Diagnosis</b>
<b>Definition</b>	A condition or complaint either coexisting with the principal diagnosis or arising during the episode of admitted patient care. Interpreted as conditions that affect patient management.
<b>Definition source</b>	6th ed ICD-10-AM/ACHI/ACS/ICS
<b>Source</b>	Chart
<b>Collected since</b>	2011 - migration to Portal
<b>Collected/Derived</b>	Collected
<b>Code Set</b>	6th ed ICD-10-AM/ACHI/ACS/ICS
<b>Data Entry Guideline</b>	
<b>Variable Name Portal</b>	DIAG25
Access	DIAG25
SPSS	DIAG25
HIPE-PAS interchange	
<b>Data Type</b>	Alphanumeric
<b>Field Size</b>	5
<b>Populated in National File</b>	Y
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
<b>Reported by</b>	Hospital
<b>Reported for</b>	All cases where a 24th additional diagnosis was made.
<b>Order in Instruction Manual</b>	
<b>Irish Coding Standard</b>	

**24th Additional Diagnosis Consultant**

<b>Variable</b>	<b>24th Additional Diagnosis Consultant</b>
<b>Definition</b>	Consultant attending 24th additional diagnosis.
<b>Definition source</b>	ESRI HIPE Unit
<b>Source</b>	Chart
<b>Collected since</b>	2011-migration to Portal
<b>Collected/Derived</b>	Collected
<b>Code Set</b>	
<b>Data Entry Guideline</b>	
<b>Variable Name Portal</b>	DIAGCONS25
Access	DIAGCONS25
SPSS	DIAGCONS25
HIPE-PAS interchange	
<b>Data Type</b>	Alphanumeric
<b>Field Size</b>	4
<b>Populated in National File</b>	Y - encrypted
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
<b>Reported by</b>	Hospital
<b>Reported for</b>	All cases where a 24th additional diagnosis was made.
<b>Order in Instruction Manual</b>	
<b>Irish Coding Standard</b>	

**25th Additional Diagnosis**

<b>Variable</b>	<b>25th Additional Diagnosis</b>
<b>Definition</b>	A condition or complaint either coexisting with the principal diagnosis or arising during the episode of admitted patient care. Interpreted as conditions that affect patient management.
<b>Definition source</b>	6th ed ICD-10-AM/ACHI/ACS/ICS
<b>Source</b>	Chart
<b>Collected since</b>	2011 - migration to Portal
<b>Collected/Derived</b>	Collected
<b>Code Set</b>	6th ed ICD-10-AM/ACHI/ACS/ICS
<b>Data Entry Guideline</b>	
<b>Variable Name Portal</b>	DIAG26
Access	DIAG26
SPSS	DIAG26
HIPE-PAS interchange	
<b>Data Type</b>	Alphanumeric
<b>Field Size</b>	5
<b>Populated in National File</b>	Y
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
<b>Reported by</b>	Hospital
<b>Reported for</b>	All cases where a 25th additional diagnosis was made.
<b>Order in Instruction Manual</b>	
<b>Irish Coding Standard</b>	

**25th Additional Diagnosis Consultant**

<b>Variable</b>	<b>25th Additional Diagnosis Consultant</b>
<b>Definition</b>	Consultant attending 25th additional diagnosis.
<b>Definition source</b>	ESRI HIPE Unit
<b>Source</b>	Chart
<b>Collected since</b>	2011-migration to Portal
<b>Collected/Derived</b>	Collected
<b>Code Set</b>	
<b>Data Entry Guideline</b>	
<b>Variable Name Portal</b>	DIAGCONS26
Access	DIAGCONS26
SPSS	DIAGCONS26
HIPE-PAS interchange	
<b>Data Type</b>	Alphanumeric
<b>Field Size</b>	4
<b>Populated in National File</b>	Y - encrypted
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
<b>Reported by</b>	Hospital
<b>Reported for</b>	All cases where a 25th additional diagnosis was made.
<b>Order in Instruction Manual</b>	
<b>Irish Coding Standard</b>	

**26th Additional Diagnosis**

<b>Variable</b>	<b>26th Additional Diagnosis</b>
<b>Definition</b>	A condition or complaint either coexisting with the principal diagnosis or arising during the episode of admitted patient care. Interpreted as conditions that affect patient management.
<b>Definition source</b>	6th ed ICD-10-AM/ACHI/ACS/ICS
<b>Source</b>	Chart
<b>Collected since</b>	2011 - migration to Portal
<b>Collected/Derived</b>	Collected
<b>Code Set</b>	6th ed ICD-10-AM/ACHI/ACS/ICS
<b>Data Entry Guideline</b>	
<b>Variable Name Portal</b>	DIAG27
Access	DIAG27
SPSS	DIAG27
HIPE-PAS interchange	
<b>Data Type</b>	Alphanumeric
<b>Field Size</b>	5
<b>Populated in National File</b>	Y
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
<b>Reported by</b>	Hospital
<b>Reported for</b>	All cases where a 26th additional diagnosis was made.
<b>Order in Instruction Manual</b>	
<b>Irish Coding Standard</b>	

**26th Additional Diagnosis Consultant**

<b>Variable</b>	<b>26th Additional Diagnosis Consultant</b>
<b>Definition</b>	Consultant attending 26th additional diagnosis.
<b>Definition source</b>	ESRI HIPE Unit
<b>Source</b>	Chart
<b>Collected since</b>	2011-migration to Portal
<b>Collected/Derived</b>	Collected
<b>Code Set</b>	
<b>Data Entry Guideline</b>	
<b>Variable Name Portal</b>	DIAGCONS27
Access	DIAGCONS27
SPSS	DIAGCONS27
HIPE-PAS interchange	
<b>Data Type</b>	Alphanumeric
<b>Field Size</b>	4
<b>Populated in National File</b>	Y - encrypted
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
<b>Reported by</b>	Hospital
<b>Reported for</b>	All cases where a 26th additional diagnosis was made.
<b>Order in Instruction Manual</b>	
<b>Irish Coding Standard</b>	



**27th Additional Diagnosis**

<b>Variable</b>	<b>27th Additional Diagnosis</b>
<b>Definition</b>	A condition or complaint either coexisting with the principal diagnosis or arising during the episode of admitted patient care. Interpreted as conditions that affect patient management.
<b>Definition source</b>	6th ed ICD-10-AM/ACHI/ACS/ICS
<b>Source</b>	Chart
<b>Collected since</b>	2011 - migration to Portal
<b>Collected/Derived</b>	Collected
<b>Code Set</b>	6th ed ICD-10-AM/ACHI/ACS/ICS
<b>Data Entry Guideline</b>	
<b>Variable Name Portal</b>	DIAG28
Access	DIAG28
SPSS	DIAG28
HIPE-PAS interchange	
<b>Data Type</b>	Alphanumeric
<b>Field Size</b>	5
<b>Populated in National File</b>	Y
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
<b>Reported by</b>	Hospital
<b>Reported for</b>	All cases where a 27th additional diagnosis was made.
<b>Order in Instruction Manual</b>	
<b>Irish Coding Standard</b>	

## 27th Additional Diagnosis Consultant

<b>Variable</b>	<b>27th Additional Diagnosis Consultant</b>
<b>Definition</b>	Consultant attending 27th additional diagnosis.
<b>Definition source</b>	ESRI HIPE Unit
<b>Source</b>	Chart
<b>Collected since</b>	2011-migration to Portal
<b>Collected/Derived</b>	Collected
<b>Code Set</b>	
<b>Data Entry Guideline</b>	
<b>Variable Name Portal</b>	DIAGCONS28
Access	DIAGCONS28
SPSS	DIAGCONS28
HIPE-PAS interchange	
<b>Data Type</b>	Alphanumeric
<b>Field Size</b>	4
<b>Populated in National File</b>	Y - encrypted
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
<b>Reported by</b>	Hospital
<b>Reported for</b>	All cases where a 27th additional diagnosis was made.
<b>Order in Instruction Manual</b>	
<b>Irish Coding Standard</b>	

**28th Additional Diagnosis**

<b>Variable</b>	<b>28th Additional Diagnosis</b>
<b>Definition</b>	A condition or complaint either coexisting with the principal diagnosis or arising during the episode of admitted patient care. Interpreted as conditions that affect patient management.
<b>Definition source</b>	6th ed ICD-10-AM/ACHI/ACS/ICS
<b>Source</b>	Chart
<b>Collected since</b>	2011 - migration to Portal
<b>Collected/Derived</b>	Collected
<b>Code Set</b>	6th ed ICD-10-AM/ACHI/ACS/ICS
<b>Data Entry Guideline</b>	
<b>Variable Name Portal</b>	DIAG29
Access	DIAG29
SPSS	DIAG29
HIPE-PAS interchange	
<b>Data Type</b>	Alphanumeric
<b>Field Size</b>	5
<b>Populated in National File</b>	Y
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
<b>Reported by</b>	Hospital
<b>Reported for</b>	All cases where a 28th additional diagnosis was made.
<b>Order in Instruction Manual</b>	
<b>Irish Coding Standard</b>	

**28th Additional Diagnosis Consultant**

<b>Variable</b>	<b>28th Additional Diagnosis Consultant</b>
<b>Definition</b>	Consultant attending 28th additional diagnosis.
<b>Definition source</b>	ESRI HIPE Unit
<b>Source</b>	Chart
<b>Collected since</b>	2011-migration to Portal
<b>Collected/Derived</b>	Collected
<b>Code Set</b>	
<b>Data Entry Guideline</b>	
<b>Variable Name Portal</b>	DIAGCONS29
Access	DIAGCONS29
SPSS	DIAGCONS29
HIPE-PAS interchange	
<b>Data Type</b>	Alphanumeric
<b>Field Size</b>	4
<b>Populated in National File</b>	Y - encrypted
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
<b>Reported by</b>	Hospital
<b>Reported for</b>	All cases where a 28th additional diagnosis was made.
<b>Order in Instruction Manual</b>	
<b>Irish Coding Standard</b>	

**29th Additional Diagnosis**

<b>Variable</b>	<b>29th Additional Diagnosis</b>
<b>Definition</b>	A condition or complaint either coexisting with the principal diagnosis or arising during the episode of admitted patient care. Interpreted as conditions that affect patient management.
<b>Definition source</b>	6th ed ICD-10-AM/ACHI/ACS/ICS
<b>Source</b>	Chart
<b>Collected since</b>	2011 - migration to Portal
<b>Collected/Derived</b>	Collected
<b>Code Set</b>	6th ed ICD-10-AM/ACHI/ACS/ICS
<b>Data Entry Guideline</b>	
<b>Variable Name Portal</b>	DIAG30
Access	DIAG30
SPSS	DIAG30
HIPE-PAS interchange	
<b>Data Type</b>	Alphanumeric
<b>Field Size</b>	5
<b>Populated in National File</b>	Y
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
<b>Reported by</b>	Hospital
<b>Reported for</b>	All cases where a 29th additional diagnosis was made.
<b>Order in Instruction Manual</b>	
<b>Irish Coding Standard</b>	

**29th Additional Diagnosis Consultant**

<b>Variable</b>	<b>29th Additional Diagnosis Consultant</b>
<b>Definition</b>	Consultant attending 29th additional diagnosis.
<b>Definition source</b>	ESRI HIPE Unit
<b>Source</b>	Chart
<b>Collected since</b>	2011-migration to Portal
<b>Collected/Derived</b>	Collected
<b>Code Set</b>	
<b>Data Entry Guideline</b>	
<b>Variable Name Portal</b>	DIAGCONS30
Access	DIAGCONS30
SPSS	DIAGCONS30
HIPE-PAS interchange	
<b>Data Type</b>	Alphanumeric
<b>Field Size</b>	4
<b>Populated in National File</b>	Y - encrypted
	<i>(If no, this variable is only populated in the hospital version of HIPE and is not available across hospitals)</i>
<b>Reported by</b>	Hospital
<b>Reported for</b>	All cases where a 29th additional diagnosis was made.
<b>Order in Instruction Manual</b>	
<b>Irish Coding Standard</b>	

## Appendix I - CODE SETS

### ADMSOURCE - Source of Admission

Code	Description
1	Home
2	Transfer from nursing home/convalescent home or other long stay accommodation
3	Transfer from Acute Hospital. <i>When the coder enters a transfer (3) as a source of admission the system will respond with a request to identify the hospital in question - identified using the 4-digit Department of Health <a href="#">hospital code</a>.</i>
4	Transfer from Non-Acute hospital not in HIPE hospital listing
5	Transfer from hospice not in HIPE hospital listing
6	Transfer from psychiatric hospital/unit
7	New born
8	Temporary place of residence
9	Prison
0	Other

### ADMTYPE - Type of Admission

Code	Description	Definition
1	Elective	The patient's condition permits adequate time to schedule the availability of suitable services, an elective admission can be delayed without substantial risk to the health of the individual.
2	Elective readmission	Patient admitted electively to the same hospital where they had previous treatment/care to continue ongoing treatment or care.
4	Emergency	The patient requires immediate care and treatment as a result of a severe, life threatening or potentially disabling condition. Generally the patient is admitted through the Emergency Department.
5	Emergency Readmission	This is an unscheduled readmission following previous spell of treatment in same hospital and relating to the treatment or care previously given.
6	Maternity	The patient is admitted related to their obstetrical experience. (From conception to 6 weeks post delivery).
7	New born	Neonate (0 - 27 days old) admitted to hospital for care or observation as an emergency or unplanned.

### DAYCASE

Code	Description
0	In-patient
1	Day case

**DISC\_CODE – Discharge Code**

Code	Description
00	Self discharge
01	Home
02	Nursing home, convalescent home or long stay accommodation
03	Transfer to Hospital - Emergency
04	Transfer to Hospital - Non Emergency
05	Transfer to psychiatric hospital/unit
06	Died with post mortem
07	Died no post mortem
08	Transfer to Non-Acute hospital <u>not</u> in HIPE Hospital Listing - Emergency
09	Transfer to Non-Acute hospital <u>not</u> in HIPE Hospital Listing - Non Emergency
10	Transfer to external rehabilitation facility ( <u>not</u> in HIPE Hospital Listing)
11	Hospice ( <u>not</u> in HIPE Hospital Listing)
12	Prison
13	Absconded
14	Other (e.g. Foster care)
15	Temporary place of residence (e.g. hotel)

**DIS\_STATUS – Discharge Status**

Code	Description
1	Public
2	Private

**EMADM – Mode of Emergency Admission**

Code	Description
1	ED Emergency Department
2	MAU (admitted as in-patient)
3	Other
4	Unknown
5	MAU Day only

**Enc\_Type - Additional Encounter Type**

Code	Description
A	Anaesthetist
D	Diagnosis
P	Procedure

**Health Insurer**

Code	Description
1	Voluntary Health Insurance (VHI)
2	Quinn Healthcare
3	Aviva
5	Company Insurance Plan (ESB etc)
6	State Employee Insurance (e.g. Prison officer, Garda, Army)
8	Not stated
9	Other
0	No insurance



## Hospital Codes

HIPE Code	Hospital	DoH Code (for use with transfers)	NHO (1= Yes, 0=No)	HIPE Code	Hospital	DoH Code (for use with transfers)	NHO (1= Yes, 0=No)
001	Our Lady's Hospital for Sick Children, Crumlin	0941	1	208	St. Mary's Orthopaedic Hospital, Gurranaברה	0701	1
003	St. Columille's Hospital, Loughlinstown	0101	1	235	Cork University Hospital	0724	1
004	Naas General Hospital, Naas	0102	1	236	Tralee General Hospital	0726	1
005	Mater Misericordiae University Hospital, Eccles St	0908	1	302	Regional Maternity Hospital	0301	1
007	St. Vincent's University Hospital, Elm Park	0910	1	303	Midwestern Regional Hospital	0300	1
009	Peamont Hospital	0925	0	304	Midwestern Regional Orthopaedic Hospital	0302	1
011	National Orthopaedic Hospital, Cappagh	0955	1	305	St. John's Hospital, Limerick	0918	1
014	The Children's University Hospital, Temple St	0940	1	307	Ennis General Hospital	0305	1
015	St. Luke's Hospital, Rathgar	0947	1	308	St. Joseph's General Hospital, Nenagh	0304	1
021	St. James' Hospital	0904	1	401	Roscommon County Hospital	0803	1
022	Connolly Hospital, Blanchardstown	0108	1	403	Portiuncula Hospital	0919	1
023	St. Michael's Hospital, Dun Laoghaire	0912	1	404	Galway University Hospitals	0800	1
024	Royal Victorian Eye and Ear Hospital	0950	1	405	Mayo General Hospital	0802	1
026	National Rehabilitation Hospital, Rochestown Dun Laoghaire	0960	0	501	Midland Regional Hospital, Tullamore	0203	1
027	Our Lady's Hospice (St Joseph's unit)	1225	0	503	Midland Regional Hospital, Mullingar	0202	1
028	Our Lady's Hospice (St Michael's ward)	0978	0	506	Midland Regional Hospital, Portlaoise	0201	1
035	Cherry Orchard Hospital, Ballyfermot	0106	0	601	Letterkenny General Hospital	0500	1
037	Beaumont Hospital	0923	1	602	Sligo General Hospital	0501	1
038	Coombe Women's Hospital	0930	1	701	Our Lady of Lourdes Hospital, Drogheda	0922	1
039	Rotunda Hospital	0932	1	702	General Hospital, Cavan	0402	1
040	National Maternity Hospital, Holles St	0931	1	703	Louth County Hospital	0400	1
041	The Adelaide & Meath Hospital, incorporating the National Children's Hospital, Tallaght	1270	1	704	Monaghan General Hospital	0404	0
044	St Joseph's Hospital, Raheny	1762	0	705	Our Lady's Hospital, Navan	0403	1
047	Incorporated Orthopaedic Hospital of Ireland, Clontarf	0954	0	Not applicable	St Luke's Radiation Oncology Network - St James's Centre	0948	1
048	Blackrock Hospice	1001	0	Not applicable	St Luke's Radiation Oncology Network - Beaumont Centre	0949	1
050	St. Vincent's Private Hospital		0	Not applicable	Acute Hospital in Northern Ireland	9030	
100	Waterford Regional Hospital	0600	1	Not applicable	Acute Hospital in England	9031	
101	St. Luke's General Hospital, Kilkenny	0601	1	Not applicable	Acute Hospital in Scotland	9032	
102	Our Lady's Hospital, Cashel	0608	0	Not applicable	Acute Hospital in Wales	9033	
103	Wexford General Hospital	0605	1	Not applicable	Acute Hospital in France	9040	
104	Lourdes Orthopedic Hospital, Kilcreene	0602	1	Not applicable	Acute Hospital in Germany	9041	
105	South Tipperary General Hospital, Clonmel	0607	1	Not applicable	Acute Hospital in the United States	9050	
200	St. Finbarr's Hospital, Cork	0705	0	Not applicable	Private Hospital	9060	
202	Bantry General Hospital, Co Cork	0704	1	Not applicable	Other Acute Hospital	9099	
203	Mercy University Hospital, Cork	0913	1				
206	South Infirmary / Victoria Hospital, Cork	0915	1				
207	Mallow General Hospital, Cork	0703	1				

### **MARR – Marital/Civil Status**

<b>Code</b>	<b>Description</b>
1	Single
2	Married
3	Widowed
4	Other (includes married but separated)
5	Unknown
6	Divorced
7	Civil partner
8	Former Civil Partner
9	Surviving Civil Partner

### **MCARD – Medical Card**

<b>Code</b>	<b>Description</b>
0	No (not medical card holder)
1	Yes (medical card holder)
2	Unknown (medical card possession unknown)

**RESID – Area of Residence (HSE Region only applies to Republic of Ireland)**

<b>Code</b>	<b>Area of Residence</b>	<b>HSE Region</b>	<b>Code</b>	<b>Area of Residence</b>
0000	No fixed abode	N/A	3310	Northern Ireland
0500	Carlow	HSE South	3318	Austria
2900	Cavan	HSE Dublin North East	3301	Belgium
1600	Clare	HSE West	3331	Bulgaria
1101	Cork City	HSE South	3321	Cyprus
1200	Cork County	HSE South	3322	Czech Republic
2800	Donegal	HSE West	3302	Denmark
0100	North Dublin City and County	HSE Dublin North East	3303	England
0200	South Dublin City and County	HSE Dublin Mid-Leinster	3323	Estonia
1801	Galway (City)	HSE West	3316	Finland
1900	Galway (County)	HSE West	3304	France
1300	Kerry	HSE South	3305	Germany
0300	Kildare	HSE Dublin Mid-Leinster	3306	Greece
0700	Kilkenny	HSE South	3307	Holland
2500	Laois	HSE Dublin Mid-Leinster	3324	Hungary
2600	Leitrim	HSE West	3308	Italy
1401	Limerick City	HSE West	3325	Latvia
1500	Limerick County	HSE West	3326	Lithuania
2200	Longford	HSE Dublin Mid-Leinster	3309	Luxembourg
3100	Louth	HSE Dublin North East	3327	Malta
2100	Mayo	HSE West	3317	Norway
3200	Meath	HSE Dublin North East	3328	Poland
3000	Monaghan	HSE Dublin North East	3314	Portugal
2400	Offaly	HSE Dublin Mid-Leinster	3332	Romania
2000	Roscommon	HSE West	3311	Scotland
2700	Sligo	HSE West	3329	Slovak republic
1700	Tipperary North Riding	HSE West	3330	Slovenia
0800	Tipperary South Riding	HSE South	3313	Spain
0901	Waterford City	HSE South	3315	Sweden
1000	Waterford County	HSE South	3320	Wales
2300	Westmeath	HSE Dublin Mid-Leinster	3350	Other European
0600	Wexford	HSE South	3400	Africa
0400	Wicklow	HSE Dublin Mid-Leinster	3501	America North and Canada
			3502	America South, Central and Caribbean
			3600	Asia, Middle East, Far East, South East Asia
			3700	Australia, New Zealand, Oceania

## RepeatStatus –Oncology Day Ward Flag

Code	Description
0	Not Applicable
1	Chemotherapy Case
2	First Encounter Flag
3	Non-Chemotherapy Procedure Flag
4	Repeat Encounter Flag

## SEX

Code	Description
1	Male
2	Female
3	Unknown

## Specialties

<b>Code</b>	<b>Specialty</b>	<b>Code</b>	<b>Specialty</b>
0100	Cardiology	2300	Nephrology
0300	Dermatology	2400	Respiratory Medicine
0400	Endocrinology	2500	Rheumatology
0402	Diabetes Mellitus	2600	General Surgery
0600	Otolaryngology (ENT)	2602	Gastro-Intestinal Surgery
0601	Paediatric ENT	2603	Hepato-Biliary Surgery
0700	Gastro-Enterology	2604	Vascular Surgery
0800	Genito-Urinary Medicine	2605	Breast Surgery
0900	Geriatric Medicine	2700	Infectious Diseases
0902	Psychogeriatric Medicine	2702	Tropical
1100	Haematology	2800	Emergency Department
1102	Transfusion Medicine	3000	Rehabilitation Medicine
1300	Neurology	3002	Spinal Paralysis
1302	Paediatric Neurology	5000	General Medicine
1400	Neurosurgery	6000	Audiological Medicine
1402	Paediatric Neurosurgery	6100	Public Health Medicine
1500	Obstetrics/Gynaecology	6200	Clinical Neurophysiology
1502	Obstetrics	6300	Clinical Pharmacology
1503	Gynaecology	6400	Clinical Physiology
1600	Oncology	6500	G.P. Medicine
1700	Ophthalmology	6700	Clinical (Medical) Genetics
1702	Neuro-Ophthalmic Surgery	6800	Mental Handicap
1703	Vitro-Retinal Surgery	6900	Nuclear Medicine
1800	Orthopaedics	7000	Dental Surgery
1802	Paediatric Orthopaedic Surgery	7001	Oral Surgery
1900	Paediatrics	7002	Orthodontics
1902	Paediatric Cardiology	7100	Occupational Medicine
1903	Paediatric Oncology	7200	Paediatric Surgery
1904	Neonatology	7300	Palliative Medicine
1905	Paediatric Endocrinology	7400	Pathology
1906	Paediatric Gastro-enterology	7500	Radiotherapy
1907	Paediatric Haematology	7600	Cardio-Thoracic Surgery
1908	Paediatric E.D. Medicine	7700	Metabolic Medicine
1909	Paediatric Infectious Diseases	7800	Urology
1910	Paediatric Metabolic Medicine	7802	Renal Transplantation
1911	Paediatric Nephrology	7803	Paediatric Urology
1912	Paediatric Respiratory Medicine	7900	Clinical Immunology
1913	Perinatal Paediatrics	8000	Anaesthetics
1914	Paediatric Physical Handicap	8002	Intensive Care
1915	Paediatric Dermatology	8003	Pain Relief
1916	Paediatrics Development	8004	Paediatric Anaesthetics
2000	Plastic Surgery	8300	General Pathology
2003	Maxillo-Facial	8400	Chemical Pathology
2100	Psychiatry	8402	Paediatric Chemical Pathology
2102	Child/adolescent Psychiatry	8500	Histopathology
2103	Forensic Psychiatry	8502	Neuropathology
2104	Substance Abuse	8600	Biochemistry
2105	Old Age Psychiatry	8700	Cytology
2106	Rehabilitation Psychiatry	8800	Immunology
2200	Radiology	8900	Microbiology
2202	Paediatric Radiology	8902	Virology
2203	Neuroradiology	9000	Other

### **WARDIND – Registered Day Ward Indicator**

<b>Code</b>	<b>Description</b>
0	No
1	Yes
2	Unknown

### **WLIST – Waiting List Indicator**

<b>Code</b>	<b>Description</b>
0	Not NTPF (National Treatment Purchase Fund)
1	NTPF

## Appendix II - Classifications

### Coding Classification

[ICD-10-AM / ACHI / ACS 6th Edition](#)

### Casemix Classification

[Australian Refined Diagnosis Related Groups \(AR-DRGs\)](#)

## Appendix III - Abbreviations

<b>Adm</b>	Admission
<b>Admwt</b>	Admission Weight
<b>ACHI</b>	Australian Classification of Health Interventions
<b>ACS</b>	Australian Coding Standards
<b>AICD</b>	Automatic Implantable Cardioverter-Defibrillator
<b>AR-DRG</b>	Australian Refined Diagnosis Related Group
<b>CABG</b>	Coronary Artery Bypass Graft
<b>DoH</b>	Department of Health
<b>DRG</b>	Diagnosis Related Group
<b>ESRI</b>	Economic and Social Research Institute
<b>g</b>	Grams
<b>GMS</b>	General Medical Services
<b>GP</b>	General Practitioner
<b>HIS</b>	Hospital Information System (also known as PAS)
<b>HIPE</b>	Hospital In-Patient Enquiry
<b>HRID</b>	Health Research and Information Division
<b>HSE</b>	Health Service Executive
<b>ICD-10-AM</b>	Tenth Revision of the International Classification of Diseases, Australian Modification
<b>LOS</b>	Length of Stay
<b>MAU</b>	Medical Assessment Unit
<b>MDC</b>	Major Diagnostic Category
<b>NA</b>	Not available
<b>N/A</b>	Not applicable
<b>NCCC</b>	National Casemix and Classification Centre
<b>NPRS</b>	National Perinatal Reporting System
<b>NTPF</b>	National Treatment Purchase Fund
<b>PAS</b>	Patient Administration System

## **Appendix IV – HIPE Source Documents**

[Discharge Summary](#)

[Instruction Manual](#)

[Irish Coding Standards](#)

[Health Research and Information Division](#)

## **Appendix V - Organisations**

[Department of Health](#)

[Health Service Executive](#)

[Irish National Casemix Programme](#)